


PENNSYLVANIA DOOR & SASH CO.

PITTSBURGH, PA.



1925




PRICE LIST AND DESIGN
BOOK

Pennsylvania Door and Sash Company

834 to 908 Second Avenue
PITTSBURGH, PA.

F Street Above Tioga
PHILADELPHIA, PA.

523 to 529 Main Street
UTICA, NEW YORK



PENNSYLVANIA DOOR & SASH CO.

GRADING RULES

DOORS

No. 1 Quality—Material in No. 1 doors must be clear, except defects not more serious in nature than a tight, sound knot, one-fourth ($\frac{1}{4}$) inch in diameter. No piece to contain more than one (1) such defect, and no door more than a total of five (5) such defects. In addition, stiles may contain one small pitch streak on one side.

White sap, light brown water stain and light red kiln burn not considered defects.

Workmanship must be good.

Door with White Pine stiles and rails and laminated panels are, unless otherwise specified, to have No. 1 quality stiles and rails. Panels to be three ply, good two sides and may contain two or three-piece faces if joints are well made.

No. 2 Quality—Material in No. 2 doors may contain pitch streaks, fine season checks, pitch pockets if slivered, light blue sap, showing on not to exceed twenty-five (25) per cent of the area of any piece, and defects not more serious in nature than a tight, sound knot, three-quarter ($\frac{3}{4}$) inch in diameter.

No piece to contain more than two (2) such defects, and no door to contain more than eight (8) such defects on each side.

Plugs admitted, but regarded as defects.

Slight defects in workmanship admitted.

No. 3 Quality—Material for No. 3 doors may contain all blue sap, small worm holes, season checks, pitch streaks, pitch pockets, fine shake and defects not more serious in nature than a tight knot one and three-quarter ($1\frac{3}{4}$) inches in diameter. No piece to contain more than four (4) such defects and no door to contain more than twenty (20) such defects on each side.

Plugs admitted, but regarded as defects.

Slight defects in workmanship admitted.

No. 4 Quality—Material for No. 4 doors may contain an unlimited number of coarse defects except rot, but each piece must be sound.

Defects in workmanship admitted.

WINDOWS

Check Rail Windows may contain one (1) knot one-fourth ($\frac{1}{4}$) inch in diameter in each piece of a window. White sap may be admitted. Workmanship must be good.

Plain Rail Windows and Sash may contain blue sap and small knots.

BLINDS

No. 1 Outside Blinds for paint must be made of sound lumber and may contain small sound pin knots, water stain and white sap. Slight imperfections in workmanship also admitted.

No. 2 Outside Blinds must be made of sound stock which may contain sound knots up to one-half ($\frac{1}{2}$) inch in diameter and any amount of either white or blue sap. Slight imperfections in workmanship admitted.

WOODS ADMISSIBLE

Woods other than Michigan, Wisconsin and Minnesota or Western Pine may be admitted in Doors, Blinds and Windows.

PENNSYLVANIA DOOR & SASH CO.

DIRECTIONS FOR ORDERING

Time, Annoyance and Expense Can Be Saved by Noting and Following Closely the Suggestions Below:

It is understood all orders and inquiries are for Regular Ohio Style and Sizes as described in this list, unless specifically ordered otherwise.

Be explicit in ordering. Do not assume that we know what you want.

Always give width first, length or height second, then thickness.

Always use inches to designate glass size, and feet and inches for openings or outside measurements.

SASH AND WINDOW

The term "Sash" indicates only one piece to fill opening.

The term "Window" indicates two pieces (upper and lower sash).

State size of glass, number of lights, opening (unless regular stock) and thickness. State whether open or glazed, and if glazed whether single or double strength.

If a window whether check or plain rail.

Where a window or sash is ordered with top and bottom lights of different heights (example, 2-lt. 40x30x38), it is understood that the first measurement (40) is the width of both lights, that the second measurement (30) is the height of the top light, and that the third measurement (38) is the height of the bottom light.

When an odd sash or window is ordered always give both glass size and number of lights and outside opening, and, if possible send sketch.

If glass sizes only are given, we will understand that regular stock widths of stiles, rails and bars are required.

Note—All windows and sash are understood to be glazed unless ordered open specifically. All glazed windows or sash may be furnished primed one coat or with surfaces in the white to receive stained or other finish.

DOORS

Always state design of door wanted.

State width, height and thickness, number of panels and arrangement of same and quality.

State style of sticking.

If moulded, state whether flush or raised mould one or two sides.

If odd send sketch or detail.

Odd doors will be made with regular stock widths of stiles, rails, mutins and panels unless specifically ordered otherwise.

OUTSIDE BLINDS

It is understood all orders for blinds to call for Regular Ohio Stock Styles and Sizes, 1½ inch rolling slats unless specifically ordered otherwise.

State size and number of lights of window for which blinds are ordered, also thickness of blind, and whether all rolling slats (R.S.) stationary slats (S.S.), or half rolling and half stationary (½ R.S. ½ S.S.).

If odd give outside opening, thickness, arrangement of slats and send sketch.

The regular stock blind is the width of the window to be covered and one inch longer.

Blinds for brick buildings must be so specified, and will in the absence of additional instructions be made two inches longer than regular window opening.

A blind indicates a single piece to fill opening.

A pair of blinds indicates two pieces to fold together to fill opening.


A set of blinds indicates more than two pieces and should always be accompanied by sketch.

PENNSYLVANIA DOOR & SASH CO.




Two Light Check Rail Windows

1 3/8 Inches Thick



Size of Glass	List Open.	List Glazed, S. S.	List Glazed, D. S.	Size of Opening	Weight Open.	Weight Gl. S. S.	Weight Gl. D. S.
12 x 16	\$1.17	\$3.55		1- 4 1/2 x 3- 2 1/8	5 1/2	9	
20	1.25	3.95		3- 10 1/8	6	11	
24	1.34	4.40		4- 6 1/8	6 1/2	13	
26	1.38	4.60		4- 10 1/8	7	13	
28	1.42	4.80		5- 2 1/8	7	13	
14 x 16	1.21	3.80		1- 6 1/2 x 3- 2 1/8	5 1/2	10	
20	1.30	4.20		3- 10 1/8	6 1/2	12	
24	1.38	4.70		4- 6 1/8	8	13	
26	1.42	4.85		4- 10 1/8	8	14	
28	1.46	5.50		5- 2 1/8	9	16	
16 x 16	1.25	4.00	\$4.50	1- 8 1/2 x 3- 2 1/8	6	10	12
18	1.30	4.25	4.75	3- 6 1/8	6 1/2	12	13
20	1.34	4.50	5.15	3- 10 1/8	7	12	14
22	1.38	4.80	5.50	4- 2 1/8	7	13	15
24	1.42	4.95	5.70	4- 6 1/8	7 1/2	14	16
26	1.46	5.60	6.45	4- 10 1/8	8	15	17
28	1.50	5.85	6.75	5- 2 1/8	8	16	18
30	1.55	6.10	7.05	5- 6 1/8	8 1/2	17	19
18 x 16	1.30	4.25	4.75	1- 10 1/2 x 3- 2 1/8	6 1/2	12	13
18	1.34	4.55	5.20	3- 6 1/8	6 1/2	13	14
20	1.38	4.80	5.50	3- 10 1/8	7	13	15
22	1.42	5.40	6.20	4- 2 1/8	7 1/2	14	16
24	1.46	5.60	6.40	4- 6 1/8	8	16	18
26	1.50	5.90	6.85	4- 10 1/8	8	17	19
28	1.55	6.15	7.20	5- 2 1/8	8 1/2	18	20
30	1.59	6.60	7.70	5- 6 1/8	9	19	21
20 x 16	1.34	4.30	4.90	2- 0 1/2 x 3- 2 1/8	7	12	14
18	1.38	4.60	5.25	3- 6 1/8	7	13	15
20	1.42	5.00	5.70	3- 10 1/8	7 1/2	15	17
22	1.46	5.60	6.40	4- 2 1/8	8	16	18
24	1.50	5.60	6.40	4- 6 1/8	8	17	19
26	1.55	5.90	6.85	4- 10 1/8	8 1/2	19	21
28	1.59	6.15	7.20	5- 2 1/8	9	21	23
30	1.63	6.75	7.90	5- 6 1/8	9 1/2	22	24
32	1.75	7.50	8.80	5- 10 1/8	9 1/2	23	25


PENNSYLVANIA DOOR & SASH CO.



Two Light Check Rail Windows


(Continued)

1 3/8 Inches Thick



Size of Glass.	List Open.	List Glazed, S. S.	List Glazed, D. S.	Size of Opening.	Weight Open.	Weight Gl. S. S.	Weight Gl. D. S.
22 x 16	\$1 38	\$4.65	\$5.35	2- 2 1/2 x 3- 2 1/8	7	13	15
18	1.42	5.25	6.05	3- 6 1/8	7 1/2	14	16
20	1.46	5.45	6.35	3- 10 1/8	8	16	18
22	1.50	6.00	6.95	4- 2 1/8	8	18	20
24	1.55	6.00	7.00	4- 6 1/8	8 1/2	19	21
26	1.59	6.30	7.35	4- 10 1/8	9	20	22
28	1.63	6.70	7.85	5- 2 1/8	9 1/2	21	23
30	1.67	7.20	8.50	5- 6 1/8	9 1/2	22	24
32	1.80	7.95	9.40	5- 10 1/8	10	24	26
24 x 16	1.42	4.65	5.35	2- 4 1/2 x 3- 2 1/8	7 1/2	14	16
18	1.46	5.25	6.05	3- 6 1/8	8	16	18
20	1.50	5.45	6.35	3- 10 1/8	8	17	19
22	1.55	6.00	7.00	4- 2 1/8	8 1/2	19	21
24	1.59	6.20	7.30	4- 6 1/8	9	20	22
26	1.63	6.30	7.35	4- 10 1/8	9	21	23
28	1.67	6.70	7.85	5- 2 1/8	9 1/2	23	25
30	1.71	7.20	8.50	5- 6 1/8	10	25	27
32	1.84	8.25	9.70	5- 10 1/8	10 1/2	26	28
34	1.89	8.75	10.25	6- 2 1/8	11	27	30
36	1.93	9.40	11.10	6- 6 1/8	11	28	32
26 x 16	1.46	5.60	6.45	2- 6 1/2 x 3- 2 1/8	8	15	17
18	1.50	5.85	6.80	3- 6 1/8	8	17	19
20	1.55	5.90	6.85	3- 10 1/8	8 1/2	19	21
24	1.63	6.40	7.50	4- 6 1/8	9	21	23
26	1.67	6.70	7.85	4- 10 1/8	9 1/2	23	25
28	1.71	7.35	8.60	5- 2 1/8	10	24	27
30	1.75	7.95	9.35	5- 6 1/8	10 1/2	26	29
32	1.89	8.75	10.25	5- 10 1/8	10 1/2	27	30
34	1.93	9.85	11.55	6- 2 1/8	11	29	32
36	1.97	9.90	11.65	6- 6 1/8	11 1/2	31	34
27 x 24	1.67	6.90	8.10	2- 7 1/2 x 4- 6 1/8	9 1/2	23	25
26	1.71	7.35	8.60	4- 10 1/8	10	24	27
28	1.75	7.55	8.80	5- 2 1/8	10	25	28
30	1.80	7.95	9.30	5- 6 1/8	10 1/2	27	30


PENNSYLVANIA DOOR & SASH CO.



Two Light Check Rail Windows


(Continued)

1 $\frac{3}{8}$ Inches Thick



Size of Glass	List Open	List Glazed S. S.	List Glazed D. S.	Size of Opening	Weight Open	Weight Gl. S. S.	Weight Gl. D. S.
28 x 16	\$1 50	\$5.85	\$6.75	2- 8 $\frac{1}{2}$ x 3- 2 $\frac{1}{8}$	8	16	18
18	1.55	6.30	7.30	3- 6 $\frac{1}{8}$	8 $\frac{1}{2}$	18	20
20	1.59	6.45	7.50	3- 10 $\frac{1}{8}$	9	21	23
24	1.67	6.90	8.10	4- 6 $\frac{1}{8}$	9 $\frac{1}{2}$	23	25
26	1.71	7.35	8.60	4- 10 $\frac{1}{8}$	10	24	27
28	1.75	7.75	9.10	5- 2 $\frac{1}{8}$	10	25	28
30	1.80	7.95	9.30	5- 6 $\frac{1}{8}$	10 $\frac{1}{2}$	27	30
32	1.93	9.60	11.30	5- 10 $\frac{1}{8}$	11	29	31
34	1.97	9.95	11.65	6- 2 $\frac{1}{8}$	11 $\frac{1}{2}$	31	33
36	2.02	10.80	12.80	6- 6 $\frac{1}{8}$	12	32	35
30 x 16	1.55	6.10	7.05	2- 10 $\frac{1}{2}$ x 3- 2 $\frac{1}{8}$	8 $\frac{1}{2}$	17	19
18	1.59	6.60	7.70	3- 6 $\frac{1}{8}$	9	19	21
20	1.63	6.75	7.90	3- 10 $\frac{1}{8}$	9 $\frac{1}{2}$	22	24
24	1.71	7.20	8.50	4- 6 $\frac{1}{8}$	10	25	27
26	1.75	7.95	9.35	4- 10 $\frac{1}{8}$	10 $\frac{1}{2}$	26	29
28	1.80	8.05	9.45	5- 2 $\frac{1}{8}$	10 $\frac{1}{2}$	27	30
30	1.84	9.05	10.70	5- 6 $\frac{1}{8}$	11	29	32
32	1.97	9.95	11.65	5- 10 $\frac{1}{8}$	11 $\frac{1}{2}$	31	34
34	2.02	10.80	12.80	6- 2 $\frac{1}{8}$	12	33	36
36	2.06	10.90	12.90	6- 6 $\frac{1}{8}$	12	35	38
32 x 18	1.71	6.80	7.90	3- 0 $\frac{1}{2}$ x 3- 6 $\frac{1}{8}$	9 $\frac{1}{2}$	20	22
20	1.75	7.50	8.80	3- 10 $\frac{1}{8}$	9 $\frac{1}{2}$	23	25
24	1.84	8.45	9.90	4- 6 $\frac{1}{8}$	10 $\frac{1}{2}$	26	28
26	1.89	8.55	10.00	4- 10 $\frac{1}{8}$	10 $\frac{1}{2}$	27	30
28	1.93	9.60	11.30	5- 2 $\frac{1}{8}$	11	29	31
30	1.97	9.95	11.65	5- 6 $\frac{1}{8}$	11 $\frac{1}{2}$	31	34
32	2.02	10.80	12.80	5- 10 $\frac{1}{8}$	12		35
34	2.06	10.90	12.90	6- 2 $\frac{1}{8}$	12		37
36	2.10	12.05	14.35	6- 6 $\frac{1}{8}$	12 $\frac{1}{2}$		39
34 x 20	1.80	7.60	8.90	3- 2 $\frac{1}{2}$ x 3- 10 $\frac{1}{8}$	10	24	26
24	1.89	8.75	10.25	4- 6 $\frac{1}{8}$	11	27	30
26	1.93	9.85	11.55	4- 10 $\frac{1}{8}$	11	29	32
28	1.97	9.95	11.65	5- 2 $\frac{1}{8}$	11 $\frac{1}{2}$	31	33
30	2.02	10.80	12.80	5- 6 $\frac{1}{8}$	12	33	36
32	2.06	10.90	12.90	5- 10 $\frac{1}{8}$	12 $\frac{1}{2}$		37
34	2.10	12.05	14.35	6- 2 $\frac{1}{8}$	12 $\frac{1}{2}$		38
36	2.15	13.20	15.35	6- 6 $\frac{1}{8}$	13		40

PENNSYLVANIA DOOR & SASH CO.



Two Light Check Rail Windows

(Continued)

1 3/8 Inches Thick



Size of Glass.	List Open.	List Glazed. S. S.	List Glazed. D. S.	Size of Opening.	Weight Open.	Weight Gl. S. S.	Weight Gl. D. S.
36 x 20	\$1.84	\$8.20	\$9.55	3-4 1/2 x 3-10 1/8	10 1/2	25	27
24	1.93	8.80	10.40	4- 6 1/8	11	28	32
26	1.97	9.90	11.65	4-10 1/8	11 1/2	31	34
28	2.02	10.60	12.50	5- 2 1/8	12	32	35
30	2.06	10.90	12.90	5- 6 1/8	12	35	38
32	2.10		14.35	5-10 1/8	12 1/2		39
34	2.15		15.35	6- 2 1/8	13		40
36	2.19		15.45	6- 6 1/8	13		41
40 x 24	2.11		11.90	3-8 1/2 x 4- 6 1/8	12		34
26	2.16		13.05	4-10 1/8	12		36
28	2.20		14.55	5- 2 1/8	12 1/2		37
30	2.26		14.65	5- 6 1/8	13		40
32	2.30		15.65	5-10 1/8	13		42
36	2.39		17.95	6- 6 1/8	14		46
40	2.48		18.15	7- 2 1/8	14 1/2		49
44 x 24	2.20		15.85	4-0 1/2 x 4- 6 1/8	12 1/2		36
26	2.26		17.80	4-10 1/8	13		39
28	2.30		19.10	5- 2 1/8	13		41
30	2.34		22.05	5- 6 1/8	13 1/2		43
32	2.39		22.15	5-10 1/8	13 1/2		46
36	2.48		22.35	6- 6 1/8	14 1/2		50
40	2.57		27.20	7- 2 1/8	15 1/2		53
48 x 24	2.30		19.10	4-4 1/2 x 4- 6 1/8	13 1/2		40
26	2.34		19.20	4-10 1/8	14		42
28	2.39		22.15	5- 2 1/8	14		44
30	2.43		22.20	5- 6 1/8	14 1/2		46
32	2.48		22.35	5-10 1/8	14 1/2		48
36	2.57		27.20	6- 6 1/8	15 1/2		53
40	2.66		28.80	7- 2 1/8	16 1/2		58


PENNSYLVANIA DOOR & SASH CO.



Two Light Plain Rail Windows

1 1/8 Inches Thick

Not Ploughed or Bored.




Size of Glass	List Open	List Glazed, S. S.	Size of Opening
24 x 20	\$1.32	\$5.35	2- 4 1/2 x 3-10 1/8
24	1.39	6.10	4- 6 1/8
26	1.42	6.20	4-10 1/8
28	1.46	6.60	5- 2 1/8
27 x 24	1.46	6.69	2- 7 1/2 x 4- 6 1/8
26	1.49	7.13	4-10 1/8
28	1.53	7.33	5- 2 1/8



Four Light Plain Rail Windows

1 1/8 Inches Thick

Not Ploughed or Bored




Size of Glass	List Open	List Glazed, S. S.	Size of Opening
12 x 20	\$1.55	\$5.05	2- 4 1/2 x 3-10 1/8
24	1.64	5.70	4- 6 1/8
26	1.69	6.30	4-10 1/8
28	1.73	6.60	5- 2 1/8
14 x 26	1.76	6.80	2- 8 1/2 x 4-10 1/8
28	1.80	7.95	5- 2 1/8



Four Light Check Rail Windows


1 1/8 Inches Thick

Ploughed and Bored




Size of Glass	List Open	List Glazed, S. S.	Size of Opening
12 x 20	\$1.59	\$5.35	2- 4 1/2 x 3-10 1/8
24	1.68	6.05	4- 6 1/8
26	1.73	6.35	4-10 1/8
28	1.77	6.70	5- 2 1/8

PENNSYLVANIA DOOR & SASH CO.



Four Light Check Rail Windows

1 3/8 Inches Thick




Size of Glass.	List Open.	List Glazed S. S.	List Glazed D. S.	Size of Opening.	Weight Open.	Weight Gl. S. S.	Weight Gl. D. S.
10 x 20	\$1.69	\$5.50		2- 0 1/2 x 3- 10 1/8	6	16	
24	1.80	5.80		4- 6 1/8	8	18	
26	1.85	6.45		4- 10 1/8	8	19	
28	1.91	6.45		5- 2 1/8	9	20	
12 x 16	1.66	5.35		2- 4 1/2 x 3- 2 1/8	6	15	
18	1.72	5.45		3- 6 1/8	7	17	
20	1.77	5.45		3- 10 1/8	7	18	
22	1.83	6.15		4- 2 1/8	8	19	
24	1.88	6.15		4- 6 1/8	8	20	
26	1.94	6.55		4- 10 1/8	9	21	
28	1.99	6.80		5- 2 1/8	9	22	
30	2.05	8.05		5- 6 1/8	10	23	
32	2.21	8.90		5- 10 1/8	11	25	
34	2.27	9.25		6- 2 1/8	12	26	
36	2.32	9.65		6- 6 1/8	12	27	
13 x 24	1.96	6.80		2- 6 1/2 x 4- 6 1/8	10	23	
26	2.02	7.20		4- 10 1/8	10 1/2	24	
28	2.08	8.10		5- 2 1/8	11	25	
30	2.13	8.85		5- 6 1/8	12	26	
14 x 20	1.85	6.50		2- 8 1/2 x 3- 10 1/8	9	20	
22	1.91	7.05		4- 2 1/8	9 1/2	22	
24	1.96	7.10		4- 6 1/8	10	23	
26	2.02	7.35		4- 10 1/8	10 1/2	24	
28	2.08	8.20		5- 2 1/8	11	25	
30	2.13	8.85		5- 6 1/8	12	27	
32	2.30	9.40	\$11.10	5- 10 1/8	12	29	32
34	2.35	10.30	12.20	6- 2 1/8	12 1/2	31	34
36	2.42	10.80	12.85	6- 6 1/8	13	32	35
15 x 24	2.01	7.70	9.10	2- 10 1/2 x 4- 6 1/8	10 1/2	24	27
26	2.06	8.85	10.45	4- 10 1/8	11	25	29
28	2.12	9.25	10.90	5- 2 1/8	11 1/2	27	30
30	2.17	9.65	11.40	5- 6 1/8	12	29	32
32	2.34	10.30	12.15	5- 10 1/8	12	31	34
34	2.39	10.75	12.80	6- 2 1/8	12 1/2	33	36
36	2.46	11.45	13.65	6- 6 1/8	13	35	38

PENNSYLVANIA DOOR & SASH CO.



Eight Light Plain Rail Windows

1 1/8 Inches Thick



Size of Glass.	List Open.	List Glazed S. S.	Size of Opening.	Weight Open	Weight Glazed S. S.
8 x 10	\$1.48	\$4.05	1- 8 1/2 x 3- 10 1/8	5	10
12	1.57	4.65	4- 6 1/8	5 1/2	12
9 x 12	1.61	4.65	1-10 1/2 x 4- 6 1/8	6	14
14	1.70	5.40	5- 2 1/8	7	17
10 x 12	1.65	4.90	2- 0 1/2 x 4- 6 1/8	7 1/2	15
14	1.74	5.40	5- 2 1/8	8	18
16	1.92	6.90	5- 10 1/8	9	20
12 x 14	1.81	6.30	2- 4 1/2 x 5- 2 1/8	9	19
16	2.00	7.55	5- 10 1/8	11	22
18	2.09	8.25	6- 6 1/8	12	25




Eight Light Check Rail Windows

1 3/8 Inches Thick



Size of Glass.	List Open.	List Glazed S. S.	Size of Opening.	Weight Open.	Weight Glazed S. S.
8 x 10	\$1.71	\$4.75	1- 8 1/2 x 3- 10 1/8	7 1/2	13
12	1.82	5.20	4- 6 1/8	8	14
9 x 12	1.87	5.45	1-10 1/2 x 4- 6 1/8	8 1/2	17
14	1.98	5.90	5- 2 1/8	9	18
10 x 12	1.92	5.45	2- 0 1/2 x 4- 6 1/8	9 1/2	18
14	2.02	6.20	5- 2 1/8	10	19
16	2.24	7.25	5- 10 1/8	11	22
12 x 14	2.12	6.85	2- 4 1/2 x 5- 2 1/8	11 1/2	23
16	2.34	7.95	5- 10 1/8	12	24
18	2.46	8.65	6- 6 1/8	13	27
14 x 16	2.44	8.70	2- 8 1/2 x 5- 10 1/8	13	28
18	2.55	9.30	6- 6 1/8	14	31
20	2.79	10.20	7- 2 1/8	15	35

PENNSYLVANIA DOOR & SASH CO.




Twelve Light Plain Rail Windows

1 $\frac{1}{8}$ Inches Thick



Size of Glass.	List Open.	List Glazed S. S.	Size of Opening.	Weight Open.	Weight Glazed, S. S.
7 x 9	\$1.61	\$4.75	2- 1 $\frac{1}{2}$ x 3- 6 $\frac{1}{8}$	6	15
8 x 10	1.71	5.05	2- 4 $\frac{1}{2}$ x 3- 10 $\frac{1}{8}$	7	17
12	1.80	5.85	4- 6 $\frac{1}{8}$	8	18
9 x 12	1.86	6.00	2- 7 $\frac{1}{2}$ x 4- 6 $\frac{1}{8}$	9	20
13	1.90	6.75	4- 10 $\frac{1}{8}$	9 $\frac{1}{2}$	21
14	1.95	7.10	5- 2 $\frac{1}{8}$	10	22
10 x 12	1.91	6.25	2-10 $\frac{1}{2}$ x 4- 6 $\frac{1}{8}$	9	21
14	2.00	7.20	5- 2 $\frac{1}{8}$	9 $\frac{1}{2}$	23
16	2.19	8.90	5- 10 $\frac{1}{8}$	11	26
12 x 14	2.22	9.15	3- 4 $\frac{1}{2}$ x 5- 2 $\frac{1}{8}$	11	25
16	2.31	9.90	5- 10 $\frac{1}{8}$	12	28



Twelve Light Check Rail Windows

1 $\frac{3}{8}$ Inches Thick




Size of Glass.	List Open.	List Glazed S. S.	Size of Opening.	Weight Open.	Weight Glazed S. S.
7 x 9	\$1.90	\$5.60	2- 1 $\frac{1}{2}$ x 3- 6 $\frac{1}{8}$	7	16
8 x 10	2.02	5.65	2- 4 $\frac{1}{2}$ x 3- 10 $\frac{1}{8}$	8	19
12	2.13	6.30	4- 6 $\frac{1}{8}$	9	20
14	2.24	7.55	5- 2 $\frac{1}{8}$	10	22
9 x 12	2.21	6.70	2- 7 $\frac{1}{2}$ x 4- 6 $\frac{1}{8}$	10	22
13	2.26	7.55	4- 10 $\frac{1}{8}$	10 $\frac{1}{2}$	23
14	2.32	7.55	5- 2 $\frac{1}{8}$	11	24
15	2.38	8.25	5- 6 $\frac{1}{8}$	11	25
16	2.55	8.75	5- 10 $\frac{1}{8}$	13	29
10 x 12	2.28	6.95	2-10 $\frac{1}{2}$ x 4- 6 $\frac{1}{8}$	11	23
14	2.39	7.70	5- 2 $\frac{1}{8}$	12	26
15	2.45	8.70	5- 6 $\frac{1}{8}$	12 $\frac{1}{2}$	27
16	2.64	9.40	5- 10 $\frac{1}{8}$	13	29
18	2.75	10.60	6- 6 $\frac{1}{8}$	14	32
12 x 14	2.67	9.65	3- 4 $\frac{1}{2}$ x 5- 2 $\frac{1}{8}$	13	32
16	2.79	10.95	5- 10 $\frac{1}{8}$	14	36
18	2.91	11.95	6- 6 $\frac{1}{8}$	15	38
20	3.17	13.00	7- 2 $\frac{1}{8}$	16	40

PENNSYLVANIA DOOR & SASH CO.



Fifteen Light Check Rail Windows

1 3/8 Inches Thick




Size of Glass.	List Open	List Glazed S. S.	Size of Opening.		Weight Open.	Weight Glazed.
8 x 10	\$2.87	\$8.45	2- 4 1/2	x 4- 8 7/8	9	22
12	3.17	9.55		5- 6 7/8	10	25
14	3.48	10.65		6- 4 7/8	12	27
9 x 12	3.26	10.10	2- 7 1/2	x 5- 6 7/8	11	26
13	3.33	10.50		5- 11 7/8	12	28
14	3.56	11.25		6- 4 7/8	13	30
16	3.73	12.20		7- 2 7/8	14	32
10 x 12	3.34	10.60	2- 10 1/2	x 5- 6 7/8	12	28
14	3.66	11.90		6- 4 7/8	13	32
15	3.74	12.35		6- 9 7/8	13	33
16	3.82	13.80		7- 2 7/8	14	34
18	3.98	14.95		8- 0 7/8	14	34
12 x 14	3.84	14.05	3- 4 1/2	x 6- 4 7/8	14	32
16	4.00	15.25		7- 2 7/8	14	36
18	4.16	16.55		8- 0 7/8	17	40

Unless otherwise ordered, 15-light windows will be made with 6 lights in bottom sash.




Sixteen Light Check Rail Windows

1 3/8 Inches Thick



Size of Glass	List Open	List Glazed S. S.	Size of Opening		Weight Open	Weight Glazed
8 x 10	\$3.20	\$9.25	3- 1 3/8	x 3- 11	9	23
12	3.34	10.10		4- 7	11	25
14	3.49	11.00		5- 3	12	27
9 x 12	3.44	10.70	3- 5 3/8	x 4- 7	12	28
13	3.52	11.15		4- 11	12	29
14	3.59	11.65		5- 3	13	30
16	3.73	12.55		5- 11	15	36
10 x 12	3.73	11.60	3- 9 3/8	x 4- 7	12	29
14	3.87	12.60		5- 3	14	36
15	3.95	13.10		5- 7	16	37
16	4.02	14.70		5- 11	17	38
12 x 14	4.09	15.05	4- 5 3/8	x 5- 3	19	45
16	4.24	16.20		5- 11	14	36
18	4.39	17.60		6- 7	18	41

PENNSYLVANIA DOOR & SASH CO.




Eighteen Light Check Rail Windows

1 3/8 Inches Thick



Size of Glass	List Open	List Glazed, S. S.	Size of Opening.		Weight Open.	Weight Glazed.
8 x 10	\$3.31	\$9.95	2-	4 15/16 x 5- 7 7/8	10	25
12	3.66	11.30		6- 7 7/8	13	28
14	4.03	12.60		7- 7 7/8	14	30
9 x 12	3.76	11.85	2-	7 15/16 x 6 7 7/8	14	32
13	3.84	12.40		7- 1 7/8	14	33
14	4.13	13.30		7- 7 7/8	15	35
16	4.32	14.40		8- 7 7/8	17	40
10 x 12	3.84	12.55	2-	10 15/16 x 6- 7 7/8	14	33
14	4.22	14.00		7- 7 7/8	16	40
15	4.32	14.55		8- 1 7/8	18	43
16	4.41	16.35		8- 7 7/8	19	46
18	4.61	17.65		9- 7 7/8	21	50
12 x 14	4.42	16.65	3-	4 15/16 x 7- 7 7/8	16	40
16	4.61	18.00		8- 7 7/8	20	46
18	4.81	19.65		9- 7 7/8	24	54



Twenty Light Check Rail Windows

1 3/8 Inches Thick



Size of Glass.	List Open	List Glazed, S. S.	Size of Opening.		Weight Open.	Weight Glazed.
8 x 10	\$3.79	\$11.25	3-	1 3/8 x 4- 9 7/16	12	26
12	3.97	12.40		5- 7 7/16	13	32
14	4.35	13.85		6- 5 7/16	14	34
9 x 12	4.08	13.10	3-	5 3/8 x 5- 7 7/16	14	32
14	4.46	14.60		6- 5 7/16	15	34
10 x 12	4.40	14.20	3-	9 3/8 x 5- 7 7/16	18	36
14	4.58	15.45		6- 5 7/16	20	40
16	4.76	18.00		7- 3 7/16	21	45
18	4.95	19.35		8- 1 7/16	22	48
12 x 14	4.82	18.40	4-	5 3/8 x 6- 5 7/16	22	45
16	5.01	19.85		7- 3 7/16	22	50
18	5.19	21.60		8- 1 7/16	24	56


Unless otherwise specified, bottom sash made 8 lights.

PENNSYLVANIA DOOR & SASH CO.



Twenty-Four Light Check Rail Windows

1 $\frac{3}{8}$ Inches Thick




Size of Glass.	List Open	List Glazed, S. S.	Size of Opening.		Weight Open.	Weight Glazed.
8 x 10	\$4.38	\$13.30	3-	1 $\frac{3}{8}$ x 5-	13	32
12	4.59	14.70		6- 7 $\frac{7}{8}$	15	35
14	5.03	16.40		7- 7 $\frac{7}{8}$	18	42
9 x 12	4.71	15.50	3-	5 $\frac{3}{8}$ x 6-	16	37
14	5.16	17.30		7- 7 $\frac{7}{8}$	20	45
10 x 12	5.07	16.80	3-	9 $\frac{3}{8}$ x 6-	20	40
14	5.29	18.30		7- 7 $\frac{7}{8}$	22	47
16	5.51	21.35		8- 7 $\frac{7}{8}$	25	54
18	5.73	23.05		9- 7 $\frac{7}{8}$	25	54
12 x 14	5.54	21.75	4-	5 $\frac{3}{8}$ x 7-	25	54
16	5.76	23.55		8- 7 $\frac{7}{8}$	26	58
18	5.98	25.65		9- 7 $\frac{7}{8}$	28	64




Thirty Light Check Rail Windows

1 $\frac{3}{8}$ Inches Thick



Size of Glass.	List Open	List Glazed, S. S.	Size of Opening.		Weight Open.	Weight Glazed.
8 x 10	\$5.57	\$16.95	3-	9 $\frac{13}{16}$ x 5	14	35
12	5.81	18.55		6- 7 $\frac{7}{8}$	16	37
14	6.06	20.20		7- 7 $\frac{7}{8}$	16	37
9 x 12	5.97	19.65	4-	2 $\frac{13}{16}$ x 6-	18	40
14	6.22	21.40		7- 7 $\frac{7}{8}$	20	45
10 x 12	6.14	20.75	4-	7 $\frac{13}{16}$ x 6-	20	45
14	6.38	22.65		7- 7 $\frac{7}{8}$	22	50
16	6.63	26.45		8- 7 $\frac{7}{8}$	25	57
18	6.88	28.50		9- 7 $\frac{7}{8}$	27	57
12 x 14	6.70	27.00	5-	5 $\frac{13}{16}$ x 7-	27	57
16	6.95	29.20		8- 7 $\frac{7}{8}$	27	65
18	7.19	31.75		9- 7 $\frac{7}{8}$	27	65

PENNSYLVANIA DOOR & SASH CO.




Thirty-Two Light Check Rail Windows

1 $\frac{3}{8}$ Inches Thick



Size of Glass.	List Open	List Glazed, S. S.	Size of Opening.		Weight Open.	Weight Glazed.
8 x 10	\$5.83	\$18.15	3-	1 $\frac{3}{8}$ x 7-	17	40
12	6.12	19.95		8-	22	49
14	6.41	21.75		10-	24	58
9 x 12	6.27	21.00	3-	5 $\frac{3}{8}$ x 8-	23	52
14	6.56	23.05		10-	26	60
10 x 12	6.41	22.15	3-	9 $\frac{3}{8}$ x 8-	25	54
14	6.71	24.30		10-	28	65
16	7.01	28.45		11-	30	74
18	7.29	30.70		12-	32	84
12 x 14	7.01	28.95	4-	5 $\frac{3}{8}$ x 10-	30	72
16	7.29	31.30		11-	32	80
18	7.59	34.20		12-	34	86



Thirty-Six Light Check Rail Windows

1 $\frac{3}{8}$ Inches Thick




Size of Glass.	List Open	List Glazed, S. S.	Size of Opening.		Weight Open.	Weight Glazed.
8 x 10	\$6.47	\$20.45	3-	1 $\frac{3}{8}$ x 8-	20	42
12	6.80	22.55		9-	26	52
14	7.13	24.60		11-	30	62
9 x 12	6.95	23.75	3-	5 $\frac{3}{8}$ x 9-	28	56
14	7.28	26.00		11-	32	64
10 x 12	7.11	25.00	3-	9 $\frac{3}{8}$ x 9-	30	58
14	7.44	27.40		11-	34	70
16	7.77	32.10		12-	36	78
18	8.10	34.65		14-	38	88
12 x 14	7.76	32.60	4-	5 $\frac{3}{8}$ x 11-	36	76
16	8.09	35.30		12-	38	84
18	8.42	38.55		14-	40	92

PENNSYLVANIA DOOR & SASH CO.



Forty Light Check Rail Windows

1 3/8 Inches Thick



Size of Glass	List Open	List Glazed, S. S.	Size of Opening		Weight Open.	Weight Glazed.
8 x 10	\$7.06	\$22.75	3-	9 13/16 x 7- 4 3/4	24	46
12	7.39	25.00		8- 8 3/4	30	56
14	7.72	27.30		10- 0 3/4	36	66
9 x 12	7.58	26.40	4-	2 13/16 x 8- 8 3/4	32	60
14	7.91	28.85		10- 0 3/4	38	70
10 x 12	7.76	27.85	4-	7 13/16 x 8- 8 3/4	36	62
14	8.09	30.50		10- 0 3/4	40	74
16	8.42	35.60		11- 4 3/4	42	82
18	8.75	38.45		12- 8 3/4	44	92
12 x 14	8.46	36.30	5-	5 13/16 x 10- 0 3/4	42	80
16	8.79	39.30		11- 4 3/4	44	88
18	9.12	42.80		12- 8 3/4	46	96

Divided Top Light Windows

Carried as Stock N. Y. openings in UTICA

20/18 to 20/30—2 light 3/8 check, top cut 3 light or 6 light.
 24/18 to 24/30—2 light 3/8 check, top cut 3 light or 6 light.
 26/18 to 26/30—2 light 3/8 check, top cut 3 light or 6 light.
 28/18 to 28/30—2 light 3/8 check, top cut 3 light or 6 light.
 30/20 to 30/30—2 light 3/8 check, top cut 3 light or 6 light.
 36/24 to 36/30—2 light 3/8 check, top cut 5 light or 8 light.
 40/24 to 40/30—2 light 3/8 check, top cut 5 light or 8 light.

Carried as Stock Pittsburgh openings in PITTSBURGH

18/20 to 18/30—2 light 3/8 check, top cut 3 light or 6 light.
 20/16 to 20/30—2 light 3/8 check, top cut 3 light or 6 light.
 22/20 to 24/30—2 light 3/8 check, top cut 3 light or 6 light.
 24/16 to 24/30—2 light 3/8 check, top cut 3, 4 or 6 light.
 26/16 to 26/30—2 light 3/8 check, top cut 3, 4 or 6 light.
 28/16 to 28/30—2 light 3/8 check, top cut 3, 4 or 6 light.
 30/16 to 30/30—2 light 3/8 check, top cut 3, 4 or 6 light.
 32/20 to 32/30—2 light 3/8 check, top cut 3 light or 6 light.
 36/24 to 36/30—2 light 3/8 check, top cut 5 light or 8 light.
 40/24 to 40/30—2 light 3/8 check, top cut 5 light or 8 light.

Single Sash 1 lt Cut 3 lt or 6 lt

20/20
20/24
24/20
24/24

24/26
24/30
26/24
26/26

26/28
28/24
28/26
28/28

PENNSYLVANIA DOOR & SASH CO.

ONE LIGHT SASH

1 3/8 Inches Thick.

Glass Size	List Open	List Glazed S. S.	List Glazed D. S.	Standard Opening
10x12	\$0.67	\$1.70		1- 2 1/2 x 1- 5
14	.69	1.80		1- 7
12x14	.71	1.90		1- 4 1/2 x 1- 7
16	.73	2.00		1- 9
18	.75	2.10		1- 11
20	.77	2.20		2- 1
24	.79	2.35		2- 5
16x16	.75	2.20	\$2.45	1- 8 1/2 x 1- 9
18	.77	2.30	2.55	1- 11
20	.79	2.30	2.60	2- 1
24	.81	2.65	3.00	2- 5
18x18	.79	2.45	2.80	1- 10 1/2 x 1- 11
20	.81	2.55	2.95	2- 1
24	.83	2.85	3.30	2- 5
26	.85	3.15	3.60	2- 7
28	.87	3.30	3.80	2- 9
30	.89	3.40	3.95	2- 11
20x16	.79	2.45	2.75	2- 0 1/2 x 1- 9
18	.81	2.55	2.95	1- 11
20	.83	2.60	3.00	2- 1
24	.85	2.85	3.30	2- 5
26	.87	3.30	3.80	2- 7
28	.89	3.40	3.95	2- 9
30	.91	3.50	4.00	2- 11
24x16	.81	2.65	3.00	2- 4 1/2 x 1- 9
18	.83	2.85	3.30	1- 11
20	.85	2.85	3.30	2- 1
24	.87	3.20	3.75	2- 5
26	.89	3.55	4.15	2- 7
28	.91	3.60	4.20	2- 9
30	.93	3.85	4.50	2- 11
26x20	.87	3.30	3.80	2- 6 1/2 x 2- 1
24	.90	3.55	4.15	2- 5
26	.92	3.80	4.45	2- 7
28	.94	4.10	4.75	2- 9
30	.96	4.35	5.10	2- 11
28x20	.88	3.40	3.95	2- 8 1/2 x 2- 1
24	.92	3.80	4.45	2- 5
28	.96	4.35	5.10	2- 9
30	.98	4.40	5.15	2- 11
30x16	.86	3.15	3.65	2- 10 1/2 x 1- 9
18	.88	3.40	3.95	1- 11
20	.90	3.50	4.00	2- 1
24	.95	4.05	4.75	2- 5
26	.97	4.40	5.10	2- 7
28	.99	4.40	5.15	2- 9
30	1.00	4.95	5.80	2- 11
36x16	.99	3.65	4.20	3- 4 1/2 x 1- 9
18	1.01	3.95	4.60	1- 11
20	1.03	4.25	4.95	2- 1
24	1.07	4.85	5.70	2- 5
36	1.21		7.95	3- 5
40x16	1.09		4.80	3- 8 1/2 x 1- 9
18	1.11		5.05	1- 11
20	1.13		5.40	2- 1
24	1.18		6.15	2- 5
44x16	1.14		6.00	4- 0 1/2 x 1- 9
18	1.17		6.75	1- 11
20	1.19		7.35	2- 1
24	1.24		8.20	2- 5
48x16	1.18		6.80	4- 4 1/2 x 1- 9
18	1.20		7.35	1- 11
20	1.22		7.45	2- 1
24	1.27		9.80	2- 5

ONE LIGHT FRONT SASH

1 3/8 Inches Thick


Glass Size	List Open	List Glazed D. S.	Standard Opening
40x40	\$1.76	\$10.60	3- 8 1/2 x 3- 9
44	1.80	15.15	4- 1
48	1.85	15.95	4- 5
52	1.90	16.35	4- 9
56	1.95	23.15	5- 1
60	1.99	23.25	5- 5
64	2.04	24.90	5- 9
68	2.08	31.95	6- 1
44x40	1.83	15.20	4- 0 1/2 x 3- 9
44	1.87	17.15	4- 1
48	1.91	21.85	4- 5
52	1.96	25.00	4- 9
56	2.01	25.10	5- 1
60	2.06	31.35	5- 5
64	2.10	34.65	5- 9
68	2.15	38.05	6- 1
48x40	1.89	16.05	4- 4 1/2 x 3- 9
44	1.94	21.90	4- 1
48	1.98	25.00	4- 5
52	2.02	25.15	4- 9
56	2.07	31.35	5- 1
60	2.12	34.70	5- 5
64	2.17	38.10	5- 9
68	2.21	53.50	6- 1
50x40	1.93	16.15	4- 6 1/2 x 3- 9
44	1.97	21.95	4- 1
48	2.01	25.10	4- 5
52	2.06	26.95	4- 9
56	2.10	34.65	5- 1
60	2.16	34.80	5- 5
64	2.20	38.15	5- 9
68	2.24	53.55	6- 1
56x44	2.07	25.25	5- 0 1/2 x 4- 1
48	2.11	31.40	4- 5
52	2.16	34.80	4- 9
56	2.20	43.80	5- 1
60	2.24	53.55	5- 5
64	2.29	53.70	5- 9
68	2.34	58.90	6- 1

FRONT WINDOW and SASH

Two Lights, 1 3/8 Inches Thick.

Size of Glass		No. 14 Window 2 lt. 1 3/8 in. Check		No. 15 Sash 2 lt. 1 3/8 in.		Standard Opening	
Bot- tom Lt.	Top Lt.	List Open	List Glazed D. S.	List Open	List Glazed D. S.		
36x36	36x16	\$2.13	\$12.30	\$1.98	\$12.05	3- 4 1/2 x	4- 10 1/4
36x36	36x20	2.17	13.05	2.02	12.75		5- 2 3/8
40x36	40x16	2.32	14.15	2.05	13.65	3- 8 1/2 x	4- 10 1/4
40x40	40x16	2.37	14.30	2.09	13.80		5- 2 3/8
40x44	40x16	2.42	18.85	2.15	18.35		5- 6 3/8
40x48	40x16	2.46	19.65	2.19	19.15		5- 10 3/8
40x40	40x20	2.42	14.90	2.15	14.45		5- 6 3/8
40x44	40x20	2.46	19.45	2.19	19.00		5- 10 3/8
44x40	44x16	2.46	20.05	2.17	19.50	4- 0 1/2 x	5- 2 3/8
44x44	44x16	2.51	22.00	2.21	21.45		5- 6 3/8
44x40	44x20	2.51	21.55	2.21	20.85		5- 6 3/8
44x44	44x20	2.55	23.30	2.26	22.80		5- 10 3/8
48x40	48x16	2.55	21.60	2.23	21.05	4- 4 1/2 x	5- 2 3/8
48x42	48x18	2.60	23.45	2.28	22.85		5- 6 3/8
48x46	48x18	2.64	28.10	2.32	27.55		5- 10 3/8
48x50	48x18	2.70	31.30	2.37	30.70		6- 2 3/8

PENNSYLVANIA DOOR & SASH CO.




One Light Transoms

1 3/8 Inches Thick

Standard Opening	Glass Size	List Open	List Glazed S. S.
2- 6X0-10	26X 6	\$0.64	\$1.85
1- 0	8	.64	2.05
1- 2	10	.66	2.10
1- 4	12	.68	2.25
1- 6	14	.70	2.40
2- 8X0-10	28X 6	.66	1.90
1- 0	8	.66	2.10
1- 2	10	.68	2.15
1- 4	12	.70	2.35
1- 6	14	.72	2.70
1- 8	16	.74	2.90
2-10X1- 0	30X 8	.68	2.20
1- 2	10	.70	2.25
1- 4	12	.72	2.60
1- 6	14	.74	2.80
1- 8	16	.76	3.00
3- 0X1- 0	32X 8	.74	2.40
1- 2	10	.76	2.55
1- 4	12	.78	2.75
1- 6	14	.80	3.00
1- 8	16	.82	3.20
2- 0	20	.87	3.70

Transoms divided 2 or more vertical lights in above sizes add for each light 12c list.




Hot Bed Sash

1 3/8 Inches Thick

Standard Opening	List Open	List Glazed S. S.	Width of Glass	Rows of Glass
3-0X4-0	\$2.87	\$ 9.60	10	3
3-0X6-0	2.95	11.45	10	3
3-0X6-0	3.15	13.50	7	4
3-0X6-0	3.21	13.70	6	5
3-2X6-0	2.88	11.85	8	4
3-4X6-0	3.27	12.60	8	4
3-6X6-0	3.38	15.60	7	5
3-6X7-0	3.69	17.65	7	5
4-0X6-0	3.62	14.65	8	5
4-0X7-0	3.85	16.05	10	4


PENNSYLVANIA DOOR & SASH CO.

Two Light Cellar Sash 1 $\frac{3}{8}$ Inches Thick




Size of Glass.	Thickness.	List Open	List Single Glazed, S. S.	List Double Glazed, S. S.	Size of Opening.	Weight Open.	Weight Glazed.
8 x 10	1 $\frac{3}{8}$	\$0.70	\$1.95	\$2.40	1- 8 $\frac{1}{2}$ x 1- 3	4	6
10 x 12	"	.77	2.10	2.65	2- 0 $\frac{1}{2}$ x 1- 5	4	6
14	"	.80	2.25	2.90	1- 7	4	6
16	"	.83	2.50	3.30	1- 9	4	6
18	"	.86	2.75	3.70	1- 11	5	8
20	"	.88	2.85	3.90	2- 1	5	8
12 x 12	"	.82	2.25	2.90	2- 4 $\frac{1}{2}$ x 1- 5	5	8
14	"	.85	2.45	3.25	1- 7	5	8
16	"	.88	2.55	3.45	1- 9	5	8
18	"	.91	2.80	3.85	1- 11	6	9
20	"	.93	2.85	3.95	2- 1	6	9
22	"	.96	3.20	4.60	2- 3	6	10
24	"	.99	3.20	4.60	2- 5	6	11
14 x 16	"	.93	2.80	3.85	2- 8 $\frac{1}{2}$ x 1- 9	5	8
18	"	.96	3.05	4.20	1- 11	5	8
20	"	.98	3.20	4.50	2- 1	6	11
22	"	1.01	3.70	5.30	2- 3	6	11
24	"	1.04	3.70	5.40	2- 5	6	12

Three Light Cellar Sash 1 $\frac{1}{8}$ Inches Thick



Size of Glass.	Thickness.	List Open	List Single Glazed, S. S.	List Double Glazed, S. S.	Size of Opening.	Weight Open.	Weight Glazed.
7 x 9	1 $\frac{1}{8}$	\$0.69	\$1.80	\$2.30	2- 1 $\frac{1}{2}$ x 1- 2	4	6
8 x 10	"	.73	1.85	2.40	2- 4 $\frac{1}{2}$ x 1- 3	4	6
12	"	.75	2.10	2.75	1- 5	4	6
9 x 12	"	.78	2.10	2.80	2- 7 $\frac{1}{2}$ x 1- 5	4	7
13	"	.80	2.30	3.05	1- 6	4	7
14	"	.81	2.30	3.10	1- 7	5	8
16	"	.83	2.40	3.30	1- 9	5	8
18	"	.85	2.90	4.15	1- 11	5	8
20	"	.87	3.10	4.45	2- 1	6	9
10 x 12	"	.82	2.25	3.00	2- 10 $\frac{1}{2}$ x 1- 5	5	8
14	"	.84	2.40	3.25	1- 7	5	8
16	"	.86	2.65	3.75	1- 9	5	8
18	"	.88	2.95	4.25	1- 11	6	9
12 x 14	"	.95	3.05	4.40	3- 4 $\frac{1}{2}$ x 1- 7	6	10
16	"	.97	3.15	4.50	1- 9	6	10

PENNSYLVANIA DOOR & SASH CO.



Three Light Cellar Sash

1 $\frac{3}{8}$ Inches Thick

Size of Glass	List Open	List Single Glazed S. S.	List Double Gla. S. S.	Size of Opening
7 x 9	\$0.77	\$2.05	\$2.45	2- 1 $\frac{1}{2}$ x 1- 2
8 x 10	.82	2.05	2.65	2- 4 $\frac{1}{2}$ x 1- 3
12	.85	2.35	3.10	1- 5
9 x 12	.89	2.35	3.10	2- 7 $\frac{1}{2}$ x 1- 5
14	.91	2.55	3.40	1- 7
16	.94	2.60	3.50	1- 9
18	.97	3.00	4.25	1-11
20	.99	3.30	4.70	2- 1
10 x 12	.92	2.40	3.20	2-10 $\frac{1}{2}$ x 1- 5
14	.95	2.60	3.45	1- 7
16	.98	2.85	4.00	1- 9
18	1.00	3.20	4.50	1-11
20	1.03	3.35	4.80	2- 1
12 x 12	1.05	3.05	4.00	3- 4 $\frac{1}{2}$ x 1- 5
14	1.08	3.25	4.45	1- 7
16	1.10	3.35	4.70	1- 9
18	1.13	3.85	5.45	1-11



Four Light Barn Sash

1 $\frac{1}{8}$ Inches Thick

Size of Glass	List Open	List Glazed, S. S.	Size of Opening
7 x 9	\$0.75	\$1.95	1- 6 $\frac{1}{2}$ x 1-11
8 x 10	.80	2.15	1- 8 $\frac{1}{2}$ x 2- 1
12	.84	2.45	2- 5
9 x 12	.86	2.45	1-10 $\frac{1}{2}$ x 2- 5
14	.90	2.70	2- 9
16	.99	3.20	3- 1
10 x 10	.84	2.55	2- 0 $\frac{1}{2}$ x 2- 1
12	.88	2.55	2- 5
14	.92	2.80	2- 9
16	1.01	3.35	3- 1
12 x 12	.93	2.95	2- 4 $\frac{1}{2}$ x 2- 5
14	.97	3.30	2- 9
16	1.06	3.70	3- 1

PENNSYLVANIA DOOR & SASH CO.

FOUR LIGHT BARN SASH

1 3/8 Inches Thick


Size of Glass	List Open	List Glazed, S. S.	Size of Opening
7X 9	\$.84	\$2.15	1- 6 1/2 X1-11
8X10	.89	2.35	1- 8 1/2 X2- 1
12	.94	2.75	2- 5
9X12	.97	2.75	1-10 1/2 X2- 5
14	1.02	3.10	2- 9
16	1.11	3.45	3- 1
10X10	.95	2.80	2- 0 1/2 X2- 1
12	1.00	2.80	2- 5
14	1.04	3.10	2- 9
16	1.14	3.65	3- 1
12X12	1.05	3.35	2- 4 1/2 X2- 5
14	1.10	3.65	2- 9
16	1.21	4.05	3- 1



SIX LIGHT SASH

1 1/8 Inches Thick


Glass Size	List Open	List Glazed S. S.	Size of Opening
7X 9	\$0.90	\$2.65	2- 1 1/2 X1-11
8X10	.96	2.80	2- 4 1/2 X2- 1
12	1.00	3.35	2- 5
14	1.05	3.60	2- 9
16	1.14	4.00	3- 1
9X12	1.04	3.35	2- 7 1/2 X2- 5
14	1.08	3.85	2- 9
10X12	1.07	3.40	2-10 1/2 X2- 5
14	1.12	4.10	2- 9
16	1.22	4.80	3- 1



SIX LIGHT SASH

1 3/8 Inches Thick

Glass Size	List Open	List Glazed S. S.	Size of Opening
7X 9	\$1.01	\$3.00	2- 1 1/2 X1-11
8X10	1.08	3.15	2- 4 1/2 X2- 1
12	1.13	3.60	2- 5
14	1.19	3.90	2- 9
16	1.30	4.30	3- 1
9X12	1.17	3.70	2- 7 1/2 X2- 5
14	1.23	4.15	2- 9
10X12	1.22	3.70	2-10 1/2 X2- 5
14	1.27	4.40	2- 9
16	1.39	5.15	3- 1



PENNSYLVANIA DOOR & SASH CO.

NINE LIGHT SASH

3 lts. Wide—3 lts. High

Glass Size	1½" Open List	List Glazed S.S.	1¾" Open List	List Glazed S. S.	Size of Opening
7x 9	\$1.15	\$3.75	\$1.29	\$4.05	2- 1½ x2- 8
8x10	1.23	4.20	1.38	4.50	2- 4½ x2-11
12	1.35	4.70	1.53	5.05	3- 5
14	1.50	5.25	1.69	5.65	3-11
16	1.57	5.65	1.78	6.10	4- 5
9x12	1.40	5.00	1.58	5.35	2- 7½ x3- 5
13	1.51	5.35	1.69	5.70	3- 8
14	1.54	5.55	1.75	6.00	3-11
15	1.57	5.80	1.79	6.25	4- 2
16	1.62	6.00	1.84	6.50	4- 5
18	1.69	6.95	1.93	7.45	4-11
10x10	1.30	5.00	1.47	5.35	2-10½ x2-11
12	1.44	5.25	1.63	5.65	3- 5
14	1.58	5.90	1.79	6.35	3-11
15	1.62	6.15	1.84	6.60	4- 2
16	1.66	6.85	1.88	7.30	4- 5
18	1.74	7.40	1.97	7.85	4-11
12x12	1.52	5.85	1.72	6.25	3- 4½ x3- 5
14	1.67	7.00	1.90	7.50	3-11
16	1.75	7.60	1.99	8.10	4- 5
18	1.82	8.30	2.08	8.85	4-11

TWELVE LIGHT SASH

3 lts. Wide—4 lts. High

Glass Size	1½" List Open	List Glazed S. S.	1¾" List Open	List Glazed S. S.	Size of Opening
7x 9	\$1.52	\$4.95	\$1.69	\$5.30	2- 1½ x3- 5
8x10	1.69	5.65	1.88	6.05	2- 4½ x3- 9
12	1.78	6.20	2.00	6.65	4- 5
14	1.89	7.05	2.12	7.55	5- 1
16	1.99	7.35	2.24	7.85	5- 9
9x12	1.84	6.55	2.06	7.05	2- 7½ x4- 5
13	1.88	6.85	2.12	7.35	4- 9
14	1.94	7.20	2.18	7.70	5- 1
15	1.98	7.50	2.24	8.05	5- 5
16	2.04	7.80	2.30	8.35	5- 9
18	2.13	9.05	2.42	9.65	6- 5
10x10	1.78	6.70	2.00	7.15	2-10½ x3- 9
12	1.88	6.90	2.12	7.45	4- 5
14	1.98	7.60	2.24	8.15	5- 1
15	2.04	7.90	2.30	8.50	5- 5
16	2.08	8.85	2.35	9.40	5- 9
18	2.18	9.55	2.48	10.20	6- 5
12x12	1.98	7.65	2.23	8.20	3- 4½ x4- 5
14	2.08	9.05	2.35	9.60	5- 1
16	2.18	9.80	2.46	10.40	5- 9
18	2.28	10.75	2.59	11.45	6- 5

PENNSYLVANIA DOOR & SASH CO.

Cupboard Sash, One Light

1½ Inches Thick

Size of Sash	List Open	List Glazed D. S.
1- 4×3- 0	\$0.71	\$3.30
3- 6	.77	3.70
4- 0	.86	4.75
4- 6	.92	5.55
1- 6×3- 0	.74	3.65
3- 6	.79	4.00
4- 0	.88	5.25
4- 6	.95	6.25
1- 8×3- 0	.77	3.90
3- 6	.82	4.35
4- 0	.91	5.90
4- 6	.97	6.70
1-10×3- 0	.79	4.10
3- 6	.84	4.65
4- 0	.94	6.65
4- 6	.99	7.30
2- 0×3- 0	.81	4.55
3- 6	.86	5.25
4- 0	.96	7.25
4- 6	1.01	8.05

¾ Inches Thick

1- 4×3- 0	.62	3.15
3- 6	.66	3.50
4- 0	.74	4.55
4- 6	.78	5.30
1- 6×3- 0	.63	3.40
3- 6	.67	3.75
4- 0	.75	5.00
4- 6	.80	5.95
1- 8×3- 0	.65	3.70
3- 6	.69	4.15
4- 0	.77	5.65
4- 6	.81	6.45
1-10×3- 0	.67	3.90
3- 6	.71	4.40
4- 0	.79	6.40
4- 6	.84	7.05
2- 0×3- 0	.68	4.30
3- 6	.72	5.00
4- 0	.80	6.95
4- 6	.86	7.75

Cupboard Sash, Two Light.

1½ Inches Thick

Size of Sash	List Open	List Glazed S. S.
1- 4×3- 0	\$0.78	\$2.80
3- 6	.83	3.10
4- 0	.92	3.45
4- 6	.98	3.75
1- 6×3- 0	.80	3.05
3- 6	.85	3.25
4- 0	.95	3.80
4- 6	1.01	4.05
1- 8×3- 0	.83	3.20
3- 6	.88	3.50
4- 0	.98	4.05
4- 6	1.03	4.25
1-10×3- 0	.85	3.35
3- 6	.90	3.75
4- 0	1.00	4.65
4- 6	1.06	4.90
2- 0×3- 0	.87	3.60
3- 6	.92	3.95
4- 0	1.02	4.95
4- 6	1.09	5.25

¾ Inches Thick

1- 4×3- 0	.67	2.60
3- 6	.71	2.85
4- 0	.79	3.20
4- 6	.84	3.45
1- 6×3- 0	.69	2.85
3- 6	.74	3.05
4- 0	.81	3.55
4- 6	.86	3.75
1- 8×3- 0	.71	2.95
3- 6	.76	3.25
4- 0	.84	3.80
4- 6	.88	3.95
1-10×3- 0	.74	3.15
3- 6	.78	3.55
4- 0	.86	4.40
4- 6	.90	4.60
2- 0×3- 0	.76	3.40
3- 6	.80	3.75
4- 0	.88	4.70
4- 6	.92	4.95

CASEMENT SASH IN PAIRS

1½ Inches Thick
Stiles and Top rail 2½ over all
Bottom rail 3½ over all


Standard Opening Size of Pairs	List Open	List Glazed D. S.
2-4½×4- 0½	\$1.98	\$ 8.65
4- 2½	2.02	8.85
4- 6½	2.10	9.65
4-10½	2.18	11.50
5- 2½	2.26	12.75
5- 6½	2.36	12.95
5-10½	2.44	15.30
2-8½×4- 0½	2.02	9.50
4- 2½	2.06	10.00
4- 6½	2.14	11.05
4-10½	2.22	12.65
5- 2½	2.34	13.65
5- 6½	2.42	15.30
5-10½	2.50	15.45
3-0½×4- 0½	2.08	10.50
4- 2½	2.12	11.10
4- 6½	2.20	12.45
4-10½	2.28	13.55
5- 2½	2.38	14.70
5- 6½	2.46	17.60
5-10½	2.56	17.80

CASEMENT SASH IN PAIRS


(Continued)

Standard Opening Size of Pairs	List Open	List Glazed D. S.
3-4½×4- 0½	2.12	11.75
4- 2½	2.16	12.40
4- 6½	2.24	13.40
4-10½	2.34	15.85
5- 2½	2.44	16.05
5- 6½	2.54	17.80
5-10½	2.62	17.95
3-8½×4- 0½	2.18	13.30
4- 2½	2.22	13.40
4- 6½	2.32	14.65
4-10½	2.40	17.50
5- 2½	2.48	17.70
5- 6½	2.58	19.95
5-10½	2.66	20.10
4-0½×4- 0½	2.22	14.45
4- 2½	2.26	14.55
4- 6½	2.36	16.15
4-10½	2.44	17.60
5- 2½	2.56	19.90
5- 6½	2.64	20.05
5-10½	2.72	24.20


PENNSYLVANIA DOOR & SASH CO.




58




59




60




61½




62½




63½




64




65½



66




67




68

PENNSYLVANIA DOOR & SASH CO.


Divided Top Light Windows




Transoms Circle, Segment and Gothic Top




69




70




71




72



73




74




75

In ordering above specify width and height.


Gothic and Peak Head Windows




76



77



78



79

Circle and Segment Top Windows




Fig. 1

Circle inside and outside. Radius, one-half width of sash.




Fig. 2

Circle outside, square inside. Radius one-half width of sash. (less width of 1 stile.)




Fig. 3

Segment inside and outside. Radius, width of sash.




Fig. 4

Segment outside, square inside. Radius, width of sash. (less width of 1 stile.)

For segment, circle or gothic windows always give radius if not as above. If not given it will be understood that the regular radius as indicated above will apply.

PENNSYLVANIA DOOR & SASH CO.

SASH EXTRAS

- Rule 1—Open (unglazed) windows or sash $1\frac{1}{8}$ or $1\frac{3}{8}$ inches thick not otherwise provided for: To make list figure around the opening of each sash as follows:
- | | |
|--|----------|
| 2 Lt. Wds. (2 Sash) or 1 Lt. sash per lineal foot or fraction thereof..... | 12c List |
| Minimum | 65c List |

Cut up windows or sash formed by straight bars add to open list as follows:

Rectangular lights, per light.....	12c List
Vertical lights, per light.....	18c List
Diamond lights, per light.....	36c List

- Rule 2—Glazed windows or sash $1\frac{1}{8}$ or $1\frac{3}{8}$ inches thick not otherwise provided for: To make list figure on a square foot basis of total opening size:
- | | |
|---|-------------|
| 2 Lt. Wds. (2 Sash) or 1 Lt. sash per square foot or fraction thereof, Glazed | 65c List |
| S. S. glass, per sq. ft..... | 75c List |
| Glazed D. S. glass, 40x40 and under, per sq. ft..... | \$1.00 List |
| Glazed D. S. glass, over 40x40, per sq. ft. | |
| Minimum list four (4) sq. ft. | |

Cut up windows or sash formed by straight bars add to glazed list as follows:

Rectangular lights, per light.....	27½c List
Vertical lights, per light.....	35c List
Diamond lights, per light.....	60c List

Footnote—In listing openings containing more than one sash figure total sum of the single sash.

Dimensions of standard parts used in above list basis:

- Stiles, $1\frac{3}{8} \times 2\frac{1}{2}$ " over all, $2\frac{1}{4}$ -in. face.
- Top Rail, $1\frac{3}{8} \times 2\frac{1}{2}$ " over all, $2\frac{1}{4}$ -in. face.
- Check Rail, $1\frac{3}{8} \times 1\frac{3}{4}$ " over all, 1-in. face.
- Bottom Rail, $1\frac{3}{8} \times 3\frac{1}{2}$ " over all, $3\frac{1}{4}$ -in. face.
- Divided Light bars, $1\frac{3}{8} \times \frac{3}{4}$ " over all, $\frac{3}{8}$ -in. between glass.

- | | |
|--|-------------|
| Rule 3—For O. G. Lugs, $1\frac{3}{8}$ in. windows, add for each pair..... | 40c List |
| Rule 4—For glass stops, $1\frac{3}{8}$ or $1\frac{3}{4}$ windows or sash, add for each lineal foot or fraction thereof..... | 12c List |
| Rule 5—For Rabbing O. S. edge of stiles or rails, add for each sash..... | 30c List |
| Rule 6—For grooving bottom rails and furnishing stock waterdrip, loose list add. | \$1.00 List |
| Rule 7— $1\frac{1}{8}$ ", 2 and 4 Lt. plain rail windows, open, use same list as $1\frac{3}{8}$ " check rail window, less..... | 12½% |
| Rule 8—For $1\frac{1}{8}$ " storm sash, use $1\frac{3}{8}$ " check rail window list. | |
| Rule 9—For $1\frac{3}{4}$ " windows or sash, add of the $1\frac{3}{8}$ " open list..... | 50% |
| Rule 10—For 2" or $2\frac{1}{4}$ " windows or sash, add of the $1\frac{3}{8}$ " open list..... | 150% |

$1\frac{3}{8}$ -INCH PLAIN RAIL WINDOWS

- Rule 11—For $1\frac{3}{8}$ " plain rail windows, use $1\frac{3}{8}$ " check rail list.

COTTAGE STYLE WINDOWS

- Rule 12—Cottage style windows (with top and bottom light of different heights) not listed, add together one-half of the list of windows of the same width containing the same or next larger glass size for both bottom and top sash and add
- | | |
|--|----------|
| | 30c List |
|--|----------|

HALF WINDOWS

- Rule 13—Half windows (either top or bottom sash), add to half the list of a similar full window.....
- | | |
|--|----------|
| | 30c List |
|--|----------|

PENNSYLVANIA DOOR & SASH CO.

STANDARD PANEL DOOR LIST

These lists apply to all panel doors, regardless of grade or arrangement of panels.
Standard Stock Sticking.

Size	1 $\frac{3}{8}$ "	1 $\frac{1}{4}$ "	1 $\frac{1}{8}$ "	$\frac{3}{4}$ "
2- OX6- 0	\$ 6.10		\$5.55	\$4.95
6- 6	6.40			
6- 8	6.50	\$8.35	5.90	5.30
6-10	6.95			
7- 0	7.05	9.00		
2- 4X6- 4	6.95		6.30	
6- 6	7.05			
6- 8	7.20	9.15	6.50	
6-10	7.65			
7- 0	7.75	9.90		
2- 6X6- 0	7.05		6.35	
6- 6	7.40	9.40	6.65	5.95
6- 8	7.50	9.55	6.80	
6-10	8.00	10.20		
7- 0	8.10	10.35		
7- 6	8.85	11.25		
8- 0	9.20	11.75		
2- 8X6- 0	7.35	9.40	6.65	
6- 6	7.70	9.85		
6- 8	7.85	10.05	7.10	6.35
6-10	8.35	10.65		
7- 0	8.45	10.80	7.65	
7- 6	9.25	11.75		
8- 0	9.65	12.30		
2-10X6- 8	8.15	10.45		
6-10	8.70	11.10	7.85	
7- 0	8.80	11.25		
7- 6	9.65	12.30		
3- OX6- 0	7.95		7.20	
6- 6	8.35	10.70		
6- 8	8.50	10.85		
6-10	9.05	11.55		
7- 0	9.20	11.70	8.30	
7- 6	10.00	12.75		
8- 0	10.45	13.30		

Approximate Weights Fir Stock Panel Doors

Size	Thickness			
	$\frac{3}{4}$ in.	1 $\frac{1}{8}$ in.	1 $\frac{3}{8}$ in.	1 $\frac{1}{4}$ in.
2- OX6- 0	19	26	31	
2- 6X6- 6	25	33	39	47
2- 8X6- 8	27	35	40	51
2-10X6-10		39	44	57
3- OX7- 0		42	49	60
3- OX7- 6			55	66
3- OX8- 0			60	72

Approximate Weights Pine Stock Panel Doors



Size	Thickness			
	$\frac{3}{4}$ in.	1 $\frac{1}{8}$ in.	1 $\frac{3}{8}$ in.	1 $\frac{1}{4}$ in.
2- OX6- 0	17	23	28	
2- 6X6- 6	23	30	35	42
2- 8X6- 8	25	32	37	46
2-10X6-10		35	40	52
3- OX7- 0		38	45	55
3- OX7- 6			50	60
3- OX8- 0			55	65

PENNSYLVANIA DOOR & SASH CO.

STANDARD CUPBOARD DOOR LIST

These lists apply to all panel cupboard doors regardless of grade or arrangement of panels.

Standard Stock Sticking.



Size	$\frac{3}{4}$	$1\frac{1}{8}$	Size	$\frac{3}{4}$	$1\frac{1}{8}$
1-0X1- 6	\$1.45	\$1.55	1-4X4- 6	\$3.25	\$3.60
2- 0	1.60	1.75	5- 0	3.45	3.75
2- 6	2.05	2.25	5- 6	3.60	3.95
2- 8	2.10	2.30	5- 8	3.65	4.05
2-10	2.15	2.35	5-10	3.70	4.10
3- 0	2.20	2.45	6- 0	3.80	4.15
3- 6	2.65	2.90	1-6X1- 6	1.50	1.60
4- 0	2.80	3.10	2- 0	1.65	1.80
4- 6	3.25	3.60	2- 6	2.10	2.30
5- 0	3.45	3.75	2- 8	2.15	2.35
5- 6	3.60	3.95	2-10	2.20	2.40
5- 8	3.65	4.05	3- 0	2.25	2.50
5-10	3.70	4.10	3- 6	2.70	2.95
6- 0	3.80	4.15	4- 0	2.85	3.15
1-2X1- 6	1.45	1.55	4- 6	3.30	3.65
2- 0	1.60	1.75	5- 0	3.50	3.80
2- 6	2.05	2.25	5- 6	3.65	4.00
2- 8	2.10	2.30	5- 8	3.70	4.10
2-10	2.15	2.35	5-10	3.75	4.15
3- 0	2.20	2.45	6- 0	3.85	4.20
3- 6	2.65	2.90	1-8X1- 6	1.55	1.70
4- 0	2.80	3.10	1- 8	1.60	1.75
4- 6	3.25	3.60	2- 0	1.75	1.90
5- 0	3.45	3.75	2- 6	2.20	2.40
5- 6	3.60	3.95	2- 8	2.25	2.45
5- 8	3.65	4.05	2-10	2.30	2.55
5-10	3.70	4.10	3- 0	2.40	2.60
6- 0	3.80	4.15	3- 6	2.85	3.10
1-4X1- 6	1.45	1.55	4- 0	3.05	3.30
2- 0	1.60	1.75	4- 6	3.50	3.80
2- 6	2.05	2.25	5- 0	3.65	4.00
2- 8	2.10	2.30	5- 6	3.90	4.25
2-10	2.15	2.35	5- 8	3.95	4.30
3- 0	2.20	2.45	5-10	4.00	4.40
3- 6	2.65	2.90	6- 0	4.05	4.45
4- 0	2.80	3.10			

Continued on next page.

PENNSYLVANIA DOOR & SASH CO.

STANDARD CUPBOARD DOOR LIST—Continued

Size	$\frac{3}{4}$	$1\frac{1}{8}$	Size	$\frac{3}{4}$	$1\frac{1}{8}$
1-10X1- 6	\$1.60	\$1.75	2-0X1- 6	\$1.65	\$1.85
1-10	1.75	1.90	2- 0	1.90	2.10
2- 0	1.80	2.00	2- 6	2.40	2.65
2- 6	2.30	2.50	2- 8	2.45	2.70
2- 8	2.35	2.60	2-10	2.55	2.80
2-10	2.45	2.65	3- 0	2.60	2.85
3- 0	2.50	2.75	3- 6	3.10	3.45
3- 6	3.00	3.25	4- 0	3.35	3.65
4- 0	3.20	3.50	4- 6	3.85	4.20
4- 6	3.65	4.00	5- 0	4.05	4.45
5- 0	3.85	4.25	5- 6	4.30	4.70
5- 6	4.10	4.45	5- 8	4.35	4.80
5- 8	4.15	4.55	5-10	4.45	4.85
5-10	4.20	4.60	6- 0	4.50	4.95
6- 0	4.30	4.70			

These cupboard door lists are based on the following over-all measurements:

Stiles, top and cross rails.....3 in.
 Bottom rail4 in.

CUPBOARD DOOR EXTRAS

Doors, up to and including 2-0 high.....2 Cross Panels
 Over 2-0 and up to and including 3-0 high.....3 Cross Panels
 Over 3-0 and up to and including 4-0 high.....4 Cross Panels
 Over 4-0 high will be made.....5 Cross Panels
 For rabbeting single pair, add.....\$0.50 List
 For rabbeting two pair, add......35 List
 For $1\frac{3}{8}$ " Cupboard Doors, add to $1\frac{1}{8}$ "..... 15%
 For odd or intermediate size, see Note 2 of Door Extras.

For lists on

MEDICINE CABINET DOORS MADE TO RECEIVE MIRROR

Add to Cupboard Door Lists.....50c List

PENNSYLVANIA DOOR & SASH CO.

PANEL DOOR EXTRAS

Note 1—These extras are intended to enable the forming of a complete list on all designs and sizes not regularly listed.

Note 2—For sizes not listed and intermediate sizes, use same list as next larger listed size.

LARGER THAN LISTED SIZES

- Rule A**—(1) Wider than listed sizes, use widest list specified of same height and add for each additional 4 inches or part thereof10%
- (2) Longer than listed sizes, use longest list specified of same width, and add for each additional 6 inches or part thereof..... 10%
- (3) Single doors made to represent pairs, add list.....\$3.50

THICK DOORS

- Rule B**—(1) 2" or 2¼" doors (single or double thick), add to list of a 1¾" door, same size 100%
- (2) 2½" doors (single or double thick), add to list of a 1¾" door, same size..... 200%

WIDE STILES, RAILS OR MUNTS

- | | List | |
|---|------------|------------|
| | For
1¾" | For
1¾" |
| Rule C —(1) Stiles, including top rails wider than standard layout, add for each additional 1 inch or part thereof..... | \$0.70 | \$1.05 |
| (2) Cross Rails (other than top, lock or bottom rail), wider than standard layout, add for each additional 1 inch or part thereof, for each wide rail.... | .10 | .15 |
| (3) Lock or Bottom Rails wider than standard layout, add for each additional 1 inch or part thereof, for each wide rail | .15 | .25 |

ARRANGEMENT OF PANELS

- Rule D**—(1) Doors—4 regular and 5 regular panel, over 3-0 and not wider than 4-2, will be made 3 upright panels wide.
- (2) Doors—4 regular and 5 regular panel, over 4-2 and not wider than 5-6, will be made 4 upright panels wide.
- (3) Doors—4 regular and 5 regular panel, over 5-6, and not wider than 6-8, will be made 5 upright panels wide.
- (4) Doors—4 regular and 5 regular panel, over 6-8 and not wider than 8-0, will be made 6 upright panels wide.
- (5) Cross Panel Doors, up to and including 7-2, will be made 5 panels high.
- (6) Cross Panel Doors, over 7-2 and not higher than 8-6, will be made 6 panels high.
- (7) Cross Panel Doors, over 8-6 and not higher than 9-10, will be made 7 panels high.
- (8) For a less number of panels (making wider panels) special price will be charged.
- (9) For a greater number of panels than provided by regular lists, add for each additional panel\$0.30 List

PENNSYLVANIA DOOR & SASH CO.

PANEL DOOR EXTRAS—Continued

MIRROR DOORS

(Counter Sunk and Mould for Mirror)

Rule E—(1) One Panel Doors, made to receive mirror one side, add to list of similar panel door	\$2.50 list
(2) Two Panel Doors, made to receive mirror one side, add to list of similar panel door	4.20 List
(3) Other Panel Doors, made to receive mirror one side, add to list of similar panel door	6.50 List

DUTCH DOORS

Rule F—(1) Made with double width lock rail, so as to permit of cutting through center, add to list of a similar door of same size	1.50 List
(2) Cut through lock rail and rabbeted.....	2.50 List

BANDING

Rule G—Banding sliding doors two sides, add to proper list for such doors, for each lineal foot—measured around opening of each door.....	.20 List
---	----------

RABBETING

Rule H—Rabbeting and Beading folding doors made extra wide for rabbeting, add to proper list for such doors, per pair	2.50 List
---	-----------

MOULDINGS AROUND RECTANGULAR PANELS

	List Per Side
Rule I—Plain Flush Mould (not over $\frac{3}{4} \times 1\frac{1}{8}$) add per united inch.....	\$0.01½
Plain Raised Mould (not over $\frac{3}{4} \times 1\frac{3}{4}$) add per united inch.....	.02
Flush E. & D. Pressed Mould (not over $\frac{3}{4} \times 1\frac{1}{8}$) add per united inch.....	.03¾
Raised E. & D. Pressed Mould (not over $\frac{3}{4} \times 1\frac{3}{4}$) add per united inch.....	.04½
Rule J—Segment and Circle Head Doors, lists on application.	

ASTRAGALS, LOOSE (Not Put On)

Rule K—Single, for folding doors not over eight feet high:	
(1) If doors are $1\frac{3}{4}$ " thick, or less.....	\$1.25
If doors are $2\frac{1}{4}$ " thick, or less.....	4.00
Double, for sliding doors not over eight feet high:	
(2) If doors are $1\frac{3}{4}$ " thick, or less.....	1.50
If doors are $2\frac{1}{4}$ " or $2\frac{1}{2}$ " thick, or less.....	5.00
(3) Astragal Joints on stiles, add per pair	2.50

PENNSYLVANIA DOOR & SASH CO.

1 X Panel and 1 Light

S. D. 100

No. 1 Quality

Stiles and Top Rail not over 5½" wide.
Lock and Bottom Rail not over 9¾" wide.

Size of Door	Open List 1⅝ in.	Open List 1¾ in.	Glass Size
2- 6X6- 6	\$8.00	\$10.55	20X38
6- 8	8.15	10.70	40
7- 0	8.75	11.55	44
2- 8X6- 8	8.35	11.00	22X40
7- 0	8.95	11.80	44
2-10X6- 8	8.55	11.25	24X40
6-10	9.05	11.90	42
7- 0	9.15	12.10	44
3- 0X6- 8	8.80	11.50	26X40
7- 0	9.40	12.35	44

1 X Panel and 6 Lights

S. D. 101

No. 1 Quality

Stiles and Top Rail not over 5½" wide.
Lock and Bottom Rail not over 9¾" wide.

Size of Door	Open List 1⅝ in.	Open List 1¾ in.	Glass Size ½ in. Between
2- 6X6- 6	\$10.25	\$13.10	9¾X12⅝
6- 8	10.40	13.25	13
7- 0	11.15	14.20	14⅝
2- 8X6- 8	10.60	13.55	10¾X13
7- 0	11.35	14.45	14⅝
2-10X6- 8	10.80	13.80	11¾X13
6-10	11.45	14.55	13⅝
7- 0	11.55	14.75	14⅝
3- 0X6- 8	11.05	14.05	12¾X13
7- 0	11.80	15.00	14⅝

1 X Panel and 9 Lights

S. D. 102

No. 1 Quality

Stiles and Top Rail not over 5½" wide.
Lock and Bottom Rail not over 9¾" wide.

Size of Door	Open List 1⅝ in.	Open List 1¾ in.	Glass Size ½ in. Between
2- 6X6- 6	\$11.15	\$14.15	6⅝X12⅝
6- 8	11.30	14.30	13
7- 0	11.90	15.15	14⅝
2- 8X6- 8	11.50	14.60	7 X13
7- 0	12.10	15.40	14⅝
2-10X6- 8	11.70	14.85	7⅝X13
6-10	12.20	15.50	13⅝
7- 0	12.30	15.70	14⅝
3- 0X6- 8	11.95	15.10	8⅝X13
7- 0	12.55	15.95	14⅝

1 X Panel and 1 Light

S. D. 107

No. 1 Quality

Stiles and Top Rail not over 5½" wide.
Lock and Bottom Rail not over 9¾" wide.

Size of Door	Open List 1⅝ in.	Open List 1¾ in.	Glass Size
2- 6X6- 6	\$7.50	\$10.05	20X44
6- 8	7.65	10.20	46
7- 0	8.25	11.00	50
2- 8X6- 8	7.80	10.45	22X46
7- 0	8.40	11.25	50
2-10X6- 8	7.95	10.65	24X46
6-10	8.45	11.30	48
7- 0	8.55	11.50	50
3- 0X6- 8	8.15	10.90	26X46
7- 0	8.75	11.70	50

2 X Panels and 1 Light

S. D. 114

No. 1 Quality

Stiles, Top and Cross Rails not over 4¾" wide.
Bottom Rail not over 9¾" wide.

Size of Door	Open List 1⅝ in.	Open List 1¾ in.	Glass Size
2- 6X6- 6	\$7.15	\$ 9.30	21½X35
6- 8	7.20	9.40	37
7- 0	7.75	10.10	41
2- 8X6- 8	7.40	9.65	23½X37
7- 0	7.90	10.40	41
2-10X6- 8	7.60	9.90	25½X37
6-10	8.00	10.50	39
7- 0	8.05	10.60	41
3- 0X6- 8	7.75	10.10	27½X37
7- 0	8.30	10.90	41

2 X Panels and 4 Lights

S. D. 115

No. 1 Quality


Stiles, Top and Cross Rails not over 4¾" wide.
Bottom Rail not over 9¾" wide.

Size of Door	Open List 1⅝ in.	Open List 1¾ in.	Glass Size ½ in. Between
2- 6X6- 6	\$8.55	\$10.90	10½X17¼
6- 8	8.60	11.00	18¼
7- 0	9.25	11.75	20¼
2- 8X6- 8	8.80	11.25	11½X18¼
7- 0	9.40	12.05	20¼
2-10X6- 8	9.00	11.50	12½X18¼
6-10	9.50	12.15	19¼
7- 0	9.55	12.25	20¼
3- 0X6- 8	9.15	11.70	13½X18¼
7- 0	9.80	12.55	20¼

PENNSYLVANIA DOOR & SASH CO.

1 X Panel and 1 Light

Standard Stock Sticking
Raised Panel Two Sides
Beads for Glass Included




S. D. 100

No. 1 Quality

Stiles and Top Rail not over
 $5\frac{1}{2}$ " wide.
Lock and Bottom Rail not over
 $9\frac{3}{4}$ " wide.

1 X Panel and 6 Lights

Standard Stock Sticking
Raised Panel Two Sides
Beads for Glass Included




S. D. 101

No. 1 Quality

Stiles and Top Rail not over
 $5\frac{1}{2}$ " wide.
Lock and Bottom Rail not over
 $9\frac{3}{4}$ " wide.

1 X Panel and 9 Lights

Standard Stock Sticking
Raised Panel Two Sides
Beads for Glass Included




S. D. 102

No. 1 Quality

Stiles and Top Rail not over
 $5\frac{1}{2}$ " wide.
Lock and Bottom Rail not over
 $9\frac{3}{4}$ " wide.

1 X Panel and 1 Light

Standard Stock Sticking
Raised Panel Two Sides
Beads for Glass Included




S. D. 107

No. 1 Quality

Stiles and Top Rail not over
 $5\frac{1}{2}$ " wide.
Lock and Bottom Rail not over
 $9\frac{3}{4}$ " wide.

2 X Panels and 1 Light

Standard Stock Sticking
Raised Panel Two Sides
Beads for Glass Included




S. D. 114

No. 1 Quality

Stiles, Top and Cross Rails not
over $4\frac{3}{4}$ " wide.
Bottom Rail not over $9\frac{3}{4}$ " wide

2 X Panels and 4 Lights

Standard Stock Sticking
Raised Panel Two Sides
Beads for Glass Included



S. D. 115

No. 1 Quality

Stiles, Top and Cross Rails not
over $4\frac{3}{4}$ " wide.
Bottom Rail not over $9\frac{3}{4}$ " wide

PENNSYLVANIA DOOR & SASH CO.

2 X Panels and 6 Lights

S. D. 116 No. 1 Quality

Stiles, Top and Cross Rails not over 4 3/4" wide.
Bottom Rail not over 9 3/4" wide.

Size of Door	Open List 1 3/8 in.	Open List 1 3/4 in.	Glass Size 1/2 in. Between
2- 6X6- 6	\$ 9.45	\$11.85	10 1/2 X 11 5/8
6- 8	9.50	11.95	12
7- 0	10.15	12.80	13 5/8
2- 8X6- 8	9.70	12.20	11 1/2 X 12
7- 0	10.30	13.10	13 5/8
2-10X6- 8	9.90	12.45	12 1/2 X 12
6-10	10.40	13.20	12 5/8
7- 0	10.45	13.30	13 5/8
3- 0X6- 8	10.05	12.65	13 1/2 X 12
7- 0	10.70	13.60	13 5/8

3 X Panels and 4 Lights

S. D. 131 No. 1 Quality

Stiles, Top and Cross Rails not over 4 3/4" wide.
Bottom Rail not over 9 3/4" wide.

Size of Door	Open List 1 3/8 in.	Open List 1 3/4 in.	Glass Size 1/2 in. Between
2- 6X6- 6	\$ 9.20	\$11.70	10 1/2 X 11 3/4
6- 8	9.25	11.80	12 3/4
7- 0	9.90	12.60	14 3/4
2- 8X6- 8	9.45	12.10	11 1/2 X 12 3/4
7- 0	10.15	12.90	14 3/4
2-10X6- 8	9.70	12.35	12 1/2 X 12 3/4
6-10	10.30	13.05	13 3/4
7- 0	10.40	13.20	14 3/4
3- 0X6- 8	9.90	12.65	13 1/2 X 12 3/4
7- 0	10.60	13.50	14 3/4

1 X Panel, 3 Small Panels and 1 Light

S. D. 122 No. 1 Quality

Stiles and Top Rails not over 4 3/4" wide.
Lock Rail 8 1/8". Cross Rails 5 1/2".
Bottom Rail not over 9 3/4" wide.
Muntins not over 3 1/2" wide.

Size of Door	Open List 1 3/8 in.	Open List 1 3/4 in.	Glass Size
2- 6X6- 6	\$8.00	\$10.25	21 1/2 X 35
6- 8	8.05	10.40	37
7- 0	8.60	11.15	41
2- 8X6- 8	8.30	10.65	23 1/2 X 37
7- 0	8.85	11.40	41
2-10X6- 8	8.45	10.95	25 1/2 X 37
6-10	8.95	11.60	39
7- 0	9.00	11.70	41
3- 0X6- 8	8.65	11.20	27 1/2 X 37
7- 0	9.20	11.95	41

3 X Panels and 6 Lights

S. D. 132 No. 1 Quality

Stiles, Top and Cross Rails not over 4 3/4" wide.
Bottom Rail not over 9 3/4" wide.

Size of Door	Open List 1 3/8 in.	Open List 1 3/4 in.	Glass Size 1/2 in. Between
2- 6X6- 6	\$10.10	\$12.65	6 1/8 X 11 3/4
6- 8	10.15	12.75	12 3/4
7- 0	10.80	13.65	14 3/4
2- 8X6- 8	10.35	13.05	7 1/2 X 12 3/4
7- 0	11.05	13.95	14 3/4
2-10X6- 8	10.60	13.30	8 1/8 X 12 3/4
6-10	11.20	14.10	13 3/4
7- 0	11.30	14.25	14 3/4
3- 0X6- 8	10.80	13.60	8 1/8 X 12 3/4
7- 0	11.50	14.55	14 3/4

3 X Panels and 1 Light

S. D. 130 No. 1 Quality

Stiles, Top and Cross Rails not over 4 3/4" wide.
Bottom Rail not over 9 3/4" wide.

Size of Door	Open List 1 3/8 in.	Open List 1 3/4 in.	Glass Size
2- 6X6- 6	\$7.75	\$10.05	21 1/2 X 24
6- 8	7.80	10.15	26
7- 0	8.35	10.90	30
2- 8X6- 8	8.00	10.45	23 1/2 X 26
7- 0	8.60	11.20	30
2-10X6- 8	8.25	10.70	25 1/2 X 26
6-10	8.75	11.35	28
7- 0	8.85	11.50	30
3- 0X6- 8	8.45	11.00	27 1/2 X 26
7- 0	9.05	11.80	30

3 X Panels and 1 Light

S. D. 137 No. 1 Quality


Stiles, Top and Cross Rails not over 4 3/4" wide.
Bottom Rail not over 9 3/4" wide.

Size of Door	Open List 1 3/8 in.	Open List 1 3/4 in.	Glass Size
2- 6X6- 6	\$7.60	\$ 9.90	21 1/2 X 30
6- 8	7.70	10.00	32
7- 0	8.25	10.70	36
2- 8X6- 8	7.85	10.25	23 1/2 X 32
7- 0	8.40	11.00	36
2-10X6- 8	8.05	10.55	25 1/2 X 32
6-10	8.55	11.15	34
7- 0	8.60	11.30	36
3- 0X6- 8	8.30	10.80	27 1/2 X 32
7- 0	8.85	11.60	36

PENNSYLVANIA DOOR & SASH CO.

2 X Panels and 6 Lights


Standard Stock Sticking
Raised Panel Two Sides
Beads for Glass Included



S. D. 116
No. 1 Quality
Stiles, Top and Cross Rails not
over 4 3/4" wide.
Bottom Rail not over 9 3/4" wide.

1 X Panel, 3 Small Panels and 1 Light


Standard Stock Sticking
Raised Panel Two Sides
Beads for Glass Included



S. D. 122
No. 1 Quality
Stiles and Top Rail not
over 4 3/4" wide.
Lock Rail 8 1/2".
Cross Rail 5 1/2".
Bottom Rail not over 9 3/4" wide.
Muntins not over 3 1/2" wide.

3 X Panels and 1 Light


Standard Stock Sticking
Raised Panel Two Sides
Beads for Glass Included



S. D. 130
No. 1 Quality
Stiles, Top and Cross Rails not
over 4 3/4" wide.
Bottom Rail not over 9 3/4" wide.

3 X Panels and 4 Lights


Standard Stock Sticking
Raised Panel Two Sides
Beads for Glass Included



S. D. 131
No. 1 Quality
Stiles, Top and Cross Rails not
over 4 3/4" wide.
Bottom Rail not over 9 3/4" wide.

3 X Panels and 6 Lights


Standard Stock Sticking
Raised Panel Two Sides
Beads for Glass Included



S. D. 132
No. 1 Quality
Stiles, Top and Cross Rails not
over 4 3/4" wide.
Bottom Rail not over 9 3/4" wide.

3 X Panels and 1 Light

Standard Stock Sticking
Raised Panel Two Sides
Beads for Glass Included



S. D. 137
No. 1 Quality
Stiles, Top and Cross Rails not
over 4 3/4" wide.
Bottom Rail not over 9 3/4" wide.

PENNSYLVANIA DOOR & SASH CO.

2 X Panels, 3 Small Panels and 1 Light

S. D. 144 No. 1 Quality

Stiles, Top and Cross Rails not over 5 3/8" wide.
Bottom Rail not over 9 3/4" wide.
Muntin not over 3 1/2" wide.

Size of Door	Open List 1 3/8 in.	Open List 1 3/4 in.	Glass Size
2- 6X6- 6	\$8.20	\$10.50	21 1/2 X30
6- 8	8.30	10.60	32
7- 0	8.85	11.30	36
2- 8X6- 8	8.45	10.85	23 1/2 X32
7- 0	9.00	11.60	36
2-10X6- 8	8.65	11.15	25 1/2 X32
6-10	9.15	11.75	34
7- 0	9.20	11.90	36
3- 0X6- 8	8.90	11.40	27 1/2 X32
7- 0	9.45	12.20	36

4 X Panels and 1 Light

S. D. 149 No. 1 Quality

Stiles, Top and Cross Rails not over 4 3/4" wide.
Bottom Rail not over 9 3/4" wide.

Size of Door	Open List 1 3/8 in.	Open List 1 3/4 in.	Glass Size
2- 6X6- 6	\$8.05	\$10.50	21 1/2 X24
6- 8	8.20	10.60	26
7- 0	8.75	11.35	30
2- 8X6- 8	8.40	10.95	23 1/2 X26
7- 0	8.95	11.70	30
2-10X6- 8	8.60	11.20	25 1/2 X26
6-10	9.10	11.85	28
7- 0	9.25	12.05	30
3- 0X6- 8	8.85	11.55	27 1/2 X26
7- 0	9.45	12.35	30

3 X Panels, 3 Small Panels and 1 Light

S. D. 154 No. 1 Quality

Stiles, Top and Cross Rails not over 5 3/8" wide.
Bottom Rail not over 9 3/4" wide.
Muntin not over 3 1/2" wide.

Size of Door	Open List 1 3/8 in.	Open List 1 3/4 in.	Glass Size
2- 6X6- 6	\$8.65	\$11.10	21 1/2 X24
6- 8	8.80	11.20	26
7- 0	9.35	11.95	30
2- 8X6- 8	9.00	11.55	23 1/2 X26
7- 0	9.55	12.30	30
2-10X6- 8	9.20	11.80	25 1/2 X26
6-10	9.70	12.45	28
7- 0	9.85	12.65	30
3- 0X6- 8	9.45	12.15	27 1/2 X26
7- 0	10.05	12.95	30

2 Vertical Panels and 1 Light

S. D. 159 No. 1 Quality

Stiles and Top Rail not over 4 3/4" wide.
Lock Rail not over 8 1/2" wide.
Bottom Rail not over 9 3/4" wide.
Muntin not over 4 3/4" wide.

Size of Door	Open List 1 3/8 in.	Open List 1 3/4 in.	Glass Size
2- 6X6- 6	\$6.90	\$ 9.10	21 1/2 X38
6- 8	7.05	9.25	40
7- 0	7.50	9.95	44
2- 8X6- 8	7.15	9.45	23 1/2 X40
7- 0	7.70	10.15	44
2-10X6- 8	7.30	9.65	25 1/2 X40
6-10	7.75	10.20	42
7- 0	7.80	10.40	44
3- 0X6- 8	7.45	9.85	27 1/2 X40
7- 0	7.95	10.55	44

2 Vertical Panels and 4 Lights

S. D. 160 No. 1 Quality

Stiles and Top Rail not over 4 3/4" wide.
Lock Rail not over 8 1/2" wide.
Bottom Rail not over 9 3/4" wide.
Muntin not over 4 3/4" wide.

Size of Door	Open List 1 3/8 in.	Open List 1 3/4 in.	Glass Size 1/2 in. Between
2- 6X6- 6	\$8.30	\$10.70	10 1/2 X18 3/4
6- 8	8.45	10.85	19 3/4
7- 0	9.00	11.60	21 3/4
2- 8X6- 8	8.55	11.05	11 1/2 X19 3/4
7- 0	9.20	11.80	21 3/4
2-10X6- 8	8.70	11.25	12 1/2 X19 3/4
6-10	9.25	11.85	20 3/4
7- 0	9.30	12.05	21 3/4
3- 0X6- 8	8.85	11.45	13 1/2 X19 3/4
7- 0	9.45	12.20	21 3/4

2 Vertical Panels, 1 X Panel and 1 Light

S. D. 167 No. 1 Quality


Stiles, Top and Cross Rails not over 4 3/4" wide.
Bottom Rail not over 9 3/4" wide.
Muntin not over 4 3/4" wide.

Size of Door	Open List 1 3/8 in.	Open List 1 3/4 in.	Glass Size
2- 6X6- 6	\$7.30	\$ 9.50	21 1/2 X32
6- 8	7.35	9.60	34
7- 0	7.90	10.35	38
2- 8X6- 8	7.50	9.85	23 1/2 X34
7- 0	8.05	10.60	38
2-10X6- 8	7.75	10.10	25 1/2 X34
6-10	8.20	10.70	36
7- 0	8.25	10.80	38
3- 0X6- 8	7.90	10.35	27 1/2 X34
7- 0	8.45	11.05	38

PENNSYLVANIA DOOR & SASH CO.

2 X Panels, 3 Small Panels and 1 Light

Standard Stock Sticking
Raised Panels Two Sides
Beads for Glass Included




S. D. 144

No. 1 Quality

Stiles, Top and Cross Rails not over 5 3/8" wide.
Bottom Rail not over 9 3/4" wide.
Muntin not over 3 1/2" wide.

4 X Panels and 1 Light

Standard Stock Sticking
Raised Panel Two Sides
Beads for Glass Included




S. D. 149

No. 1 Quality

Stiles, Top and Cross Rails not over 4 3/4" wide.
Bottom Rail not over 9 3/4" wide.

3 X Panels, 3 Small Panels and 1 Light

Standard Stock Sticking
Raised Panel Two Sides
Beads for Glass Included




S. D. 154

No. 1 Quality

Stiles, Top and Cross Rails not over 5 3/8" wide.
Bottom Rail not over 9 3/4" wide.
Muntin not over 3 1/2" wide.

2 Vertical Panels and 1 Light

Standard Stock Sticking
Raised Panel Two Sides
Beads for Glass Included




S. D. 159

No. 1 Quality

Stiles and Top Rail not over 4 3/4" wide.
Lock Rail not over 8 1/8" wide.
Bottom Rail not over 9 3/4" wide.
Muntin not over 4 3/4" wide.

2 Vertical Panels and 4 Lights

Standard Stock Sticking
Raised Panel Two Sides
Beads for Glass Included




S. D. 160

No. 1 Quality

Stiles and Top Rail not over 4 3/4" wide.
Lock Rail not over 8 1/8" wide.
Bottom Rail not over 9 3/4" wide.
Muntin not over 4 3/4" wide.

2 Vertical Panels, 1 X Panel and 1 Light

Standard Stock Sticking
Raised Panel Two Sides
Beads for Glass Included



S. D. 167

No. 1 Quality

Stiles, Top and Cross Rails not over 4 3/4" wide.
Bottom Rail not over 9 3/4" wide.
Muntin not over 4 3/4" wide.

PENNSYLVANIA DOOR & SASH CO.

2 Vertical Panels, 1 X Panel and 4 Lights

S. D. 168 No. 1 Quality

Stiles, Top and Cross Rails not over 4 3/4" wide.
Bottom Rail not over 9 3/4" wide.
Muntin not over 4 3/4" wide.

Size of Door	Open List 1 3/8 in.	Open List 1 3/4 in.	Glass Size 1/2 in. Between
2- 6X6- 6	\$8.75	\$11.10	10 1/2 X 15 3/4
6- 8	8.80	11.20	16 3/4
7- 0	9.40	12.05	18 3/4
2- 8X6- 8	8.95	11.45	11 1/2 X 16 3/4
7- 0	9.55	12.30	18 3/4
2-10X6- 8	9.20	11.70	12 1/2 X 16 3/4
6-10	9.70	12.40	17 3/4
7- 0	9.75	12.50	18 3/4
3- 0X6- 8	9.35	11.95	13 1/2 X 16 3/4
7- 0	9.95	12.75	18 3/4

1 Vertical Panel and 1 Light

S. D. 182 No. 1 Quality

Stiles, Top and Cross Rails not over 5 1/2" wide.
Bottom Rail not over 9 3/4" wide.

Size of Door	Open List 1 3/8 in.	Open List 1 3/4 in.	Glass Size
2- 6X6- 6	\$9.25	\$11.60	20 X 18
6- 8	9.40	11.85	18
7- 0	10.35	12.95	18
2- 8X6- 8	9.70	12.25	22 X 18
7- 0	10.65	13.40	18
2-10X6- 8	10.10	12.65	24 X 18
6-10	10.80	13.50	18
7- 0	11.05	13.80	18
3- 0X6- 8	10.45	13.00	26 X 18
7- 0	11.45	14.25	18

1 Vertical Panel and 3 Vertical Lights

S. D. 183 No. 1 Quality

Stiles, Top and Cross Rail not over 5 1/2" wide.
Bottom Rail not over 9 3/4" wide.

Size of Door	Open List 1 3/8 in.	Open List 1 3/4 in.	Glass Size 1/2 in. Between
2- 6X6- 6	\$10.25	\$12.75	6 5/16 X 18
6- 8	10.40	13.00	18
7- 0	11.40	14.15	18
2- 8X6- 8	10.70	13.40	7 X 18
7- 0	11.70	14.60	18
2-10X6- 8	11.10	13.80	7 7/8 X 18
6-10	11.85	14.70	18
7- 0	12.10	15.00	18
3- 0X6- 8	11.45	14.15	8 5/16 X 18
7- 0	12.50	15.45	18

1 Vertical Panel and 4 Vertical Lights

S. D. 184 No. 1 Quality

Stiles, Top and Cross Rail not over 5 1/2" wide.
Bottom Rail not over 9 3/4" wide.

Size of Door	Open List 1 3/8 in.	Open List 1 3/4 in.	Glass Size 1/2 in. Between
2- 6X6- 6	\$10.70	\$13.20	4 5/8 X 18
6- 8	10.85	13.45	18
7- 0	11.85	14.65	18
2- 8X6- 8	11.15	13.85	5 1/8 X 18
7- 0	12.15	15.10	18
2-10X6- 8	11.55	14.25	5 3/8 X 18
6-10	12.30	15.20	18
7- 0	12.55	15.50	18
3- 0X6- 8	11.90	14.60	6 1/8 X 18
7- 0	12.95	15.95	18

1 Vertical Panel and 6 Lights

S. D. 185 No. 1 Quality

Stiles, Top and Cross Rail not over 5 1/2" wide.
Bottom Rail not over 9 3/4" wide.

Size of Door	Open List 1 3/8 in.	Open List 1 3/4 in.	Glass Size 1/2 in. Between
2- 6X6- 6	\$11.55	\$14.20	6 3/8 X 8 3/4
6- 8	11.70	14.45	8 3/4
7- 0	12.80	15.65	8 3/4
2- 8X6- 8	12.00	14.85	7 X 8 3/4
7- 0	13.10	16.10	8 3/4
2-10X6- 8	12.40	15.25	7 7/8 X 8 3/4
6-10	13.25	16.20	8 3/4
7- 0	13.50	16.50	8 3/4
3- 0X6- 8	12.75	15.60	8 5/16 X 8 3/4
7- 0	13.90	16.95	8 3/4

1 Vertical Panel and 8 Lights

S. D. 186 No. 1 Quality


Stiles, Top and Cross Rail not over 5 1/2" wide.
Bottom Rail not over 9 3/4" wide.

Size of Door	Open List 1 3/8 in.	Open List 1 3/4 in.	Glass Size 1/2 in. Between
2- 6X6- 6	\$12.05	\$14.80	4 5/8 X 8 3/4
6- 8	12.20	15.05	8 3/4
7- 0	13.15	16.15	8 3/4
2- 8X6- 8	12.50	15.45	5 1/8 X 8 3/4
7- 0	13.45	16.60	8 3/4
2-10X6- 8	12.90	15.85	5 3/8 X 8 3/4
6-10	13.60	16.70	8 3/4
7- 0	13.85	17.00	8 3/4
3- 0X6- 8	13.25	16.20	6 1/8 X 8 3/4
7- 0	14.25	17.45	8 3/4

PENNSYLVANIA DOOR & SASH CO.

2 Vertical Panels, 1 X Panel and 4 Lights

Standard Stock Sticking Raised Panel Two Sides Beads for Glass Included




S. D. 163
No. 1 Quality

Stiles, Top and Cross Rails not over 4 3/4" wide.
Bottom Rail not over 9 3/4" wide.
Muntin not over 4 3/4" wide.

1 Vertical Panel and 1 Light

Standard Stock Sticking Laminated or Flat Panel Beads for Glass Included




S. D. 182
No. 1 Quality

Stiles, Top and Cross Rails not over 5 1/2" wide.
Bottom Rail not over 9 3/4" wide.

1 Vertical Panel and 3 Vertical Lights

Standard Stock Sticking Laminated or Flat Panel Beads for Glass Included




S. D. 183
No. 1 Quality

Stiles, Top and Cross Rail not over 5 1/2" wide.
Bottom Rail not over 9 3/4" wide.

1 Vertical Panel and 4 Vertical Lights

Standard Stock Sticking Laminated or Flat Panel Beads for Glass Included




S. D. 184
No. 1 Quality

Stiles, Top and Cross Rail not over 5 1/2" wide.
Bottom Rail not over 9 3/4" wide.

1 Vertical Panel and 6 Lights

Standard Stock Sticking Laminated or Flat Panel Beads for Glass Included




S. D. 185
No. 1 Quality

Stiles, Top and Cross Rail not over 5 1/2" wide.
Bottom Rail not over 9 3/4" wide.

1 Vertical Panel and 8 Lights

Standard Stock Sticking Laminated or Flat Panel Beads for Glass Included



S. D. 186
No. 1 Quality

Stiles, Top and Cross Rail not over 5 1/2" wide.
Bottom Rail not over 9 3/4" wide.

PENNSYLVANIA DOOR & SASH CO.

2 Vertical Panels and 1 Light

S. D. 191 No. 1 Quality
Stiles, Top and Cross Rail not over 5½" wide.
Mullion not over 5½" wide.
Bottom Rail not over 9¾" wide.

Size of Door	Open List 1¾ in.	Open List 1¼ in.	Glass Size
2- 6X6- 6	\$ 8.80	\$11.50	20X18
6- 8	9.00	11.70	18
7- 0	9.85	12.80	18
2- 8X6- 8	9.25	12.05	22X18
7- 0	10.10	13.15	18
2-10X6- 8	9.50	12.30	24X18
6-10	10.15	13.20	18
7- 0	10.40	13.45	18
3- 0X6- 8	9.80	12.65	26X18
7- 0	10.65	13.80	18

2 Vertical Panels and 3 Vertical Lights

S. D. 192 No. 1 Quality
Stiles, Top and Cross Rail not over 5½" wide.
Mullion not over 5½" wide.
Bottom Rail not over 9¾" wide.

Size of Door	Open List 1¾ in.	Open List 1¼ in.	Glass Size
2- 6X6- 6	\$ 9.80	\$12.65	6½X18
6- 8	10.00	12.85	18
7- 0	10.90	14.00	18
2- 8X6- 8	10.25	13.20	7 X18
7- 0	11.15	14.35	18
2-10X6- 8	10.50	13.45	7½X18
6-10	11.20	14.40	18
7- 0	11.45	14.65	18
3- 0X6- 8	10.80	13.80	8½X18
7- 0	11.70	15.00	18

2 Vertical Panels and 4 Vertical Lights

S. D. 193 No. 1 Quality
Stiles, Top and Cross Rail not over 5½" wide.
Mullion not over 5½" wide.
Bottom Rail not over 9¾" wide.

Size of Door	Open List 1¾ in.	Open List 1¼ in.	Glass Size ½ in. Between
2- 6X6- 6	\$10.25	\$13.10	4½X18
6- 8	10.45	13.30	18
7- 0	11.35	14.50	18
2- 8X6- 8	10.70	13.65	5½X18
7- 0	11.60	14.85	18
2-10X6- 8	10.95	13.90	5½X18
6-10	11.65	14.90	18
7- 0	11.90	15.15	18
3- 0X6- 8	11.25	14.25	6½X18
7- 0	12.15	15.50	18

2 Vertical Panels and 6 Lights

S. D. 194 No. 1 Quality
Stiles, Top and Cross Rail not over 5½" wide.
Mullion not over 5½" wide.
Bottom Rail not over 9¾" wide.

Size of Door	Open List 1¾ in.	Open List 1¼ in.	Glass Size ½ in. Between
2- 6X6- 6	\$11.10	\$14.10	6½X8¾
6- 8	11.30	14.30	8¾
7- 0	12.30	15.50	8¾
2- 8X6- 8	11.55	14.65	7 X8¾
7- 0	12.55	15.85	8¾
2-10X6- 8	11.80	14.90	7½X8¾
6-10	12.60	15.90	8¾
7- 0	12.85	16.15	8¾
3- 0X6- 8	12.10	15.25	8½X8¾
7- 0	13.10	16.50	8¾

2 Vertical Panels and 8 Lights

S. D. 195 No. 1 Quality
Stiles, Top and Cross Rail not over 5½" wide.
Mullion not over 5½" wide.
Bottom Rail not over 9¾" wide.

Size of Door	Open List 1¾ in.	Open List 1¼ in.	Glass Size ½ in. Between
2- 6X6- 6	\$11.60	\$14.30	4½X8¾
6- 8	11.80	14.50	8¾
7- 0	12.65	16.00	8¾
2- 8X6- 8	12.05	15.25	5½X8¾
7- 0	12.90	16.35	8¾
2-10X6- 8	12.30	15.50	5½X8¾
6-10	12.95	16.40	8¾
7- 0	13.20	16.65	8¾
3- 0X6- 8	12.60	15.85	6½X8¾
7- 0	13.45	17.00	8¾

1 Light Door


S. D. 220 No. 1 Quality
Stiles and Top Rail not over 5½" wide.
Bottom Rail not over 9¾" wide.

Size of Door	Open List 1¾ in.	Open List 1¼ in.	Glass Size
2- 0X6- 8	\$6.55	\$ 8.75	14X66
7- 0	7.10	9.45	70
2- 4X6- 8	6.70	8.95	18X66
7- 0	7.20	9.65	70
2- 6X6- 6	6.65	8.90	20X64
6- 8	6.75	9.05	66
7- 0	7.30	9.85	70
2- 8X6- 8	6.85	9.15	22X66
7- 0	7.35	9.95	70
2-10X6- 8	6.90	9.30	24X66
6-10	7.35	9.90	68
7- 0	7.45	10.05	70
3- 0X6- 8	7.05	9.40	26X66
6-10	7.45	10.05	68
7- 0	7.50	10.15	70

PENNSYLVANIA DOOR & SASH CO.

2 Vertical Panels and 1 Light


Standard Stock Sticking
Raised, Flat or Laminated Panels
Beads for Glass Included



S. D. 191
No. 1 Quality
Stiles, Top and Cross Rail not over 5½" wide.
Mullion not over 5½" wide.
Bottom Rail not over 9¾" wide.

2 Vertical Panels and 3 Vertical Lights


Standard Stock Sticking
Raised, Flat or Laminated Panels
Beads for Glass Included



S. D. 192
No. 1 Quality
Stiles, Top and Cross Rail not over 5½" wide.
Mullion not over 5½" wide.
Bottom Rail not over 9¾" wide.

2 Vertical Panels and 4 Vertical Lights


Standard Stock Sticking
Raised, Flat or Laminated Panels
Beads for Glass Included



S. D. 193
No. 1 Quality
Stiles, Top and Cross Rail not over 5½" wide.
Mullion not over 5½" wide.
Bottom Rail not over 9¾" wide.

2 Vertical Panels and 6 Lights


Standard Stock Sticking
Raised, Flat or Laminated Panels
Beads for Glass Included



S. D. 194
No. 1 Quality
Stiles, Top and Cross Rail not over 5½" wide.
Mullion not over 5½" wide.
Bottom Rail not over 9¾" wide.

2 Vertical Panels and 8 Lights


Standard Stock Sticking
Raised, Flat or Laminated Panels
Beads for Glass Included



S. D. 195
No. 1 Quality
Stiles, Top and Cross Rail not over 5½" wide.
Mullion not over 5½" wide.
Bottom Rail not over 9¾" wide.

1 Light Door

Standard Stock Sticking
Beads for Glass Included



S. D. 220
No. 1 Quality
Stiles and Top Rail not over 5½" wide.
Bottom Rail not over 9½" wide.

PENNSYLVANIA DOOR & SASH CO.

8 Light Door

S. D. 222 No. 1 Quality

Stiles and Top Rail not over 5½" wide.
Bottom Rail not over 9½" wide.

Size of Door	Open List 1⅜ in.	Open List 1¾ in.	Glass Size ½ in. Between
2- OX6- 8	\$ 9.35	\$11.95	6¾X16½
7- 0	9.90	12.65	17½
2- 4X6- 8	9.50	12.15	8¾X16½
7- 0	10.00	12.85	17½
2- 6X6- 6	9.45	12.10	9¾X15½
6- 8	9.55	12.25	16½
7- 0	10.10	13.05	17½
2- 8X6- 8	9.65	12.35	10¾X16½
7- 0	10.15	13.15	17½
2-10X6- 8	9.70	12.50	11¾X16½
6-10	10.15	13.10	16½
7- 0	10.25	13.25	17½
3- OX6- 8	9.85	12.60	12¾X16½
6-10	10.25	13.25	16½
7- 0	10.30	13.35	17½

10 Light Door

S. D. 225 No. 1 Quality

Stiles and Top Rail not over 5½" wide.
Bottom Rail not over 9½" wide.

Size of Door	Open List 1⅜ in.	Open List 1¾ in.	Glass Size ½ in. Between
2- OX6- 8	\$10.05	\$12.75	6¾X12¾
7- 0	10.60	13.45	13¾
2- 4X6- 8	10.20	12.95	8¾X12¾
7- 0	10.70	13.65	13¾
2- 6X6- 6	10.15	12.90	9¾X12¾
6- 8	10.25	13.05	12¾
7- 0	10.80	13.85	13¾
2- 8X6- 8	10.35	13.15	10¾X12¾
7- 0	10.85	13.95	13¾
2-10X6- 8	10.40	13.30	11¾X12¾
6-10	10.85	13.90	13¾
7- 0	10.95	14.05	13¾
3- OX6- 8	10.55	13.40	12¾X12¾
6-10	10.95	14.05	13¾
7- 0	11.00	14.15	13¾

12 Light Door

S. D. 226 No. 1 Quality

Stiles and Top Rail not over 5½" wide.
Bottom Rail not over 9½" wide.

Size of Door	Open List 1⅜ in.	Open List 1¾ in.	Glass Size ½ in. Between
2- OX6- 8	\$10.75	\$13.55	4¾X16½
7- 0	11.30	14.25	17½
2- 4X6- 8	10.90	13.75	5¾X16½
7- 0	11.40	14.45	17½
2- 6X6- 6	10.85	13.70	6¾X15½
6- 8	10.95	13.85	16½
7- 0	11.50	14.65	17½
2- 8X6- 8	11.05	13.95	7 X16½
7- 0	11.55	14.75	17½
2-10X6- 8	11.10	14.10	7¾X16½
6-10	11.55	14.70	16½
7- 0	11.65	14.85	17½
3- OX6- 8	11.25	14.20	8¾X16½
6-10	11.65	14.85	16½
7- 0	11.70	14.95	17½

15 Light Door

S. D. 227 No. 1 Quality

Stiles and Top Rail not over 5½" wide.
Bottom Rail not over 9½" wide.

Size of Door	Open List 1⅜ in.	Open List 1¾ in.	Glass Size ½ in. Between
2- OX6- 8	\$11.80	\$14.75	4¾X12¾
7- 0	12.35	15.45	13¾
2- 4X6- 8	11.95	14.95	5¾X12¾
7- 0	12.45	15.65	13¾
2- 6X6- 6	11.90	14.90	6¾X12¾
6- 8	12.00	15.05	12¾
7- 0	12.55	15.85	13¾
2- 8X6- 8	12.10	15.15	7 X12¾
7- 0	12.60	15.95	13¾
2-10X6- 8	12.15	15.30	7¾X12¾
6-10	12.60	15.90	13¾
7- 0	12.70	16.05	13¾
3- OX6- 8	12.30	15.40	8¾X12¾
6-10	12.70	16.05	13¾
7- 0	12.75	16.15	13¾

1 Light Door

S. D. 235 No. 1 Quality

Stiles, up to and including 3-0, 5½" wide.
Stiles over 3-0, 6½" wide.
Top Rail not over 6½" wide.
Bottom Rail not over 18½" wide.

Size of Door	Open List 1⅜ in.	Open List 1¾ in.	Glass Size
2- 6X6- 6	\$ 7.75	\$10.25	20X54
6- 8	7.85	10.45	56
7- 0	8.45	11.25	60
2- 8X6- 8	8.00	10.65	22X56
7- 0	8.60	11.50	60
2-10X6- 8	8.20	10.90	24X56
6-10	8.70	11.60	58
7- 0	8.80	11.75	60
3- OX6- 8	8.35	11.15	26X56
6-10	8.85	11.80	58
7- 0	8.95	12.00	60
3- 4X7- 0	10.25	13.90	28X60
3- 6X7- 0	10.50	14.20	30X60

3 Vertical Light Door

S. D. 236 No. 1 Quality


Stiles, up to and including 3-0, 5½" wide.
Stiles over 3-0, 6½" wide.
Top Rail not over 6½" wide.
Bottom Rail not over 18½" wide.
Mullions, not over 1½" between glass.

Size of Door	Open List 1⅜ in.	Open List 1¾ in.	Glass Size 1½ in. Between
2- 6X6- 6	\$ 9.35	\$12.30	5¾X54
6- 8	9.45	12.55	56
7- 0	10.25	13.50	60
2- 8X6- 8	9.65	12.75	6¾X56
7- 0	10.40	13.75	60
2-10X6- 8	9.80	12.95	7 X56
6-10	10.45	13.80	58
7- 0	10.55	14.00	60
3- OX6- 8	9.95	13.20	7¾X56
6-10	10.60	14.05	58
7- 0	10.70	14.25	60
3- 4X7- 0	12.05	16.15	8¾X60
3- 6X7- 0	12.25	16.40	9 X60

PENNSYLVANIA DOOR & SASH CO.

8 Light Door

Standard Stock Sticking
Beads for Glass Included




S. D. 222

No. 1 Quality

Stiles and Top Rail not over 5½" wide.
Bottom Rail not over 9½" wide.

10 Light Door

Standard Stock Sticking
Beads for Glass Included




S. D. 225

No. 1 Quality

Stiles and Top Rail not over 5½" wide.
Bottom Rail not over 9½" wide.

12 Light Door

Standard Stock Sticking
Beads for Glass Included




S. D. 226

No. 1 Quality

Stiles and Top Rail not over 5½" wide.
Bottom Rail not over 9½" wide.

15 Light Door

Standard Stock Sticking
Beads for Glass Included




S. D. 227

No. 1 Quality

Stiles and Top Rail not over 5½" wide.
Bottom Rail not over 9½" wide.

1 Light Door

Standard Stock Sticking
Beads for Glass Included




S. D. 235

No. 1 Quality

Stiles, up to and including 3-0, 5½" wide.
Stiles over 3-0, 6½" wide.
Top Rail not over 6½" wide.
Bottom Rail not over 18½" wide.

3 Vertical Light Door

Standard Stock Sticking
Beads for Glass Included



S. D. 236

No. 1 Quality

Stiles, up to and including 3-0, 5½" wide.
Stiles over 3-0, 6½" wide.
Top Rail not over 6½" wide.
Bottom Rail not over 18½" wide.
Mullions not over 1½" between glass.

PENNSYLVANIA DOOR & SASH CO.

9 Marginal Light Door

S. D. 238

No. 1 Quality

Stiles, up to and including 3-0, 5½" wide.
Stiles over 3-0, 6½" wide.
Top Rail not over 6½" wide.
Bottom Rail not over 18½" wide.

Size of Door	Open List 1⅜ in.	Open List 1¼ in.	Glass Size ½ in. Between
2- 6X6- 6	\$10.90	\$13.85	Corner 5X5
6- 8	11.00	14.05	Corner 5X5
7- 0	11.60	14.85	Corner 5X5
2- 8X6- 8	11.15	14.25	Corner 5X5
7- 0	11.75	15.10	Corner 5X5
2-10X6- 8	11.35	14.50	Corner 5X5
6-10	11.85	15.20	Corner 5X5
7- 0	11.95	15.35	Corner 5X5
3- 0X6- 8	11.50	14.75	Corner 5X5
6-10	12.00	15.40	Corner 5X5
7- 0	12.10	15.60	Corner 5X5
3- 4X7- 0	13.40	17.50	Corner 5X5
3- 6X7- 0	13.65	17.80	Corner 5X5

9 Light Door

S. D. 239

No. 1 Quality

Stiles, up to and including 3-0, 5½" wide.
Stiles over 3-0, 6½" wide.
Top Rail not over 6½" wide.
Bottom Rail not over 18½" wide.

Size of Door	Open List 1⅜ in.	Open List 1¼ in.	Glass Size ½ in. Between
2- 6X6- 6	\$10.90	\$13.85	Top 6⅝X6⅝
6- 8	11.00	14.05	6⅝
7- 0	11.60	14.85	6⅝
2- 8X6- 8	11.15	14.25	Top 7 X7
7- 0	11.75	15.10	7
2-10X6- 8	11.35	14.50	Top 7⅝X7⅝
6-10	11.85	15.20	7⅝
7- 0	11.95	15.35	7⅝
3- 0X6- 8	11.50	14.75	Top 8⅝X8⅝
6-10	12.00	15.40	8⅝
7- 0	12.10	15.60	8⅝
3- 4X7- 0	13.40	17.50	Top 9 X9
3- 6X7- 0	13.65	17.80	Top 9⅝X9⅝

15 Light Door

S. D. 242 No. 1 Quality

Stiles, up to and including 3-0, 5½" wide.
Stiles over 3-0, 6½" wide.
Top Rail not over 6½" wide.
Bottom Rail not over 18½" wide.

Size of Door	Open List 1⅜ in.	Open List 1¼ in.	Glass Size ½ in. Between
2- 6X6- 6	\$13.00	\$16.25	6⅝X10⅝
6- 8	13.10	16.45	10⅝
7- 0	13.70	17.25	11⅝
2- 8X6- 8	13.25	16.65	7 X10⅝
7- 0	13.85	17.50	11⅝
2-10X6- 8	13.45	16.90	7⅝X10⅝
6-10	13.95	17.60	11⅝
7- 0	14.05	17.75	11⅝
3- 0X6- 8	13.60	17.15	8⅝X10⅝
6-10	14.10	17.80	11⅝
7- 0	14.20	18.00	11⅝
3- 4X7- 0	15.50	19.90	9 X11⅝
3- 6X7- 0	15.75	20.20	9⅝X11⅝

18 Light Door

S. D. 243 No. 1 Quality

Stiles, up to and including 3-0, 5½" wide.
Stiles over 3-0, 6½" wide.
Top Rail not over 6½" wide.
Bottom Rail not over 18½" wide.

Size of Door	Open List 1⅜ in.	Open List 1¼ in.	Glass Size ½ in. Between
2- 6X6- 6	\$14.05	\$17.45	6⅝X 8⅝
6- 8	14.15	17.65	8⅝
7- 0	14.75	18.45	9⅝
2- 8X6- 8	14.30	17.85	7 X 8⅝
7- 0	14.90	18.70	9⅝
2-10X6- 8	14.50	18.10	7⅝X 8⅝
6-10	15.00	18.80	9¼
7- 0	15.10	18.95	9⅝
3- 0X6- 8	14.65	18.35	8⅝X 8⅝
6-10	15.15	19.00	9¼
7- 0	15.25	19.20	9⅝
3- 4X7- 0	16.55	21.10	9 X 9⅝
3- 6X7- 0	16.80	21.40	9⅝X 9⅝

1 Light Store Door

S. D. 250 No. 1 Quality


Stiles and Top Rail not over 6½" wide.
Bottom Rail not over 18½" wide.

Size of Door	Open List 1⅜ in.	Open List 1¼ in.	Glass Size
3- 0X7- 0	\$13.05		24X60
7- 6		14.65	66
8- 0		15.30	72
3- 4X7- 0		13.90	28X60
7- 6		15.15	66
8- 0		15.75	72
3- 6X7- 0		14.20	30X60
7- 6		15.45	66
8- 0		16.05	72

PENNSYLVANIA DOOR & SASH CO.

9 Marginal Light Door

Standard Stock Sticking
Beads for Glass Included




S. D. 238
No. 1 Quality

Stiles, up to and including 3-0,
5½" wide.
Stiles over 3-0, 6½" wide.
Top Rail not over 6½" wide.
Bottom Rail not over 18½" wide.

9 Light Door

Standard Stock Sticking
Beads for Glass Included




S. D. 239
No. 1 Quality

Stiles, up to and including 3-0,
5½" wide.
Stiles over 3-0, 6½" wide.
Top Rail not over 6½" wide.
Bottom Rail not over 18½" wide.

15 Light Door

Standard Stock Sticking
Beads for Glass Included




S. D. 242
No. 1 Quality

Stiles, up to and including 3-0,
5½" wide.
Stiles over 3-0, 6½" wide.
Top Rail not over 6½" wide.
Bottom Rail not over 18½" wide.

18 Light Door

Standard Stock Sticking
Beads for Glass Included




S. D. 243
No. 1 Quality

Stiles, up to and including 3-0, 5½" wide.
Stiles over 3-0, 6½" wide.
Top Rail not over 6½" wide.
Bottom Rail not over 18½" wide.

1 Light Store Door

Standard Stock Sticking
Beads for Glass Included



S. D. 250
No. 1 Quality

Stiles and Top Rail not over 6½" wide.
Bottom Rail not over 18½" wide.

PENNSYLVANIA DOOR & SASH CO.

French Door—10 Light

S. D. 260 No. 1 Quality

Stiles and Top Rail over $3\frac{1}{2}$ " wide.
Bottom Rail not over $9\frac{1}{2}$ " wide.

Size of Door	Open List $1\frac{3}{8}$ in.	Open List $1\frac{1}{4}$ in.	Glass Size $\frac{1}{2}$ in. Between
1- 6X6- 6	\$8.30	\$10.15	$5\frac{3}{4}$ X $12\frac{3}{4}$
6- 8	8.40	10.30	$13\frac{3}{8}$
6-10	8.80	10.85	$13\frac{3}{8}$
7- 0	8.90	10.95	14
2- 0X6- 6	8.50	10.45	$8\frac{3}{4}$ X $12\frac{3}{4}$
6- 8	8.65	10.65	$13\frac{3}{8}$
6-10	9.05	11.20	$13\frac{3}{8}$
7- 0	9.20	11.35	14
2- 4X6- 6	8.70	10.70	$10\frac{3}{4}$ X $12\frac{3}{4}$
6- 8	8.80	10.85	$13\frac{3}{8}$
6-10	9.25	11.45	$13\frac{3}{8}$
7- 0	9.30	11.55	14
2- 6X6- 6	8.75	10.80	$11\frac{3}{4}$ X $12\frac{3}{4}$
6- 8	8.85	10.95	$13\frac{3}{8}$
6-10	9.30	11.55	$13\frac{3}{8}$
7- 0	9.40	11.75	14
2- 8X6- 8	8.95	11.05	$12\frac{3}{4}$ X $13\frac{3}{8}$
6-10	9.40	11.70	$13\frac{3}{8}$
7- 0	9.45	11.85	14
2-10X6- 8	9.00	11.20	$13\frac{3}{4}$ X $13\frac{3}{8}$
6-10	9.45	11.80	$13\frac{3}{8}$
7- 0	9.55	11.95	14
3- 0X6- 8	9.15	11.30	$14\frac{3}{4}$ X $13\frac{3}{8}$
6-10	9.55	11.95	$13\frac{3}{8}$
7- 0	9.60	12.05	14

French Door—15 Light

S. D. 262 No. 1 Quality

Stiles and Top Rail not over $3\frac{1}{2}$ " wide.
Bottom Rail not over $9\frac{1}{2}$ ".

Size of Door	Open List $1\frac{3}{8}$ in.	Open List $1\frac{1}{4}$ in.	Glass Size $\frac{1}{2}$ in. Between
1- 6X6- 6	\$10.05	\$12.15	$3\frac{5}{8}$ X $12\frac{3}{4}$
6- 8	10.15	12.30	$13\frac{3}{8}$
6-10	10.55	12.85	$13\frac{3}{8}$
7- 0	10.65	12.95	14
2- 0X6- 6	10.25	12.45	$5\frac{5}{8}$ X $12\frac{3}{4}$
6- 8	10.40	12.65	$13\frac{3}{8}$
6-10	10.80	13.20	$13\frac{3}{8}$
7- 0	10.95	13.35	14
2- 4X6- 6	10.45	12.70	7 X $12\frac{3}{4}$
6- 8	10.55	12.85	$13\frac{3}{8}$
6-10	11.00	13.45	$13\frac{3}{8}$
7- 0	11.05	13.55	14
2- 6X6- 6	10.50	12.80	$7\frac{5}{8}$ X $12\frac{3}{4}$
6- 8	10.60	12.95	$13\frac{3}{8}$
6-10	11.05	13.55	$13\frac{3}{8}$
7- 0	11.15	13.75	14
2- 8X6- 8	10.70	13.05	$8\frac{5}{8}$ X $13\frac{3}{8}$
6-10	11.15	13.70	$13\frac{3}{8}$
7- 0	11.20	13.85	14
2-10X6- 8	10.75	13.20	9 X $13\frac{3}{8}$
6-10	11.20	13.80	$13\frac{3}{8}$
7- 0	11.30	13.95	14
3- 0X6- 8	10.90	13.30	$9\frac{5}{8}$ X $13\frac{3}{8}$
6-10	11.30	13.95	$13\frac{3}{8}$
7- 0	11.35	14.05	14

Side Lights for Doors

S. D. 275 No. 1 Quality

Stiles not over $2\frac{1}{2}$ " wide.
Top Rail not over $6\frac{1}{2}$ " wide.
Bottom Rail not over $18\frac{1}{2}$ " wide.

Size of Door	Open List $1\frac{3}{8}$ in.	Open List $1\frac{1}{4}$ in.	Glass Size
1- 0X6- 8	\$4.35	\$5.40	8X56
6-10	4.55	5.70	58
7- 0	4.60	5.75	60
1- 2X6- 8	4.50	5.60	10X56
6-10	4.70	5.95	58
7- 0	4.75	6.00	60
1- 4X6- 8	4.65	5.80	12X56
6-10	4.95	6.20	58
7- 0	5.00	6.25	60
1- 6X6- 8	4.85	6.10	14X56
6-10	5.10	6.40	58
7- 0	5.15	6.50	60

Side Lights for Doors

S. D. 276 No. 1 Quality


Stiles not over $2\frac{1}{2}$ " wide.
Top Rail not over $5\frac{1}{2}$ " wide.
Lock and Bottom Rail not over $9\frac{3}{4}$ " wide.

Size of Door	Open List $1\frac{3}{8}$ in.	Open List $1\frac{1}{4}$ in.	Size of Door
1- 0X6- 8	\$4.20	\$5.20	8X46
6-10	4.45	5.55	48
7- 0	4.50	5.60	50
1- 2X6- 8	4.40	5.50	10X46
6-10	4.60	5.75	48
7- 0	4.65	5.80	50
1- 4X6- 8	4.50	5.70	12X46
6-10	4.75	6.05	48
7- 0	4.85	6.10	50
1- 6X6- 8	4.65	5.95	14X46
6-10	4.95	6.25	48
7- 0	5.00	6.30	50

PENNSYLVANIA DOOR & SASH CO.

French Door—10 Light

Standard Stock Sticking
Beads for Glass Included




S. D. 260

No. 1 Quality

Stiles and Top Rail over $3\frac{1}{2}$ " wide.
Bottom Rail not over $9\frac{1}{2}$ " wide.

French Door—15 Light

Standard Stock Sticking
Beads for Glass Included




S. D. 262

No. 1 Quality

Stiles and Top Rail not over $3\frac{1}{2}$ " wide.
Bottom Rail not over $9\frac{1}{2}$ ".

Side Lights for Doors

Standard Stock Sticking
Beads for Glass Included



S. D. 275

No. 1 Quality

Stiles not over $2\frac{1}{2}$ " wide.
Top Rail not over $6\frac{1}{2}$ " wide.
Bottom Rail not over $18\frac{1}{2}$ " wide.

Side Lights for Doors

Standard Stock Sticking
Raised Panels Two Sides
Beads for Glass Included



S. D. 276

No. 1 Quality

Stiles not over $2\frac{1}{2}$ " wide.
Top Rail not over $5\frac{1}{2}$ " wide.
Lock and Bottom Rail not over $9\frac{3}{4}$ " wide.

PENNSYLVANIA DOOR & SASH CO.

Storm Door

S. D. 300

PANEL DOORS

1½ in.	List
2- 6X6- 6	\$7.95
2- 8X6- 8	8.35
2- 8X7- 0	8.55
2-10X6-10	8.75
2-10X7- 0	8.90
3- 0X6- 8	8.95
3- 0X7- 0	9.20

Storm Door

S. D. 301

OPEN SASH DOORS

1½ in.	List Open
2- 6X6- 6	\$7.15
2- 8X6- 8	7.45
2- 8X7- 0	7.65
2-10X6-10	7.85
2-10X7- 0	7.95
3- 0X6- 8	8.00
3- 0X7- 0	8.20

Combination Door

C. D. 325

OPEN

Screen section not wired.

Designs	Door Section	Sash Section Open	Screen Section Not Wired	Total List Door Open
2- 6X6- 6	\$4.50	\$1.85	\$1.00	\$7.35
2- 8X6- 8	4.65	1.90	1.05	7.60
2- 8X7- 0	5.00	1.95	1.10	8.05
2-10X6-10	5.05	1.95	1.10	8.10
2-10X7- 0	5.10	2.00	1.10	8.20
3- 0X6- 8	5.05	2.00	1.15	8.20
3- 0X7- 0	5.25	2.00	1.15	8.40

Combination Door

C. D. 327

OPEN

Screen section not wired.

Designs	Door Section	Sash Section Open	Screen Section Not Wired	Total List Door Open
2- 6X6- 6	\$4.50	\$1.70	\$1.00	\$7.20
2- 8X6- 8	4.65	1.75	1.05	7.45
2- 8X7- 0	5.00	1.80	1.10	7.90
2-10X6-10	5.05	1.80	1.10	7.95
2-10X7- 0	5.10	1.85	1.10	8.05
3- 0X6- 8	5.05	1.85	1.15	8.05
3- 0X7- 0	5.25	1.85	1.15	8.25

Combination Door

C. D. 325

OPEN

Screen section wired.

Designs	Door Section	Sash Section Open	Screen Section Wired	Total List Door Open Ser'n Sec. Wired
2- 6X6- 6	\$4.50	\$1.85	\$2.35	\$8.70
2- 8X6- 8	4.65	1.90	2.45	9.00
2- 8X7- 0	5.00	1.95	2.50	9.45
2-10X6-10	5.05	1.95	2.55	9.55
2-10X7- 0	5.10	2.00	2.60	9.70
3- 0X6- 8	5.05	2.00	2.70	9.75
3- 0X7- 0	5.25	2.00	2.70	9.95

Combination Door

C. D. 327


OPEN

Screen section wired.

Designs	Door Section	Sash Section Open	Screen Section Wired	Total List Door Open Ser'n Sec. Wired
2- 6X6- 6	\$4.50	\$1.70	\$2.35	\$8.55
2- 8X6- 8	4.65	1.75	2.45	8.85
2- 8X7- 0	5.00	1.80	2.50	9.30
2-10X6-10	5.05	1.80	2.55	9.40
2-10X7- 0	5.10	1.85	2.60	9.55
3- 0X6- 8	5.05	1.85	2.70	9.60
3- 0X7- 0	5.25	1.85	2.70	9.80

PENNSYLVANIA DOOR & SASH CO.


Storm Doors



S. D. 300

In the white—not painted or primed.


Storm Door



S. D. 301

In the white—not painted or primed.

Combination Door



C. D. 325

OPEN


Screen section not wired.

C. D. 325

OPEN

Screen section wired.

Combination Door



C. D. 327

OPEN

Screen section not wired.

C. D. 327

OPEN

Screen section wired.

PENNSYLVANIA DOOR & SASH CO.

OPEN SASH DOORS EXTRAS

Following extras apply only to designs not otherwise listed or provided for:
Rule "1M":—For sizes not listed and intermediate sizes, use same list as next larger listed size.

LARGER THAN LISTED SIZES

Rule "2M":—(a) Wider than listed sizes, use widest list specified of same height and add for each additional four inches or part thereof, 10%.
 (b) Longer than listed sizes, use longest list specified of same width and add for each additional six inches or part thereof, 10%.

SPECIAL DESIGNS

Rule "3M":—(a) To make list on open sash doors with one light, not otherwise provided for and of same layout as cross panel door, use Panel Door list as basis.
 (b) Doors made six panel, two panels wide, add to list of regular panel door, same size, 30c List.
 (c) Full length panels where cut up into small panels, add over the price of such full length panel, 20c List extra, for each small panel into which such full length panel is cut.
 (d) Shortening glass sizes specified in regular listed designs, thus increasing height of panels, add 5c List extra, for every extra one inch or fraction increase in height to each panel.

WIDE STILES, RAILS OR MUNTZ

	For 1 3/8"	For 1 3/4"
Rule "4M": —(a) Stiles, including top rail wider than standard layout, add for each additional one inch or part thereof.....	\$0.70	\$1.05
(b) Cross Rails, top, lock or bottom rail, wider than standard layout, add for each additional one inch or part thereof, for each wide rail.....	\$0.15	\$0.25
(c) Solid White Pine Panels (not otherwise specified) ordered wider than 12 1/2" requiring glue joint, add 40c List extra, for each glue joint.		
(d) Wide Rails over 12 1/2", for each glue joint, add 40c List.		

RECTANGULAR DIVIDED LIGHTS 1/2" between glass

Rule "5M":—Add for each divided light as follows (no glass stop).

	For 1 3/8"	For 1 3/4"
(a) Up to 40 united inches.....	\$0.30	\$0.40
(b) 41 to 60 united inches.....	.40	.50
(c) 61 to 80 united inches.....	.50	.65
(d) For each one-half inch extra width between glass, add 20%.		

BEAD STOPS FOR GLASS

Rule "6M":—Add for Bead Stops around each rectangular light, as follows:

(a) 20 united inches or less.....	\$0.15	List
(b) 21 to 40 united inches.....	.20	List
(c) 41 to 60 united inches.....	.25	List
(d) 61 to 80 united inches.....	.30	List
(e) 81 to 100 united inches.....	.35	List

MOULDING AROUND RECTANGULAR LIGHTS OR PANELS

	List Per Side
Rule "7M": —Plain Flush Mould (not over 3/4x1 1/4"), add per united inch.....	\$0.01 1/2
Plain Raised Mould (not over 3/4x1 1/4"), add per united inch.....	.02
Flush E. & D. Pressed Mould (not over 3/4x1 1/4"), add per united inch.....	.03 3/4
Raised E. & D. Pressed Mould (not over 3/4x1 1/4"), add per united inch.....	.04 1/2
Single Fillet around Glass Opening, add per united inch.....	.00 3/4

OVAL LIGHT PANELS WITH GLASS BEAD

	Add List
Rule "8M": —(a) Not over 36 inches high over all.....	\$3.00
(b) Over 36 inches high, not over 44 inches high.....	3.60
(c) Over 44 inches high, not over 60 inches high.....	4.00

CAPS AND SILLS

	List Loose Put On
Rule "9M": —(a) One member plain moulded, not over 1 1/2x1 3/4", add for each.....	\$0.20 \$0.30
(b) One member plain moulded, not over 1 3/8x1 3/4", add for each.....	.26 .36
(c) Two members Egg and Dart or Dentil mould, add.....	.48 .68
(d) One member Stool and 3 Blocks S4S—Bungalow Type.....	.65 1.05

Rule "10M":—Segment and Circle Head Sash Door price on application.

DUTCH DOORS

Rule "11M":—(a) Made with double width lock rail so as to permit cutting through center, add to list of a similar door of same size.....

(b) Cut through Lock Rail and Rabbeted.....	\$1.50 List	2.50 List
---	-------------	-----------

THICK DOORS

	Pan or Part Pan and Part Sash	Rim and Part Sash Door
Rule "12M": —(a) 2 or 2 1/4 in. doors (single or double thick), add to list of a 1 3/4" door same size.....	95%	100%
(b) 2 1/2" door (single or double thick), add to list of a 1 3/4" door, same size.....	190%	200%

RABBETING

Rule "13M":—Rabbeting and beading folding doors made extra wide for rabbeting, add \$2.50 List extra per pair.

ASTRAGALS, LOOSE, NOT PUT ON

Rule "14M":—Single, for folding doors not over eight feet high:

(a) If doors are 1 3/4" thick or less.....	\$1.25
If doors are 2 1/4" or 2 1/2" or less.....	4.00
For double sliding doors not over eight feet high:	
(b) If doors are 1 3/4" thick or less.....	1.50
If doors are 2 1/4" or 2 1/2" thick or less.....	5.00
(c) Astragal joints on stiles, add per pair.....	2.50


PENNSYLVANIA DOOR & SASH CO.

Miracle Doors


White Pine Stiles and Rails. Birch Insets and Panels

Also

All Veneered Birch or Oak. The Strongest One Panel Door Made



No. 700



No. 701


COMPLETE ASSORTMENT NO. 700 CARRIED IN STOCK

PENNSYLVANIA DOOR & SASH CO.


Miracle Front Door

White Pine Stiles and Rails

Veneered Unselected Birch Panels



No. 702



No. 703


ALSO VENEERED OAK OR BIRCH

PENNSYLVANIA DOOR & SASH CO.


Miracle Doors

White Pine Frame

Birch Inset



No. 704




No. 705

ALSO VENEERED BIRCH OR OAK

PENNSYLVANIA DOOR & SASH CO.

Side Lights

White Pine or Veneered Oak or Birch



306

307

308

309

310

311

STOCK SIZES

1/0x6/8x1 3/4"
1/2x6/8x1 3/4"
1/4x6/8x1 3/4"

1/0x7/0x1 3/4"
1/2x7/0x1 3/4"
1/4x7/0x1 3/4"
1/6x7/0x1 3/4"

PENNSYLVANIA DOOR & SASH CO.

Klimax

White Pine Stiles and Rails

Birch Panels



KLIMAX

CARRIED IN STOCK IN ALL SIZES


From 2/0 x 6/0 to 3/0 x 7/0, 1 3/8 inch thick and customary sizes, 1 3/4 inch thick

Excellent for Enamel Finish


PENNSYLVANIA DOOR & SASH CO.

Front Doors


White Pine or Oak Veneered




300




301




302



303



304




305

STOCK SIZES


2/8x6/8x1 3/4"
3/0x6/8x1 3/4"
3/0x7/0x1 3/4"

PENNSYLVANIA DOOR & SASH CO.


White Pine or Oak Front Doors




312




313




314



315



316




317

STOCK SIZES

2/8x6/8x1 3/4"
3/0x6/8x1 3/4"
3/0x7/0x1 3/4"

PENNSYLVANIA DOOR & SASH CO.


Yellow Fir




318




319



320



321



322



323


KEPT IN STOCK IN ALL REGULAR SIZES

$1\frac{3}{8}$ and $1\frac{3}{4}$ THICK

PENNSYLVANIA DOOR & SASH CO.

Slab Doors Veneered

Oak or Birch




324



325




326



327



328



329


STOCK SIZES

2 / 8x6 / 8x1 $\frac{3}{4}$ "
 3 / 0x6 / 8x1 $\frac{3}{4}$ "
 3 / 0x7 / 0x1 $\frac{3}{4}$ "


PENNSYLVANIA DOOR & SASH CO.

Front Doors


Oak Veneered or Solid White Pine




330




331




332



333



334



335

PENNSYLVANIA DOOR & SASH CO.

White Pine Stiles and Rails


Veneered Fir Panels



336




337




338


White Pine, Oak or Birch Veneered



339



340




341

Carried in Stock


PENNSYLVANIA DOOR & SASH CO.

Garage Doors


These doors are made of solid wood, well built
to withstand both weather
and hard usage




A




B




C




D




E



F




G




H

PENNSYLVANIA DOOR & SASH CO.




100

Garage Doors in Stock



103



101

Insist on Garage Doors That Will Paint

Garage doors are the most exposed doors on the premises.

They are left open more than the other doors.

You choose all your outside finish lumber and siding for its suitability to take paint and stand the weather.

Your garage doors should be made of the wood most suitable for paint.

Ours are made of Clear Pacific Spruce, or Clear Fir

WHITE PINE PANELS

Regular Size

Single 4'-0"x8'-0".

Pairs 8'-0"x8'-0".

Triple 8'-0"x8'-0" (3 drs. 2'-8"x8'-0").

All 1 $\frac{3}{4}$ " thick.

Pairs or Triples

Top Rail 5 $\frac{1}{2}$ " overall.

Stiles 5 $\frac{1}{2}$ " overall.


Bottom Rail 11" overall.

Panels $\frac{3}{4}$ " raised.

Munts 5 $\frac{1}{2}$ " overall.

Lock Rail 5 $\frac{1}{2}$ " overall. ▽

Furnished with wood stops.



102

PENNSYLVANIA DOOR & SASH CO.


OUTSIDE BLINDS IN PAIRS

2 Lt. Size of Glass	List 1 $\frac{1}{8}$ in. R. S. or S. S.	List 1 $\frac{1}{8}$ in. $\frac{1}{2}$ S. S., $\frac{1}{2}$ R. S.	List 1 $\frac{3}{8}$ in. R. S. or S. S.	List 1 $\frac{3}{8}$ in. $\frac{1}{2}$ R. S.	Size of Opening
20X20	\$2.80	\$2.96	\$3.11	\$3.27	2- 0 $\frac{1}{2}$ X3-11
24	3.24	3.42	3.61	3.79	4- 7
26	3.46	3.66	3.86	4.06	4-11
28	3.69	3.90	4.11	4.32	5- 3
30	3.91	4.13	4.36	4.58	5- 7
32	4.13	4.37	4.61	4.85	5-11
34	4.36	4.61	4.86	5.11	6- 3
36	4.58	4.84	5.11	5.37	6- 7
38	5.04	5.33	5.60	5.89	6-11
40	5.27	5.58	5.85	6.16	7- 3
22X24	3.30	3.48	3.67	3.85	2- 2 $\frac{1}{2}$ X4- 7
26	3.53	3.73	3.93	4.13	4-11
28	3.76	3.97	4.18	4.39	5- 3
30	3.98	4.20	4.43	4.65	5- 7
32	4.21	4.45	4.69	4.93	5-11
34	4.44	4.69	4.94	5.19	6- 3
36	4.66	4.92	5.19	5.45	6- 7
38	5.13	5.43	5.69	5.99	6-11
40	5.37	5.67	5.95	6.25	7- 3
24X24	3.36	3.54	3.73	3.91	2- 4 $\frac{1}{2}$ X4- 7
26	3.60	3.80	4.00	4.20	4-11
28	3.83	4.04	4.25	4.46	5- 3
30	4.06	4.28	4.51	4.73	5- 7
32	4.29	4.53	4.77	5.01	5-11
34	4.52	4.77	5.02	5.27	6- 3
36	4.75	5.01	5.28	5.54	6- 7
38	5.23	5.52	5.89	6.08	6-11
40	5.46	5.76	6.04	6.34	7- 3
26X24	3.43	3.61	3.80	3.98	2- 6 $\frac{1}{2}$ X4- 7
26	3.66	3.86	4.06	4.26	4-11
28	3.90	4.11	4.32	4.53	5- 3
30	4.13	4.35	4.58	4.80	5- 7
32	4.36	4.60	4.84	5.08	5-11
34	4.60	4.85	5.10	5.35	6- 3
36	4.84	5.10	5.37	5.63	6- 7
38	5.32	5.62	5.88	6.18	6-11
40	5.57	5.87	6.15	6.35	7- 3

PENNSYLVANIA DOOR & SASH CO.

OUTSIDE BLINDS IN PAIRS—Continued


2 Lt. Size of Glass	List 1 $\frac{1}{8}$ in. R. S. or S. S.	List 1 $\frac{1}{8}$ in. $\frac{1}{2}$ S. S., $\frac{1}{2}$ R. S.	List 1 $\frac{3}{8}$ in. R. S. or S. S.	List 1 $\frac{3}{8}$ in. $\frac{1}{2}$ R. S.	Size of Opening
28x24	\$3.49	\$3.67	\$3.86	\$4.04	2- 8 $\frac{1}{2}$ x4- 7
26	3.72	3.92	4.12	4.32	4-11
28	3.97	4.18	4.39	4.60	5- 3
30	4.20	4.42	4.65	4.87	5- 7
32	4.44	4.68	4.92	5.16	5-11
34	4.68	4.93	5.18	5.43	6- 3
36	4.92	5.18	5.45	5.71	6- 7
38	5.42	5.71	5.98	6.27	6-11
40	5.86	5.96	6.44	6.54	7- 3
30x24	3.55	3.73	3.92	4.10	2-10 $\frac{1}{2}$ x4- 7
26	3.79	3.99	4.19	4.39	4-11
28	4.04	4.25	4.46	4.67	5- 3
30	4.28	4.50	4.73	4.95	5- 7
32	4.52	4.76	5.00	5.24	5-11
34	4.76	5.01	5.26	5.51	6- 3
36	5.00	5.26	5.53	5.79	6- 7
38	5.50	5.80	6.06	6.36	6-11
40	5.76	6.07	6.34	6.65	7- 3



Rolling Slats



Half Stationary and
Half Rolling Slats



Stationary Slats




Panel Shutters

PENNSYLVANIA DOOR & SASH CO.

SWING DOORS

No. 1 Quality

DOOR BLINDS



Stationary Slats.
Height of closet doors with extended lug
stiles is taken from top of top rail to
bottom of bottom rail.

Size of Door	"W" List $1\frac{1}{8}$ in.	"X" List $1\frac{1}{8}$ in.
2- OX4- 0	\$4.25	\$5.25
2- OX4- 6	4.80	5.80
2- OX5- 0	5.05	6.05
2- OX5- 6	5.30	6.30

SINGLE DOOR BLINDS

Size of Door	"Y" $1\frac{1}{8}$ in.	"Z" $1\frac{1}{8}$ in.
2- OX6- 0	\$5.35	\$5.05
2- 6X6- 6	6.45	6.15
2- 8X6- 8	6.90	6.60
2-10X6-10	7.65	7.35
3- OX7- 0	8.10	7.80

DOOR BLINDS IN PAIRS


Each Blind 1 Slat Panel Wide, 2 Slat Panels High.

Size of Pair	List per Pair $\frac{1}{8}$ in. R. S. or S. S.
2- 6X6- 6	\$6.30
2- 8X6- 8	6.75
2-10X6-10	7.00
3- OX7- 0	7.45

All door blinds made in pairs and rabbeted, same as window blinds, unless otherwise ordered.

PENNSYLVANIA DOOR & SASH CO.

Special Outside Blinds



Prices of Modern Fancy Outside Blinds

To arrive at list prices on our special outside blinds (without vent holes cut in panels) add to the list price of a regular outside blind of same size the following list extras, per pair:

Design No.		Design No.	
340.....	\$2.00	345.....	\$3.00
341.....	1.50	346.....	3.00
342.....	2.45	347.....	3.00
343.....	2.75	348.....	4.00
344.....	2.50	349.....	3.00

The above extras do not include the cutting of vent holes in panels. The various designs of vent holes can be used on any of the paneled blinds. Where blinds have two panels, vents can be cut in both, and in this case the extra for cutting is doubled.

For cutting vent holes in panels of blinds as shown, add to the list price per pair as follows:

Design No.		Design No.	
342.....	\$1.00	346.....	\$1.50
343.....	1.50	347.....	1.00
344.....	1.00	348.....	1.00
345.....	1.00	349.....	1.50

When ordering our special outside blinds, always state clearly the style of blind and design of vent hole wanted. All these blinds are made with stationary slats unless otherwise ordered. Extra wide blinds will be divided with muntins, the same as our regular outside blinds.

PENNSYLVANIA DOOR & SASH CO.

BLIND EXTRAS

Note "A"—For sizes not listed or intermediate sizes, use the same list as next larger listed size.

Note "B"—The list extras specified are intended to enable the forming of a list which shall be subject to the "odd work" discount, except when ordered in stock quantities of a size and kind.

LARGER SIZES

Rule 1—For list on outside blinds larger than listed sizes, use list on largest size of a similar blind and add as follows:

- (a) For each additional 4 inches in length or part thereof, for 1½-inch blinds 50c List
- (b) For each additional 4 inches in length or part thereof, for 1¾-inch blinds 60c List
- (c) For each additional 2 inches in width or part thereof, for 1½-in. blinds. 25c List
- (d) For each additional 2 inches in width or part thereof, for 1¾-inch blinds. 30c List

WIDE STILES OR RAILS

- Rule 2—(a) For outside blinds with stiles or top rails wider than regular, add to the list for similar blind for each ½ inch or part thereof..... 10%
- (b) For bottom rails wider than regular, add for each additional inch or part thereof 5%

STICKING

- Rule 7—(a) Stock blinds are made with O. G. sticking for rolling slat blinds, and square sticking for stationary or half stationary blinds.
- (b) Special sticking extra price.

SINGLE BLINDS

Rule 8—For single blinds not otherwise listed, or for one-half of a pair of blinds, use one-half of the list of a pair double the opening of the single blind, and add 25% list.

MULLION BLINDS

- Rule 9—(a) For list on mullion blinds use list of a pair of similar blinds of the same opening, and add 25% list.
- (b) For same center beaded to represent a pair, add 35% list.
- (c) All pairs of 2-fold blinds 4-4 and wider are made with center mullion rail.

FOUR-FOLD BLINDS

Rule 10—For list on four-fold outside blinds use double the list of a pair one-half the width of the opening, and add 40c list.

SHORTER THAN LISTED SIZES

Rule 11—No blind to be figured at less than the list price of a 3-11 high blind.

SOLID STUCK PANEL SHUTTERS

- Rule 12—For solid stuck panel shutters, either all panels or part panels and part slats, use the list of stationary slat blind of the same size and thickness and add 40% list.
- Rule 13—For shutters bead and butt 1 S. solid stuck 1 S. use list of a stationary slat blind of the same size and thickness, and add 60% list.

BLINDS FOR 34 IN. GLASS AND LONGER

Rule 14—Blinds for 34 in. glass and longer are made 3 panels high, unless otherwise ordered.

1¾ IN. THICK

Rule 15—For 1¾ in. blinds, use 1½ in. list for similar size and style, and add 75% list.

PENNSYLVANIA DOOR & SASH CO.

Accordion Doors



All Cross Panel are substantial for this purpose. We, however, make any type and wood required.

BOOKCASE AND WRITING DESKS
COLONNADES AND BUFFETS
INTERIOR COLUMNS
AND PEDESTALS

*Carried in stock, are shown in our "Bilt-in-Millwork"
Design Sheet*

PENNSYLVANIA DOOR & SASH CO.

Approximate Weights of Windows

Size of Window	No. of Lights	Thickness	Weight open	Weight glazed S.S.	Weight glazed D.S.
12 x 16	2	1 1/2	5 1/2	9	
18	2	"	5 1/2	10	
20	2	"	6	11	
22	2	"	6	12	
24	2	"	6 1/2	13	
26	2	"	7	13	
28	2	"	7	13	
30	2	"	8	14	
32	2	"	8	15	
14 x 16	2	"	5 1/2	10	
18	2	"	6	11	
20	2	"	6 1/2	12	
22	2	"	7	12	
24	2	"	8	13	
26	2	"	8	14	
28	2	"	9	16	
30	2	"	10	17	
32	2	"	10	18	
16 x 16	2	"	6	10	12
18	2	"	6 1/2	12	13
20	2	"	7	12	14
22	2	"	7	13	15
24	2	"	7 1/2	14	16
26	2	"	8	15	17
28	2	"	8	16	18
30	2	"	8 1/2	17	19
32	2	"	9	18	20
34	2	"	9 1/2	20	22
36	2	"	10	21	23
18 x 16	2	"	6 1/2	12	13
18	2	"	6 1/2	13	14
20	2	"	7	13	15
22	2	"	7 1/2	14	16
24	2	"	8	16	18
26	2	"	8	17	19
28	2	"	8 1/2	18	20
30	2	"	9	19	21
32	2	"	9 1/2	20	22
18 x 34	2	1 1/2	10	21	24
36	2	"	10	23	25
20 x 16	2	"	7	12	14
18	2	"	7	13	15
20	2	"	7 1/2	15	17
22	2	"	8	16	18
24	2	"	8	17	19
26	2	"	8 1/2	19	21
28	2	"	9	21	23
30	2	"	9 1/2	22	24
32	2	"	9 1/2	23	25
34	2	"	10	24	26
36	2	"	10 1/2	25	27
38	2	"	11		28
40	2	"	11 1/2		29
22 x 16	2	"	7	13	15
18	2	"	7 1/2	14	16
20	2	"	8	16	18
22	2	"	8	18	20
24	2	"	8 1/2	19	21
26	2	"	9	20	22
28	2	"	9 1/2	21	23
30	2	"	9 1/2	22	24
32	2	"	10	24	26
34	2	"	10 1/2	25	27
36	2	"	11	26	28
38	2	"	11		30
40	2	"	12		31
24 x 16	2	"	7 1/2	14	16
18	2	"	8	16	18
20	2	"	8	17	19
22	2	"	8 1/2	19	21
24	2	"	9	20	22
26	2	"	9	21	23
28	2	"	9 1/2	23	25
30	2	"	10	25	27
32	2	"	10 1/2	26	28

Size of Window	No. of Lights	Thickness	Weight open	Weight glazed S.S.	Weight glazed D.S.
24 x 34	2	1 1/2	11	27	30
36	2	"	11	28	32
38	2	"	11 1/2		33
40	2	"	12		34
26 x 16	2	"	8	15	17
18	2	"	8	17	19
20	2	"	8 1/2	19	21
24	2	"	9	21	23
26	2	"	9 1/2	23	25
28	2	"	10	24	27
30	2	"	10 1/2	26	29
32	2	"	10 1/2	27	30
34	2	"	11	29	32
36	2	"	11 1/2	31	34
38	2	"	12		35
40	2	"	12		36
28 x 16	2	"	8	16	18
18	2	"	8 1/2	18	20
20	2	"	9	21	23
24	2	"	9 1/2	23	25
26	2	"	10	24	27
28	2	"	10	25	28
30	2	"	10 1/2	27	30
32	2	"	11	29	31
34	2	"	11 1/2	31	33
36	2	"	12	32	35
38	2	"	12		36
40	2	"	12 1/2		37
30 x 16	2	"	8 1/2	17	19
18	2	"	9	19	21
20	2	"	9 1/2	22	24
24	2	"	10	25	27
26	2	"	10 1/2	26	29
28	2	"	10 1/2	27	30
30	2	"	11	29	32
32	2	"	11 1/2	31	34
30 x 34	2	1 1/2	12	33	36
36	2	"	12	35	38
38	2	"	12 1/2		39
40	2	"	13		40
32 x 16	2	"	9	18	20
18	2	"	9 1/2	20	22
20	2	"	9 1/2	23	25
24	2	"	10 1/2	26	28
26	2	"	10 1/2	27	30
28	2	"	11	29	31
30	2	"	11 1/2	31	34
32	2	"	12		35
34	2	"	12		37
36	2	"	12 1/2		39
38	2	"	13		41
40	2	"	13		42
34 x 16	2	"	9 1/2	20	22
18	2	"	10	21	24
20	2	"	10	24	26
24	2	"	11	27	30
26	2	"	11	29	32
28	2	"	11 1/2	31	33
30	2	"	12	33	36
32	2	"	12 1/2		37
34	2	"	12 1/2		38
36	2	"	13		40
38	2	"	13		42
40	2	"	13 1/2		44
36 x 16	2	"	10	21	23
18	2	"	10	23	25
20	2	"	10 1/2	25	27
22	2	"	11	26	28
24	2	"	11 1/2	28	32
26	2	"	11 1/2	31	34
28	2	"	12	32	35
30	2	"	12	35	38

PENNSYLVANIA DOOR & SASH CO.

Approximate Weights of Windows

Size of Window	No. of Lights	Thick-ness	Weight open	Weight glazed S.S.	Weight glazed D.S.
36 × 32	2	1½	12½		39
34	2	"	13		40
36	2	"	13		41
38	2	"	13½		43
40	2	"	14		46
38 × 24	2	"	11½	30	33
26	2	"	12	32	35
28	2	"	12	33	36
30	2	"	12½	36	39
32	2	"	13		41
34	2	"	13		42
36	2	"	13½		43
38	2	"	13½		45
40	2	"	14		46
40 × 20	2	"	11½		29
22	2	"	12		31
24	2	"	12		34
26	2	"	12		36
28	2	"	12½		37
30	2	"	13		40
32	2	"	13		42
34	2	"	13½		44
36	2	"	14		46
38	2	"	14		48
40	2	"	14½		49
44 × 20	2	"	11½		32
22	2	"	12		34
24	2	"	12½		36
26	2	"	13		39
28	2	"	13		41
30	2	"	13½		43
32	2	"	13½		46
34	2	"	14		47
36	2	"	14½		50
38	2	"	15		52
40	2	"	15½		53
48 × 20	2	1½	12½		36
22	2	"	13		38
24	2	"	13½		40
26	2	"	14		42
28	2	"	14		44
30	2	"	14½		46
32	2	"	14½		48
34	2	"	15		51
36	2	"	15½		53
38	2	"	16		55
40	2	"	16½		58
10 × 16	4	"	5½	13	
18	4	"	6	14	
20	4	"	6	16	
22	4	"	7	17	
24	4	"	8	18	
26	4	"	8	19	
28	4	"	9	20	
30	4	"	9	21	
32	4	"	9½	22	
12 × 16	4	"	6	15	
18	4	"	7	17	
20	4	"	7	18	
22	4	"	8	19	
24	4	"	8	20	
26	4	"	9	21	
28	4	"	9	22	
30	4	"	10	23	
32	4	"	11	25	
34	4	"	12	26	
36	4	"	12	27	
38	4	"	13	29	
40	4	"	13	31	
14 × 18	4	"	8½	11	
20	4	"	9	20	
22	4	"	9½	22	
24	4	"	10	23	

Size of Window	No. of Lights	Thick-ness	Weight open	Weight glazed S.S.	Weight glazed D.S.
14 × 26	4	1½	10½	24	
28	4	"	11	25	
30	4	"	12	27	
32	4	"	12	29	32
34	4	"	12½	31	34
36	4	"	13	32	35
38	4	"	13	33	36
40	4	"	13½	34	38
15 × 24	4	"	10½	24	27
26	4	"	11	25	29
28	4	"	11½	27	30
30	4	"	12	29	32
32	4	"	12	31	34
34	4	"	12½	33	36
36	4	"	13	35	38
38	4	"	13½	36	39
40	4	"	14	37	40
7 × 9	12	1½	6	16	
8 × 10	12	1½	7	17	
12	12	1½	8	18	
14	12	1½	9	19	
9 × 12	12	1½	9	20	
13	12	1½	9½	21	
14	12	1½	10	22	
15	12	1½	11	23	
10 × 12	12	1½	9	21	
14	12	1½	9½	23	
15	12	1½	10	25	
16	12	1½	11	26	
18	12	1½	12	29	
12 × 14	12	1½	11	25	
16	12	1½	12	28	
18	12	1½	13	31	
8 × 10	12	1½	8	19	
12	12	1½	9	20	
14	12	1½	10	22	
9 × 12	12	1½	10	22	
9 × 13	12	1½	10½	23	
14	12	1½	11	24	
10 × 12	12	1½	11	23	
14	12	1½	12	26	
15	12	1½	12½	27	
16	12	1½	13	29	
18	12	1½	14	32	
12 × 14	12	1½	13	32	
16	12	1½	14	36	
18	12	1½	15	38	
20	12	1½	16	40	


Approximate Weights Pine Stock Panel Doors

SIZE	Thickness			
	¾ in.	1½ in.	1¾ in.	1¾ in.
2 0 × 6 0	17	23	28	
2 6 × 6 6	23	30	35	42
2 8 × 6 8	25	32	37	46
2 10 × 6 10		35	40	52
3 0 × 7 0		38	45	55
3 0 × 7 6			50	60
3 0 × 8 0			55	65

PENNSYLVANIA DOOR & SASH CO.

Newels

Starting



23

Design

No. 23


No. 24

Shaft

Top 6x6 in.
Bottom 8x8 in.

Top 5x5 in.
Bottom 6x6 in.

Angle



24


Height

4 ft. 6 in.


5 ft. 8 in.

Measurement does not include Cap or Drop.


Stair Newels



25



28



27

OAK AND YELLOW PINE

No. 25. 6"x6"-4' 6" long

No. 28. 6"x6"-4' 6" long

No. 27. 5"x5"-5' 6" long

PENNSYLVANIA DOOR & SASH CO.

Stairwork



18



19



22

STAIR BALUSTERS

Oak

$1\frac{3}{4}$ x24 in. No. 19

$1\frac{3}{4}$ x28 in. No. 19

$1\frac{3}{4}$ x32 in. No. 19

$1\frac{3}{8}$ x24 in. to 32 in. No. 18

$1\frac{3}{4}$ x24 in. to 32 in. No. 18

YELLOW PINE

$1\frac{3}{4}$ x24 in. No. 18 or 19


$1\frac{3}{4}$ x28 in. No. 18 or 19

$1\frac{3}{4}$ x32 in. No. 18 or 19

$1\frac{3}{8}$ x24 to 32 in. No. 18


SHOE AND FILLET

OAK AND
YELLOW PINE



16

$1\frac{3}{4}$ " diameter
Oak or Yellow Pine




17

2 inch
Oak or Yellow Pine


PENNSYLVANIA DOOR & SASH CO.

Stock Stair Rail


YELLOW PINE—OAK—BIRCH




No. 40



No. 41




No. 42




$2\frac{1}{8} \times 2\frac{3}{8}$
No. 43

PENNSYLVANIA DOOR & SASH CO.

Stair Rail—Easements—Ramps—Goosenecks




Made to Order




PENNSYLVANIA DOOR & SASH CO.

Stock Birch Stairwork



No. 29. Newel
2½x2½-2-7½




No. 30. Newel
3½x3½x3-2

**No. 31
Landing Newels**
3½x3½x4-9

No. 32. Balusters
1¼x1¼x2-7 or 2-10

**No. 33. Spiral
With Easement
Attached**


**No. 34
Tread and Riser**



No. 35. Gooseneck
Used with No. 43 Rail



No. 36. Easement
Used with No. 43 Rail




No. 43. Rail
2⅛ x 2⅛


Oak Made to Order

PENNSYLVANIA DOOR & SASH CO.


Stair Treads—Risers




Treads and Riser No. 44



Quarter-Circle Ends
Tread and Riser No. 45



Quarter-Circle Tread and Riser No. 46



Reversible Half-Circle Tread and Riser No. 47

YELLOW PINE AND OAK IN STOCK


See Price Guide For Information

PENNSYLVANIA DOOR & SASH CO.

Cabinets and Nooks

WHITE PINE

In Stock 4 ft. x 8 ft.



Kitchen
Cupboard Pa. 3

WHITE PINE


In Stock. Mirror 12 x 16



Medicine
Cabinet Pa. 4

YELLOW PINE

In Stock. Mirror 12 x 16




Medicine
Cabinet Pa. 5

White Pine Breakfast Nooks



Breakfast Nook Pa. 1




Breakfast Nook Pa. 2

To fill a space 64 to 68" wide and 54" long. Height of table 30"; table top 30" x 54".
 Height to top of seat back from floor 42". Height to top of seat back from floor 37½".
 From back of seat end to edge of seat 18¼"; width of seat board proper 16".
 Height of seat back above seat 25¼". Height of seat back above seat 20¾".

PENNSYLVANIA DOOR & SASH CO.


Ironing Board Cupboards



Carried in Stock


PENNSYLVANIA DOOR & SASH CO.

Corner and Base Blocks




No. 250
White or Yellow Pine

4 x 4 x $1\frac{1}{16}$ in. thick
 $4\frac{3}{4}$ x $4\frac{3}{4}$ x $1\frac{1}{16}$ in. thick




No. 552
Yellow Pine




No. 253

4 x 11 x $1\frac{1}{16}$ in. thick
 $4\frac{3}{4}$ x 11 x $1\frac{1}{16}$ in. thick



No. 255

Drain Boards



24x24x $1\frac{1}{8}$
24x30x $1\frac{1}{8}$
24x36x $1\frac{1}{8}$

Pickets



$1\frac{1}{8}$ square





$\frac{3}{4}$ x $2\frac{1}{2}$

3 ft. long
3 ft. 6 in. long
4 ft. long

O. G. Gutter Clear

YELLOW FIR




Sizes in stock:

3x5 inches 4x6 inches
4x5 inches 5x7 inches

PENNSYLVANIA DOOR & SASH CO.



Composition Caps



149




150




153



151



154



156




152

84


PENNSYLVANIA DOOR & SASH CO.

Porch Rails


FIR




No. 60. $2\frac{5}{8} \times 2\frac{5}{8}$
Also rabbetted $1\frac{3}{4}$




No. 70. $4\frac{1}{2} \times 2\frac{5}{8}$



No. 61. $1\frac{5}{8} \times 2\frac{5}{8}$



No. 72. $3\frac{1}{2} \times 2\frac{5}{8}$



No. 62. $1\frac{5}{8} \times 2\frac{5}{8}$



No. 74. $3\frac{1}{4} \times 1\frac{5}{8}$




No. 63. $2\frac{5}{8} \times 1\frac{5}{8}$
 $3\frac{5}{8} \times 1\frac{5}{8}$




No. 71. $3\frac{5}{8} \times 1\frac{5}{8}$

No. 60 and 70 also rabbetted for balusters.


Baluster Stock



No. 57



No. 58




No. 59

$1\frac{1}{8}$, $1\frac{3}{8}$ or $1\frac{3}{4}$ in. square long lengths, or 20 and 24 in. long

PENNSYLVANIA DOOR & SASH CO.

Colonial and Square Newels and Columns



Something new—a box column made with a dovetail joint.


No nails.

No center braces.

No glue.

But still as rigid as a solid piece.

No nail holes to putty will appeal to the painter on the job.



This style box column is made on a Linderman machine, using the dovetail joint.

Looks like a solid piece.

You cannot see any joints.


No nails.

No center braces.


The advantages of this style joint are very apparent.

2215

BOX NEWELS




2227



2225

COLONIAL NEWELS



2224


NEWELS In Stock

6x 6—3 ft. 6 in.

8x 8—3 ft. 6 in.

10x10—3 ft. 6 in.


12x12—3 ft. 6 in.




2214

PENNSYLVANIA DOOR & SASH CO.


Colonial and Square Columns




2216-B



2215




Fluted



2223

2215 and 2216B
In Stock


6x6— 8 ft.	10x10—6 ft.
6x6— 9 ft.	10x10—8 ft.
8x8— 6 ft.	10x10—9 ft.
8x8— 8 ft.	12x12—6 ft.
8x8— 9 ft.	12x12—8 ft.
8x8—10 ft.	12x12—9 ft.



Standard Lock Joint

PENNSYLVANIA DOOR & SASH CO.


Pergolas



100



101




102

PENNSYLVANIA DOOR & SASH CO.

Stock Designs, Posts and Porchwork

Cedar
Clothes
Posts



Pine




12

Pine




38



10

10x12, 1 3/8
12x14, 1 3/8
12x16, 1 3/8



11

10x12, 1 3/8
12x14, 1 3/8
12x16, 1 3/8

FIR

No. 2200

Sizes carried in stock:

4x4x8 ft.	5x5x10 ft.
4x4x9 ft.	6x6x 8 ft.
5x5x8 ft.	6x6x 9 ft.
5x5x9 ft.	6x6x10 ft.

Sizes carried in stock:

NEWELS FIR

Nos. 2221 and 2222

4x4, 4 ft. 5x5, 4 ft.
6x6, 4 ft.

BALUSTERS

Nos. 38 and 39

1 3/4x1 3/4, 20, and 24 in. long.

SPINDLES

No. 12

1 3/4x10 in. long.



2222



2221



13

Colonial Balusters 2 1/4 in.
and 2 3/4 in.
20 in. and 24 in.



2200

PENNSYLVANIA DOOR & SASH CO.


Window Frames



20

No. 20

Pulley Stile.....	$\frac{13}{16} \times 4\frac{9}{16}$
Side Casing.....	$1\frac{1}{16} \times 4\frac{1}{2}$
Head Casing.....	$1\frac{1}{16} \times 4\frac{1}{2}$
Drip Cap.....	$1\frac{1}{8} \times 1\frac{5}{8}$
Blind Stop.....	$\frac{13}{16} \times 1\frac{3}{8}$
Parting Bead.....	$\frac{1}{2} \times 1\frac{13}{16}$
Subsill.....	$\frac{13}{16} \times 5\frac{11}{16}$
Sill.....	$1\frac{3}{4} \times 3\frac{3}{4}$




No. 21

Side and Head Casing.....	$1\frac{1}{16} \times 3\frac{3}{4}$
---------------------------	-------------------------------------

No. 22

Side and Head Casing.....	$\frac{13}{16} \times 3\frac{3}{4}$
---------------------------	-------------------------------------




No. 23

Side and Head Casing.....	$\frac{13}{16} \times 4\frac{1}{2}$
---------------------------	-------------------------------------

No. 24

Pulley Stile.....	$\frac{13}{16} \times 4\frac{9}{16}$
Side Casing.....	$1\frac{1}{16} \times 4\frac{1}{2}$
Head Casing.....	$1\frac{1}{16} \times 6\frac{1}{2}$
Drip Cap.....	$1\frac{1}{8} \times 3$
Crown Mould.....	$\frac{13}{16} \times 2\frac{1}{4}$
Blind Stop.....	$\frac{13}{16} \times 1\frac{3}{8}$
Parting Bead.....	$\frac{1}{2} \times 1\frac{13}{16}$
Subsill.....	$\frac{13}{16} \times 5\frac{11}{16}$
Sill.....	$1\frac{3}{4} \times 3\frac{3}{4}$



24

No. 25


Side Casing.....	$1\frac{1}{16} \times 4\frac{1}{2}$
Head Casing.....	$1\frac{1}{16} \times 5\frac{1}{2}$

No. 26

Side Casing.....	$1\frac{1}{16} \times 3\frac{3}{4}$
Head Casing.....	$1\frac{1}{16} \times 5\frac{1}{2}$

No. 27

Side Casing.....	$\frac{13}{16} \times 3\frac{3}{4}$
Head Casing.....	$\frac{13}{16} \times 5\frac{1}{2}$




No. 28

Side Casing.....	$\frac{13}{16} \times 4\frac{1}{2}$
Head Casing.....	$\frac{13}{16} \times 5\frac{1}{2}$


PENNSYLVANIA DOOR & SASH CO.

In Stock



Pittsburg Style Frame House Frames




INSIDE DOOR JAMBS




PITTSBURG STYLE BRICK HOUSE FRAMES



Cellar Sash Frames



Brick Veneer Door Frames




PENNSYLVANIA DOOR & SASH CO.

Window Frames



No. 30

Pulley Stile.....	$\frac{13}{16} \times 4\frac{9}{16}$
Side Casing.....	$\frac{11}{16} \times 4\frac{1}{2}$
Head Casing.....	$\frac{11}{16} \times 4\frac{1}{2}$
Drip Cap.....	$\frac{11}{8} \times 1\frac{5}{8}$
Blind Stop.....	$\frac{13}{16} \times 1\frac{3}{8}$
Parting Bead.....	$\frac{1}{2} \times \frac{13}{16}$
Sill.....	$1\frac{3}{4} \times 7\frac{1}{2}$



No. 31


Side and Head Casing.....	$\frac{11}{16} \times 3\frac{3}{4}$
---------------------------	-------------------------------------

No. 32

Side and Head Casing.....	$\frac{13}{16} \times 3\frac{3}{4}$
---------------------------	-------------------------------------


No. 33

Side and Head Casing.....	$\frac{13}{16} \times 4\frac{1}{2}$
---------------------------	-------------------------------------




No. 34

Pulley Stile.....	$\frac{13}{16} \times 4\frac{9}{16}$
Side Casing.....	$\frac{11}{16} \times 4\frac{1}{2}$
Head Casing.....	$\frac{11}{16} \times 6\frac{1}{2}$
Drip Cap.....	$1\frac{1}{8} \times 3$
Crown Mold.....	$\frac{13}{16} \times 2\frac{1}{4}$
Blind Stop.....	$\frac{13}{16} \times 1\frac{3}{8}$
Parting Bead.....	$\frac{1}{2} \times \frac{13}{16}$
Sill.....	$1\frac{3}{4} \times 7\frac{1}{2}$



No. 35

Side Casing.....	$\frac{11}{16} \times 4\frac{1}{2}$
Head Casing.....	$\frac{11}{16} \times 5\frac{1}{2}$




No. 36

Side Casing.....	$\frac{11}{16} \times 3\frac{3}{4}$
Head Casing.....	$\frac{11}{16} \times 5\frac{1}{2}$

No. 37

Side Casing.....	$\frac{13}{16} \times 3\frac{3}{4}$
Head Casing.....	$\frac{13}{16} \times 5\frac{1}{2}$



No. 38

Side Casing.....	$\frac{13}{16} \times 4\frac{1}{2}$
Head Casing.....	$\frac{13}{16} \times 5\frac{1}{2}$

PENNSYLVANIA DOOR & SASH CO.


Window Frames



50

No. 50

Pulley Stile.....	$\frac{13}{16} \times 4\frac{9}{16}$
Side Casing.....	$1\frac{1}{16} \times 4\frac{1}{2}$
Head Casing.....	$1\frac{1}{16} \times 4\frac{1}{2}$
Drip Cap.....	$1\frac{1}{8} \times 1\frac{5}{8}$
Blind Stop.....	$\frac{13}{16} \times 1\frac{3}{8}$
Parting Bead.....	$\frac{1}{2} \times 1\frac{13}{16}$
Subsill.....	$\frac{13}{16} \times 5\frac{11}{16}$
Sill.....	$1\frac{3}{4} \times 3\frac{3}{4}$



No. 51


Side and Head Casing.....	$1\frac{1}{16} \times 3\frac{3}{4}$
---------------------------	-------------------------------------

No. 52

Side and Head Casing.....	$\frac{13}{16} \times 3\frac{3}{4}$
---------------------------	-------------------------------------


No. 53

Side and Head Casing.....	$\frac{13}{16} \times 4\frac{1}{2}$
---------------------------	-------------------------------------



No. 54

Pulley Stile.....	$\frac{13}{16} \times 4\frac{9}{16}$
Side Casing.....	$1\frac{1}{16} \times 4\frac{1}{2}$
Head Casing.....	$1\frac{1}{16} \times 6\frac{1}{2}$
Drip Cap.....	$1\frac{1}{8} \times 3$
Crown Mould.....	$\frac{13}{16} \times 2\frac{1}{4}$
Blind Stop.....	$\frac{13}{16} \times 1\frac{3}{8}$
Parting Bead.....	$\frac{1}{2} \times 1\frac{13}{16}$
Subsill.....	$\frac{13}{16} \times 5\frac{11}{16}$
Sill.....	$1\frac{3}{4} \times 3\frac{3}{4}$




54

No. 55

Side Casing.....	$1\frac{1}{16} \times 4\frac{1}{2}$
Head Casing.....	$1\frac{1}{16} \times 5\frac{1}{2}$

No. 56

Side Casing.....	$1\frac{1}{16} \times 3\frac{3}{4}$
Head Casing.....	$1\frac{1}{16} \times 5\frac{1}{2}$




No. 57

Side Casing.....	$\frac{13}{16} \times 3\frac{3}{4}$
Head Casing.....	$\frac{13}{16} \times 5\frac{1}{2}$

No. 58

Side Casing.....	$\frac{13}{16} \times 4\frac{1}{2}$
Head Casing.....	$\frac{13}{16} \times 5\frac{1}{2}$




For frame with $1\frac{1}{8} \times 2\frac{1}{2}$ Drip Cap and $\frac{13}{16} \times 1\frac{3}{4}$ Crown Mould, use Nos. 55A, 56A, 57A, 58A and deduct 6c from list price.

PENNSYLVANIA DOOR & SASH CO.

Outside Door Frames

STANDARD DOOR FRAME




No. 150

Jambs and Header	$1\frac{5}{16} \times 5\frac{5}{8}$
Side Casing	$1\frac{1}{16} \times 4\frac{1}{2}$
Head Casing	$1\frac{1}{16} \times 4\frac{1}{2}$
Cap Mold	$1\frac{1}{8} \times 1\frac{5}{8}$
Sill	$1\frac{3}{4} \times 7\frac{1}{2}$

No. 150-A

Same as No. 150, but with No. 309 Sill. Use same list and discount.




152.

No. 151

Side and Head Casing	$1\frac{1}{16} \times 3\frac{3}{4}$
----------------------	-------------------------------------

No. 149

Same as No. 150, but with No. 309 Sill and $1\frac{1}{8} \times 2$ drip cap.



No. 160


Jambs and Header	$1\frac{5}{16} \times 5\frac{5}{8}$
Side Casing	$1\frac{1}{16} \times 4\frac{1}{2}$
Head Casing	$1\frac{1}{16} \times 6\frac{1}{2}$
Cap Mold	$1\frac{1}{8} \times 3$
Crown Mold	$\frac{13}{16} \times 2\frac{1}{4}$
Sill	$1\frac{3}{4} \times 7\frac{1}{2}$

No. 161

Head Casing	$1\frac{1}{16} \times 5\frac{1}{2}$
-------------	-------------------------------------

No. 162

Head Casing	$1\frac{1}{16} \times 5\frac{1}{2}$
Side Casing	$1\frac{1}{16} \times 3\frac{3}{4}$




No. 152

Jambs and Header	$1\frac{5}{16} \times 5\frac{5}{8}$
Side Casing	$\frac{13}{16} \times 4\frac{1}{2}$
Head Casing	$\frac{13}{16} \times 4\frac{1}{2}$
Cap Mold	$1\frac{1}{8} \times 1\frac{5}{8}$
Sill	$1\frac{3}{4} \times 7\frac{1}{2}$

No. 153

Side Casing	$\frac{13}{16} \times 3\frac{3}{4}$
-------------	-------------------------------------



160

No. 163


Jambs and Header	$1\frac{5}{16} \times 5\frac{5}{8}$
Side Casing	$\frac{13}{16} \times 3\frac{3}{4}$
Head Casing	$\frac{13}{16} \times 5\frac{1}{2}$
Cap Mould	$1\frac{1}{8} \times 3$
Crown Mould	$\frac{13}{16} \times 2\frac{1}{4}$
Sill	$1\frac{3}{4} \times 7\frac{1}{2}$

No. 164

Head Casing	$\frac{13}{16} \times 5\frac{1}{2}$
Side Casing	$\frac{13}{16} \times 4\frac{1}{2}$


No. 165

Head Casing	$\frac{13}{16} \times 6\frac{1}{2}$
Side Casing	$\frac{13}{16} \times 4\frac{1}{2}$




PENNSYLVANIA DOOR & SASH CO.

Outside Door Frames



No. 154

Jambs and Header.....	$1\frac{1}{16} \times 5\frac{5}{8}$
Side Casing.....	$1\frac{1}{16} \times 4\frac{1}{2}$
Head Casing.....	$1\frac{1}{16} \times 4\frac{1}{2}$
Cap Mold.....	$1\frac{1}{8} \times 1\frac{5}{8}$
Stop.....	$\frac{1}{2} \times 2\frac{3}{4}$
Sill.....	$1\frac{3}{4} \times 7\frac{1}{2}$



154

No. 155


Side and Head Casing.....	$1\frac{1}{16} \times 3\frac{3}{4}$
---------------------------	-------------------------------------

No. 156

Side and Head Casing.....	$1\frac{3}{16} \times 3\frac{3}{4}$
---------------------------	-------------------------------------

No. 157

Side and Head Casing.....	$1\frac{3}{16} \times 4\frac{1}{2}$
---------------------------	-------------------------------------



No. 166


Jambs and Header.....	$1\frac{1}{16} \times 5\frac{5}{8}$
Side Casing.....	$1\frac{1}{16} \times 4\frac{1}{2}$
Head Casing.....	$1\frac{1}{16} \times 6\frac{1}{2}$
Cap Mould.....	$1\frac{1}{8} \times 3$
Crown Mould.....	$1\frac{3}{16} \times 2\frac{1}{4}$
Sill.....	$1\frac{3}{4} \times 7\frac{1}{2}$

No. 167

Head Casing.....	$1\frac{1}{16} \times 5\frac{1}{2}$
------------------	-------------------------------------

No. 167½

Head Casing.....	$1\frac{3}{16} \times 5\frac{1}{2}$
Side Casing.....	$1\frac{3}{16} \times 4\frac{1}{2}$



No. 168

Head Casing.....	$1\frac{1}{16} \times 5\frac{1}{2}$
Side Casing.....	$1\frac{1}{16} \times 3\frac{3}{4}$



No. 168½


Head Casing.....	$1\frac{3}{16} \times 5\frac{1}{2}$
Side Casing.....	$1\frac{3}{16} \times 3\frac{3}{4}$

No. 169




Head Casing.....	$1\frac{3}{16} \times 6\frac{1}{2}$
Side Casing.....	$1\frac{3}{16} \times 4\frac{1}{2}$

PENNSYLVANIA DOOR & SASH CO.



Cellar Frames





120



121



123



120	Side and Head Jambs.....	$1\frac{5}{8} \times 5\frac{1}{2}$
	Sill.....	$1\frac{3}{4} \times 7\frac{1}{2}$
121	Side and Head Jambs.....	$1\frac{5}{8} \times 4\frac{1}{2}$
	Sill.....	$1\frac{5}{8} \times 4\frac{1}{2}$
122	Side and Head Jambs.....	$1\frac{5}{8} \times 5\frac{3}{4}$
	Sill.....	$1\frac{5}{8} \times 5\frac{3}{4}$
123	Side and Head Jambs.....	$1\frac{1}{16} \times 3\frac{3}{4}$
	Outside Casings.....	$1\frac{1}{16} \times 1\frac{3}{4}$
	Inside Casings.....	$1\frac{1}{16} \times 1\frac{3}{4}$
	Sill.....	$1\frac{1}{16} \times 4$



A

STYLE A TRANSOM BAR Inside Frame


Bar.....	$1\frac{7}{16} \times 2\frac{1}{2}$
Casing.....	$1\frac{1}{16} \times 3\frac{1}{2}$



B

STYLE B TRANSOM BAR Western Type

Bar.....	$1\frac{7}{16} \times 2\frac{1}{2}$
Casing.....	$\frac{13}{16} \times 2\frac{1}{4}$
Cap.....	$1\frac{1}{8} \times 2\frac{3}{4}$
Crown.....	$\frac{13}{16} \times 2\frac{1}{4}$



C

STYLE C TRANSOM BAR Eastern Type

Bar.....	$1\frac{7}{16} \times 3\frac{1}{2}$
Casing.....	$1\frac{1}{16} \times 3\frac{3}{8}$
Cap.....	$1\frac{1}{8} \times 2\frac{3}{4}$
Crown.....	$\frac{13}{16} \times 2\frac{1}{4}$

Door Frame Sills



$1\frac{3}{4} \times 7\frac{1}{2}$
PLAIN



$1\frac{3}{4} \times 7\frac{1}{2}$
MOULDED



$1\frac{3}{8} \times 7\frac{1}{2}$
PLAIN




$1\frac{3}{16} \times 5\frac{5}{8}$



$1\frac{1}{16} \times 5\frac{5}{8}$

PENNSYLVANIA DOOR & SASH CO.

Glazier Diamonds



PENNSYLVANIA DOOR & SASH CO.

GLOSSARY OF TRADE TERMS

The definitions below give the meaning of various terms used in this book affecting articles described as established by general usage.

IN GENERAL

MEASUREMENTS

- Outside Opening**—The measurement of any given article from outside to outside. The frame opening always should be given in feet and inches.
- Between Glass**—The difference between the outside opening and the total glass measurement of a given window or sash.
- Face Measure**—The measurement across the face of any wood part exclusive of any solid mold or rabbet.
- Finished Size**—The measurement of any wood part over all, including the solid mold or rabbet.
- Ripping Size**—The width of stock necessary to produce any given finished size. Usually $\frac{1}{4}$ inch over finished size.

MOLDING

- Solid Mold or Solid Stuck**—A mold which is worked on the article itself.
- Applied Mold**—A separate mold to be applied or attached.
- Flush Mold**—An applied molding which finishes flush with, or below the face or surface of the stiles or rails.
- Raised Mold**—An applied molding which partly covers or which extends above the face or surface of the stiles or rails.

MULLION

- An upright or vertical bar, usually wider than the ordinary bar, dividing the glass in a sash, or a wide upright dividing two sashes in a frame. Applies also to upright bars in doors.

MUNTIN

- Applies to any short or light bars—either vertical or horizontal—in a sash or door between glass or panels and not extending the full width or length of the article.

ODD WORK

- This term applies to any article which is not listed under listed sizes, or for which a list must be formed by the application of any of the Footnotes or Rules for Extras—unless these specifically state to the contrary.

RAIL

- The cross or horizontal pieces of the frame-work of a sash, door or blind.

STILES

- The upright or vertical outside pieces of a sash, door or blind.

APPLYING TO SASH OR WINDOWS

SASH

- A sash indicates a single piece to fill a given opening.

PENNSYLVANIA DOOR & SASH CO.

GLOSSARY OF TRADE TERMS—Continued

WINDOW

A window indicates two pieces—one upper, one lower—to fill an opening arranged to slide vertically.

Front Window—A window in which the meeting rails are placed above the center of the opening.

Front Sash—A sash made to correspond to a front window.

FULL BOUND

This term indicates that the sash so described shall have a similar amount of wood in stiles and top and bottom rails, usually described as "same rail all around."

MEETING RAILS

The rails of a window which meet when the window is hung and closed.

Plain Rail—Meeting rails of the same thickness as balance of the window.

Check Rails—Meeting rails sufficiently thicker than the window to fill the opening between the top and bottom sash made by the check strip or parting strip in the frame. They are usually beveled.

LUGS OR HORNS

An extension of the stiles of a window beyond the meeting rails. They are usually molded on the inside of the stile with an O. G. Mold.—(O. G. Lugs.)

PANELS

Bevel raised panels are standard.

GRADUATED PANELS

Doors with cross panels of a different width usually graduated from a wide lower panel to a narrow top panel.

LOCK RAIL

The wide center rail of a door.

TENONS

Through Tenoned—A door made with tenons on the end of the rails mortised or tenoned through and showing the outside of the stile.

Blind Tenoned or Mortised—A door made with the tenons on the ends of the rails mortised into but extending only part way through the stile.

APPLYING TO BLINDS

BLIND

Single—A single blind is one piece to fill a given opening.

Pair—A pair of blinds is two pieces to fill a given opening, made and rabbeted to fold.

Set—A set of blinds is more than two pieces for a given opening.

STATIONARY SLAT BLINDS

Blinds with slats mortised into or so attached to the stiles as to be fixed.

Half Stationary Blinds—Blinds with $\frac{1}{2}$ panels or with movable or rolling slats and $\frac{1}{2}$ with stationary or fixed slats.

SHUTTERS

Blind with solid panels instead of slat panels.

BEAD AND BUTT SHUTTERS

Shutters with panels flush with the stiles and rails on one side and with beads lengthwise of the panels, at or near the stiles on one side only.

MOULDINGS

WHITE or Sugar Pine are soft textured high grade smoothly worked stock. We carry in our several warehouses the largest assortment as well as the most extensive stock of Pine Mouldings kept in stock by any one house, including exterior and interior moulding, casing, base, stool, apron and other trim, lattice and brick and modoc and mantel moulding with many types not carried by others. Our facilities for carlot shipment direct from mill enable us to compete with all wholesale sources for No. 1 moulding.

We carry stocks of Yellow Pine and Plain Oak and unselected Birch Mouldings and trim and material for Stairways.



PENNSYLVANIA DOOR & SASH CO.

Outside Mouldings CROWN MOULDINGS











PENNSYLVANIA DOOR & SASH CO.

Outside Mouldings CROWN AND BED



PENNSYLVANIA DOOR & SASH CO.








Outside Mouldings MODOC—COVE AND BEAD



PENNSYLVANIA DOOR & SASH CO.

Outside Mouldings



BRICK MOULDING—COVE—QUARTER AND HALF ROUND



\$1.00




\$1.00




PENNSYLVANIA DOOR & SASH CO.

Outside Mouldings


LATTICE



\$0.85








\$1.00












\$1.40

DRIP CAPS and WATER TABLE



PENNSYLVANIA DOOR & SASH CO.

Inside Mouldings STOPS AND SCREEN MOULDINGS



3/8 x 3/4, \$0.80

5/16 x 5/8, \$0.80







3/8 x 5/8, \$0.80

7/16 x 3/4, \$1.00















PENNSYLVANIA DOOR & SASH CO.

Inside Mouldings STOPS AND BEADS



PENNSYLVANIA DOOR & SASH CO.

Inside Mouldings Panel, Band and Cornice Mouldings



PENNSYLVANIA DOOR & SASH CO.

Inside Mouldings BEADS—PANEL—CAP—BASE MOULDINGS


$\frac{1}{4} \times \frac{1}{2}$, \$1.00



$\frac{1}{4} \times \frac{3}{8}$, \$1.00



$\frac{3}{8} \times \frac{1}{2}$, \$1.00










$\frac{3}{8} \times \frac{7}{16}$, \$1.00



$\frac{7}{16} \times \frac{9}{16}$, \$1.00








$\frac{1}{2} \times \frac{9}{16}$, \$1.00



PENNSYLVANIA DOOR & SASH CO.





Inside Mouldings

Casings and Back Bands





PENNSYLVANIA DOOR & SASH CO.

Inside Mouldings STOCK CASING and ARCHITRAVE






PENNSYLVANIA DOOR & SASH CO.

Inside Mouldings




Also $1 \frac{1}{8} \times 4 \frac{1}{4}$



PENNSYLVANIA DOOR & SASH CO.







Inside Mouldings CAP TRIM



PENNSYLVANIA DOOR & SASH CO.





Inside Mouldings

PLYNTH ARCHITRAVE CAP—PICTURE HOOK MOULD—BACK BAND



PENNSYLVANIA DOOR & SASH CO.

Inside Mouldings BASE




8422
 $\frac{1}{2} \times 3\frac{1}{4}$
\$1.00

PENNSYLVANIA DOOR & SASH CO.

Inside Mouldings


Three-Member Base




PENNSYLVANIA DOOR & SASH CO.

Blackboard and Baluster Stock

Blackboard Mouldings






Porch Baluster Stock





PENNSYLVANIA DOOR & SASH CO.

Inside Mouldings

Astragals



SLIDING DOOR BANDING



PENNSYLVANIA DOOR & SASH CO.

List of Mouldings

Lists Quoted are for 100 Lineal Feet of Moulding

Page	No.	Size	List	Page	No.	Size	List
101.....	8000	$\frac{3}{4}$ x $3\frac{1}{4}$	\$3.50	107.....	8118 $\frac{1}{2}$	$\frac{1}{2}$ x $\frac{3}{4}$	1.00
101.....	8002	$\frac{3}{4}$ x $3\frac{5}{8}$	4.00	107.....	8119	$\frac{1}{2}$ x $1\frac{3}{8}$	1.50
101.....	8003	$\frac{3}{4}$ x $2\frac{3}{4}$	3.00	107.....	8120	$\frac{1}{2}$ x $1\frac{5}{8}$	2.00
101.....	8007	$\frac{3}{4}$ x $1\frac{3}{4}$	2.00	108.....	8131	$\frac{3}{4}$ x $1\frac{1}{4}$	1.50
101.....	8008	$\frac{3}{4}$ x $2\frac{1}{4}$	2.50	104.....	8137	$\frac{3}{4}$ x $1\frac{3}{4}$	2.00
101.....	8009	$\frac{3}{4}$ x $3\frac{5}{8}$	4.00	106.....	8139	$\frac{1}{8}$ x $\frac{5}{8}$	0.80
101.....	8010	$\frac{3}{4}$ x $2\frac{3}{4}$	3.00	106.....	8140	$\frac{3}{8}$ x $\frac{3}{4}$	0.80
101.....	8011	$\frac{3}{4}$ x $2\frac{1}{4}$	2.50	106.....	8145	$\frac{3}{8}$ x $\frac{5}{8}$	0.80
101.....	8012	$\frac{3}{4}$ x $4\frac{1}{4}$	4.75	106.....	8146	$\frac{1}{8}$ x $\frac{3}{4}$	1.00
102.....	8013	$\frac{3}{4}$ x $4\frac{5}{8}$	5.50	104.....	8147	$\frac{3}{4}$ x $1\frac{5}{8}$	2.00
102.....	8014	$\frac{3}{4}$ x $3\frac{1}{4}$	3.50	109.....	8152	$\frac{1}{2}$ x 1	1.25
102.....	k8015	$\frac{3}{4}$ x $2\frac{1}{4}$	2.50	109.....	8153	$\frac{1}{2}$ x $1\frac{1}{8}$	1.25
102.....	8016	$\frac{3}{4}$ x $1\frac{3}{4}$	2.00	109.....	8154	$\frac{3}{4}$ x $1\frac{1}{8}$	1.25
102.....	8018	$\frac{3}{4}$ x $2\frac{1}{4}$	2.50	109.....	8155	$\frac{3}{4}$ x $1\frac{3}{8}$	1.50
102.....	8019	$\frac{3}{4}$ x $2\frac{3}{4}$	3.00	108.....	8161	$\frac{3}{8}$ x 1	1.25
102.....	8020	$\frac{3}{4}$ x $3\frac{1}{4}$	3.50	108.....	8167	$\frac{5}{8}$ x $1\frac{1}{4}$	1.50
102.....	8023	$\frac{3}{4}$ x $3\frac{5}{8}$	4.00	108.....	8174	$\frac{3}{4}$ x $1\frac{5}{8}$	2.00
103.....	8024	$\frac{3}{4}$ x $1\frac{3}{4}$	2.00	109.....	8176	$\frac{3}{4}$ x $1\frac{3}{4}$	2.00
103.....	8025	$\frac{3}{4}$ x $2\frac{1}{4}$	2.50	108.....	8177	$\frac{3}{4}$ x 2	2.25
103.....	8026	$\frac{3}{4}$ x $2\frac{3}{4}$	3.00	108.....	8178	$\frac{1}{8}$ x 2	2.25
103.....	k8030	$1\frac{3}{8}$ x $1\frac{3}{4}$	4.50	108.....	8180	$\frac{3}{4}$ x $2\frac{1}{2}$	2.75
103.....	k8031	$\frac{3}{4}$ x $1\frac{3}{8}$	1.50	109.....	8216	$\frac{3}{4}$ x 2	2.50
103.....	k8032	$\frac{3}{4}$ x $1\frac{3}{4}$	2.00	108.....	8221	$\frac{3}{4}$ x $2\frac{1}{8}$	2.75
103.....	8036	$\frac{3}{4}$ x $1\frac{1}{4}$	1.50	109.....	8226 $\frac{1}{2}$	$\frac{3}{4}$ x 2	2.50
103.....	8036 $\frac{1}{2}$	$\frac{3}{4}$ x $1\frac{3}{4}$	2.00	108.....	8238	$1\frac{3}{8}$ x $1\frac{3}{8}$	3.75
103.....	8038	$1\frac{1}{8}$ x $1\frac{3}{4}$	3.30	108.....	8256	$1\frac{1}{8}$ x $1\frac{5}{8}$	3.55
103.....	k8039	$1\frac{3}{8}$ x $1\frac{3}{4}$	4.50	114.....	8263	$\frac{3}{4}$ x $1\frac{3}{4}$	2.00
104.....	k8040	$1\frac{5}{8}$ x $2\frac{1}{4}$	7.30	114.....	8264	$\frac{3}{4}$ x $1\frac{3}{4}$	2.00
104.....	k8041	$1\frac{3}{4}$ x $1\frac{3}{4}$	5.50	114.....	8265	$\frac{3}{4}$ x $1\frac{3}{4}$	2.00
103.....	8042	$\frac{5}{8}$ x $\frac{3}{4}$	1.00	112.....	8267	$1\frac{1}{8}$ x $3\frac{3}{4}$	6.60
104.....	8060	$\frac{3}{4}$ x $\frac{7}{8}$	1.00	114.....	8271	$\frac{3}{4}$ x $1\frac{3}{4}$	2.00
104.....	8061	$\frac{3}{4}$ x $1\frac{1}{8}$	1.25	114.....	8273	$\frac{3}{4}$ x $2\frac{1}{4}$	2.50
104-117.....	8063	$\frac{1}{2}$ x $\frac{1}{2}$	1.00	114.....	8278	$\frac{5}{8}$ x $3\frac{5}{8}$	4.00
104.....	8064	$\frac{5}{8}$ x $\frac{5}{8}$	1.00	105.....	8280	$\frac{1}{8}$ x $1\frac{1}{8}$	0.85
104-116.....	8065	$\frac{3}{4}$ x $\frac{3}{4}$	1.00	105.....	8281	$\frac{1}{8}$ x $1\frac{3}{8}$	1.00
104.....	8068	$1\frac{1}{8}$ x $1\frac{1}{8}$	2.00	105.....	8282	$\frac{1}{8}$ x $1\frac{3}{4}$	1.40
104.....	8075	$\frac{1}{4}$ x $\frac{1}{8}$	1.00	105.....	8283	$1\frac{1}{8}$ x $1\frac{5}{8}$	3.30
104.....	8076	$\frac{1}{8}$ x $\frac{5}{8}$	1.00	105.....	8284	$1\frac{1}{8}$ x 2	3.75
104.....	8078	$\frac{1}{2}$ x 1	1.25	105.....	8285	$1\frac{1}{8}$ x $2\frac{1}{2}$	4.55
104.....	8079	$\frac{5}{8}$ x $1\frac{1}{4}$	1.50	105.....	8286	$1\frac{1}{8}$ x 3	5.40
107.....	8089	$\frac{1}{2}$ x $1\frac{1}{8}$	1.25	105.....	8287	$1\frac{1}{8}$ x $3\frac{1}{2}$	6.20
107.....	8089 $\frac{1}{2}$	$\frac{1}{2}$ x $\frac{3}{4}$	1.00	110.....	8308	$\frac{3}{4}$ x $3\frac{5}{8}$	4.20
107.....	8090	$\frac{1}{2}$ x $1\frac{5}{8}$	2.00	111.....	8308	$\frac{3}{4}$ x $3\frac{1}{2}$	4.00
107.....	8090 $\frac{1}{2}$	$\frac{1}{2}$ x $2\frac{1}{4}$	2.50	110-111.....	8309	$\frac{3}{4}$ x $4\frac{1}{4}$	5.00
107.....	8093	$\frac{1}{2}$ x $2\frac{1}{4}$	2.50	114.....	8366	$\frac{3}{4}$ x $1\frac{1}{8}$	1.25
107.....	8095	$\frac{1}{2}$ x $1\frac{5}{8}$	2.00	114.....	8367	$\frac{3}{4}$ x $3\frac{1}{2}$	4.00
107.....	8096	$\frac{1}{2}$ x $1\frac{3}{8}$	1.50	110.....	8368	$1\frac{1}{8}$ x $1\frac{1}{8}$	3.15
107.....	8097	$\frac{1}{2}$ x $1\frac{1}{8}$	1.25	110.....	8378	$1\frac{1}{8}$ x $1\frac{1}{8}$	2.35
107.....	8097 $\frac{1}{2}$	$\frac{1}{2}$ x $\frac{3}{4}$	1.00	115.....	8386	$\frac{3}{4}$ x $7\frac{1}{4}$	8.00
107.....	8098	$\frac{1}{2}$ x $1\frac{3}{8}$	1.50	110.....	8387	$1\frac{1}{8}$ x $1\frac{1}{8}$	3.15
107.....	8118	$\frac{1}{2}$ x $1\frac{1}{8}$	1.25	113.....	8387 $\frac{1}{2}$	$1\frac{1}{8}$ x $1\frac{1}{8}$	3.15
				113.....	8389	$1\frac{1}{8}$ x $1\frac{3}{4}$	3.55

PENNSYLVANIA DOOR & SASH CO.

List of Mouldings—Continued

Lists Quoted are for 100 Lineal Feet of Moulding

Page	No.	Size	List	Page	No.	Size	List
113.....	8389 $\frac{1}{2}$	1 $\frac{1}{8}$ x 2 $\frac{1}{4}$	4.15	109.....	8564	$\frac{7}{16}$ x $\frac{1}{8}$	1.00
113.....	8395	$\frac{1}{2}$ x 1 $\frac{1}{8}$	1.25	114.....	8564 $\frac{1}{2}$	1 $\frac{1}{8}$ x 4 $\frac{3}{4}$	8.75
113.....	8396	1 $\frac{1}{8}$ x 2 $\frac{1}{4}$	4.15	109.....	8570	$\frac{1}{2}$ x $\frac{1}{8}$	1.00
113.....	8397	$\frac{3}{4}$ x 5	6.00	109.....	8571	$\frac{5}{8}$ x $\frac{5}{8}$	1.00
113.....	8398	$\frac{3}{8}$ x 1 $\frac{1}{8}$	1.10	109.....	8575	$\frac{3}{4}$ x 2 $\frac{1}{4}$	2.75
116.....	8414	$\frac{3}{4}$ x 2 $\frac{3}{4}$	3.25	104.....	8600	$\frac{3}{4}$ x 1 $\frac{3}{4}$	2.00
116.....	8415	$\frac{3}{4}$ x 7 $\frac{1}{4}$	8.00	113.....	8607	$\frac{3}{4}$ x 2 $\frac{3}{8}$	3.00
116.....	8420	$\frac{3}{4}$ x 2 $\frac{1}{4}$	2.75	113.....	8608	$\frac{3}{4}$ x $\frac{3}{4}$	1.00
116.....	8421	$\frac{3}{4}$ x 7 $\frac{1}{4}$	8.00	113.....	8609	$\frac{3}{4}$ x 4 $\frac{3}{8}$	5.50
115-116.....	8422	$\frac{1}{2}$ x $\frac{3}{4}$	1.00	108.....	8619	$\frac{3}{4}$ x $\frac{1}{2}$	1.00
115.....	8424	$\frac{3}{4}$ x 7 $\frac{1}{4}$	8.00	108.....	8620	$\frac{3}{4}$ x $\frac{7}{8}$	1.00
116.....	8427	$\frac{5}{8}$ x $\frac{3}{4}$	1.00	108.....	8621	$\frac{3}{4}$ x 1 $\frac{3}{8}$	1.75
106.....	8432	$\frac{1}{2}$ x $\frac{3}{4}$	1.00	112.....	8641	$\frac{3}{4}$ x 3 $\frac{3}{8}$	4.20
106.....	8432 $\frac{1}{2}$	$\frac{3}{8}$ x $\frac{7}{8}$	1.00	112.....	8642	$\frac{3}{4}$ x 3 $\frac{3}{8}$	4.20
118.....	8446	$\frac{3}{4}$ x 2 $\frac{3}{8}$	6.50	112.....	8643	$\frac{3}{4}$ x 3 $\frac{5}{8}$	4.20
111.....	8508	$\frac{3}{4}$ x 3 $\frac{1}{2}$	4.00	112.....	8669	$\frac{3}{4}$ x 3 $\frac{1}{4}$	3.50
111.....	8514	$\frac{3}{4}$ x 3 $\frac{1}{2}$	4.00	110.....	8705	$\frac{3}{4}$ x 4 $\frac{1}{4}$	5.00
111.....	8518	$\frac{3}{4}$ x 4 $\frac{1}{4}$	5.00	110.....	8711	$\frac{3}{4}$ x 3 $\frac{5}{8}$	4.20
111.....	8520	$\frac{3}{4}$ x 4 $\frac{1}{4}$	5.00	110.....	8712	$\frac{3}{4}$ x 3 $\frac{5}{8}$	4.20
106.....	8526	$\frac{1}{2}$ x 1 $\frac{3}{8}$	1.50	110.....	8713	1 $\frac{1}{8}$ x 1 $\frac{1}{8}$	2.35
106.....	8527	$\frac{1}{2}$ x 1 $\frac{5}{8}$	2.00	116.....	8740	$\frac{3}{4}$ x 1 $\frac{3}{4}$	2.25
106.....	8528	$\frac{1}{2}$ x 2 $\frac{1}{4}$	2.50	116.....	8741	$\frac{3}{4}$ x 5 $\frac{1}{2}$	6.50
106.....	8529	$\frac{1}{2}$ x 2 $\frac{5}{8}$	2.75	115.....	8828	$\frac{3}{4}$ x 7 $\frac{1}{4}$	8.00
106.....	8530	$\frac{1}{2}$ x $\frac{3}{4}$	1.00	118.....	8875	1 $\frac{5}{8}$ x 2 $\frac{1}{2}$	8.10
106.....	8540	$\frac{1}{2}$ x 1 $\frac{1}{8}$	1.25	118.....	8876	1 $\frac{3}{8}$ x 2 $\frac{5}{8}$	6.50
106.....	8541	$\frac{1}{2}$ x 1 $\frac{3}{8}$	1.50	118.....	8890	$\frac{1}{8}$ x 2 $\frac{1}{4}$	1.75
106.....	8542	$\frac{1}{2}$ x 1 $\frac{5}{8}$	2.00	118.....	8891	$\frac{1}{8}$ x 1 $\frac{1}{8}$	1.00
115.....	8542 $\frac{1}{2}$	$\frac{3}{4}$ x 7 $\frac{1}{4}$	8.00	117.....	8900	1 $\frac{1}{8}$ x 1 $\frac{1}{8}$	2.10
106.....	8544	$\frac{1}{2}$ x 2 $\frac{1}{4}$	2.50	117.....	8901	1 $\frac{3}{8}$ x 1 $\frac{3}{8}$	3.50
109.....	8560	$\frac{1}{4}$ x $\frac{1}{2}$	1.00	117.....	8902	1 $\frac{5}{8}$ x 1 $\frac{5}{8}$	5.50
109.....	8561	$\frac{1}{4}$ x 1 $\frac{3}{8}$	1.00	117.....	8903	1 $\frac{5}{8}$ x 1 $\frac{5}{8}$	5.50
109.....	8562	$\frac{3}{8}$ x $\frac{1}{2}$	1.00	117.....	8920	1 x 1 $\frac{1}{2}$	2.90
109.....	8563	$\frac{3}{8}$ x $\frac{1}{8}$	1.00	117.....	8921	1 $\frac{1}{8}$ x 2 $\frac{5}{8}$	5.00
				117.....	8922	$\frac{3}{4}$ x 2 $\frac{1}{2}$	2.75

PENNSYLVANIA DOOR & SASH CO.

INDEX

	Page		Page
A			
Accordion Doors	71	Door Jambs	91
Angle Newels	74	Door Trim	94-96
Astragals	118	Door—	
B		Accordion	71
Balusters, Porch	85	Astragals	118
Balusters, Stairs	76	Blinds	68
Baluster Stock	85-117	Closet	68
Band Moulding	108	Cupboard	30-31
Base	115-116	Cottage Doors	34-51
Base Blocks	83	Extras	52
Base Corners	83	Frames	94-96
Bathroom Cabinets	81	French	48-49
Bead Moulding	107	Front	54-63
Bed Moulding	102	Garage	64-65
Blinds—		Hardwood	53-63
Door	68	Interior	53-63
Extras	70	Jambs	94-95
Grades of Wood	2	Mirror	53
Outside	66-69	Oak	53-63
Swinging	68	Sash	34-51
Blocks—Base, Head, Corners.....	83	Side Lights	48-49
Boards, Drain	83	Slab	61
Brackets, Porch	89	Slat	68
Breakfast Nooks	81	Stable	64-65
C		Store	46-47
Cabinets, Kitchen	81	Storm	50-51
Cabinets, Medicine	81	Swinging Closet	68
Cap Trim	113	Drain Boards.....	83
Casement Sash	23	Drip Cap Moulding.....	105
Church Window	27	E	
Circle Top Sash.....	27	Entrance, Front	84
Circle Treads	80	Extras—	
Clothes Posts	89	Blind	70
Closet Doors	68	Door	52
Colonial Entrance	84	Sash	28
Columns, Built Up, Turned.....	87	Transom	28
Columns, Solid, Turned.....	89	F	
Columns, Square	86-87	Factory Doors	64-65
Columns, Square Panelled.....	87	Frames—	
Corner Beads	108	Cellar	96
Corner Blocks	83	Door	94-96
Cottage Front Doors.....	54-63	Gothic	27
Cottage Front Sash Windows.....	17	Hot Bed	18
Cornice Mould	108	Special	90-96
Cove Mould	103	Window	90-93
Crooks, Stair Rail.....	78	French Doors	48-49
Crown Moulding	101-102	Front Doors	54-63
Cupboard Doors	30-31	Front Entrance	84
Cupboard Door Extras.....	31	Furniture, Garden	88
Cupboard, Kitchen	81	G	
Cupboard Sash	23	Garage Doors	64-65
		Garden Furniture	88
D			
Directions for Ordering.....	3		
Door Frames	94-96		

PENNSYLVANIA DOOR & SASH CO.

INDEX—Continued

Glass—	Page
Glaziers Diamonds	97
Stop	106-107
Gothic Windows	27
Grades of Sash, Doors and Blinds.....	2
Gutter	83

H

Half Round Moulding.....	104
Hardwood Doors	53-63
Hardwood Threshold	114
Head Blocks	83
Hot Bed Sash.....	18

I

Inside Door Frames.....	91
Ironing Boards	82

J

Jambs, Inside Door.....	91
-------------------------	----

K

Kitchen Cabinets	81
Kitchen Furniture	81

L

Landing Newels	74
Lattice	105
Lawn Furniture	88
Linen Closet	81

M

Medicine Cases	81
Mirror Doors	53

Mouldings—

Apron	112
Astragal	118
Back Band	110-114
Band	108
Base	109, 115-116
Bead	107-109
Bed	102
Black Board	117
Brick	104
Cap Trim	113
Casing	110-111
Chair Rail	111
Cornice	108
Cove	104
Crown	101-102
Drip Cap	105
Half Round	104
Lattice	105
Modoc	103
Partition, Cap and Shoe.....	114
Picture	114

Mouldings—Continued

	Page
Quarter Round	104
Rail Chair	111
Screen	106
Sprung Cove	103
Stools	112
Stops	106-107
Thresholds	114
Wainscot Cap	108
Water Table	105
Window Stool	112
Window Stop	106-107

N

Newels—	
Angle	74
Landing	74
Porch	86
Stair	74-75
Starting	74-75
Nooks, Breakfast	81

O

Official Grades of Sash, Doors and Blinds..	2
Outside Blinds	66-69

P

Panel Door Extras.....	32-33
Panel Mould	108-109
Panel Wainscoting	78
Pantry Cases	81
Pergolas	88
Pickets	83
Picture Moulding	114
Platform Newels	74

Porch Work—

Balusters	85
Brackets	89
Columns	86-89
Designs	84
Newels	86
Posts	86-89
Rails	85
Spindles	89

Q

Quarter Round Moulding.....	104
-----------------------------	-----

R

Railing—	
Porch	85
Stair	76-79
Risers, Stair	80
Roof Bracket	89

PENNSYLVANIA DOOR & SASH CO.

INDEX—Continued

S

Sash—	Page
Barn	20-21
Casement	23
Cellar	19-20
Circle	27
Cupboard	23
Cottage	17
Extras	28
Factory	12-16
Front	17
Gable	26
Hot Bed	18
One Light	17
Queen Anne	24
Stall	20-21
Transom	18-26
Sanitary Slab Doors	61
Sash Door Lists	34-51
Sash Door Extras	52
Screen—	
Combination Storm Door	50-51
Side Lights	48-49
Sink Trim	83
Spindles, Porch	89
Stable Doors	64-65
Stairs—	
Balusters	76
Crooks	78
Designs	76-79
Fillet	76
Newels	74-75
Rail	76-79
Risers	80
Shoe	76
Starting Newels	74-75
Steps	80
Treads	80
Standard Panel Door List	29
Standard Cupboard Door List	30-31
Stools, Window	112
Stops, Window and Door	106-107

Store—	Page
Doors	46-47
Storm Doors	50-51

T

Thresholds	114
Toilet Doors	68
Trellis Fence Design	88
Transoms—	
Extras	28
One Light	18
Queen Anne	24
Segment, Circle, Gothic	26

V

Veneered Doors	34-51
----------------------	-------

W

Wall Paneling	78
Warehouse Doors	64-65
Water Closet Doors	68
Windows—	
2 Light	4-8
4 Light	8-9
8 Light	10
12 Light	11
Factory	12-16
Bungalow Windows	25
Church	27
Circle Top	27
Cottage Front	17
Extra	28
Frames	90-93
Front	17
Gothic	27
Peakhead	27
Segment Head	27
Trim	90-93
Weights	72-73
Window Stools	112
Window Stop	106-107

25

